Physica C 185–189 (1991) xxxix–lxxxix
North-Holland

PHYSICA C

Contents

Preface . . . vii
Opening Address . . . ix
Bardeen Memorial Address . . . xi
Report from the Organizers . . . xiv
Awards . . . xvii
Conference Summaries
B. Batlogg, Materials and Properties . . . xviii
H. Fukuyama, Mechanisms and Theories . . . xxv
Committee Members . . . xxxv
Acknowledgements . . . xxxvii
Listing of Sections . . . xxxviii

Part I

Section A. Plenary and Invited Papers

The first five years of HTSC
K.A. Müller . . . 3
The theory of superconductivity
P.W. Anderson . . . 11
The influence of spin fluctuations on the physical properties of high-T_c materials
J.R. Schrieffer . . . 17
Electronic structure of copper oxide superconductors
S. Uchida . . . 28
Anomalous magnetoresistance and Hall current in the normal state of the cuprate superconductors
N.P. Ong, T.W. Jing, T.R. Chien, Z.Z. Wang, T.V. Ramakrishnan, J.M. Tarascon and K. Remschnig . . . 34
Pressure dependence of superconducting transition temperature and of Hall constant in high-T_c Cu-oxide superconductors
N. Mori, C. Murayama, H. Takahashi, H. Kaneko, K. Kawabata, Y. Iye, S. Uchida, H. Takagi, Y. Tokura, Y. Kubo, H. Sasakura and K. Yamaya . . . 40
High-energy spectroscopy studies of high-T_c superconductors
J. Fink, N. Nücker, M. Alexander, H. Romberg, M. Knupfer, M. Merkel, P. Adelmann, R. Claessen, G. Mante, T. Buslaps, S. Harm, R. Manzke and M. Skibowski . . . 45
Doping dependence of the electronic structure of superconducting and non-superconducting oxides: high-energy spectroscopic studies
A. Fujimori and H. Namatame . . . 51
Infrared properties of high-T_c superconductors
Z. Schlesinger, L.D. Rotter, R.T. Collins, F. Holtzberg, C. Feild, U. Welp, G.W. Crabtree, J.Z. Liu, Y. Fang and K.G. Vandervoort . . . 57
Raman scattering in high-T_c superconductors
M. Cardona . . . 65
Latest results on the anomalous Raman continuum in YBCO and in certain metals
M.V. Klein, S.L. Cooper, A.L. Kotz, R. Liu, D. Reznik, F. Slakey, W.C. Lee and D.M. Ginsberg . . . 72
Local distortion specifying the superconductor phases observed by Raman scattering
S. Sugai . . . 76

Magnetic correlations in high-T_c oxides
G. Shirane 80

Neutron scattering study of the $YBa_2Cu_3O_{6+x}$ system
J. Rossat-Mignod, L.P. Regnault, C. Vettier, P. Bourges, P. Burlet, J. Bossy, J.Y. Henry and G. Lapertot 86

NMR in the superconducting state of $YBa_2Cu_3O_7$
J.A. Martindale, S.E. Barrett, C.A. Klug, K.E. O'Hara, S.M. DeSoto, C.P. Slichter, T.A. Friedmann and D.M. Ginsberg 93

NMR in high-T_c oxide superconductors
Y. Kitaoka, K. Ishida, S. Ohsugi, K. Fujiwara and K. Asyama 98

Numerical simulations of the two-dimensional Hubbard model: dynamic properties
D.J. Scalapino 104

Antiferromagnetic spin fluctuations and superconductivity in high-T_c oxides
T. Moriya, Y. Takahashi and K. Ueda 114

Spin fluctuations and high temperature superconductivity in the antiferromagnetically correlated oxides: $YBa_2Cu_3O_7$; $YBa_2Cu_3O_{6.63}$; $La_{1.85}Sr_{0.15}CuO_4$
D. Pines 120

Normal state properties of the high-T_c oxides: a gauge theory
P. Lee and N. Nagaosa 130

A theory of marginal Fermi-liquids
A.E. Ruckenstein and C.M. Varma 134

Phase diagram of the t–J model
M. Luchini, M. Ogata, W. Putikka and T.M. Rice 141

Electrons, phonons, and their interaction in $YBa_2Cu_3O_7$
O.K. Andersen, A.I. Liechtenstein, O. Rodriguez, I.I. Mazin, O. Jepsen, V.P. Antropov, O. Gunnarsson and S. Gopalan 147

Lattice dynamical studies of HTSC materials
L. Pintschovius, N. Pyka, W.Reichardt, A.Yu. Rumiantsev, N.L. Mitrofanov, A.S. Ivanov, G. Collin and P. Bourges . . . 156

Isotope effect and electronic mechanisms
J.P. Carbotte and E.J. Nicol 162

Electronic structure and crystal structure in high-T_c oxides
S. Maekawa, Y. Ohta and T. Tohyama 168

Material overview of high-T_c oxides
Y. Tokura 174

Superconductivity in multiple phase $Sr_2Ln_{1-x}Ca_xGaCu_2O_7$ and characterization of $La_{2-x}Sr_xCaCu_2O_{6+\delta}$
R.J. Cava, R.B. Van Dover, B. Batlogg, J.J. Krajewski, L.F. Schneemeyer, T. Siegrist, B. Hessen, S.H. Chen, W.F. Peck Jr. and L.W. Rupp Jr. 180

Defects, defect ordering, structural coherence and superconductivity in the 123 copper oxides
J.D. Jorgensen, D.G. Hinks, P.G. Radaelli, S. Pei, P. Lightfoot, B. Dabrowski, C.U. Segre and B.A. Hunter 184

Structural and physical properties of the single and double chain Y–Ba–Cu–O phases 124 and 123.5
E. Kaldis, J. Karpinski, S. Rusiecki, B. Bucher, K. Conder and E. Jilek 190

High-T_c superconducting artificial lattice as a new material
T. Kawai, T. Matsumoto, M. Kanai, H. Tabata, K. Horiuchi and S. Kawai 198

Ultrathin films and superlattices of high-T_c superconductors controlled in the unit-cell scale using RHEED oscillations
Y. Bando, T. Terashima, K. Shimura, T. Sato, Y. Matsuda, S. Komiyama, K. Kamigaki and H. Terauchi 204

Epitaxial high-T_c cuprate superlattices: a study of the thermal flux motion
J.-M. Triscone, L. Antognazza, O. Brunner, L. Mieville, M.G. Karkut, P. van der Linden, J.A.A.J. Perenboom and Ø. Fischer 210

Proximity effects with the cuprates
G. Deutscher 216

Andreev scattering in weak links
R. Kümmel, U. Schüssler, U. Gunsenheimer and H. Plehn 221

Tunneling and proximity effect studies of the high-temperature superconductors
M.R. Beasley 227

Tunneling spectroscopy in $Ba_{1-x}K_xBiO_3$
R.C. Dynes, F. Sharifi, A. Pargellis, E.S. Hellman, B. Miller, E. Hartford Jr. and J. Rosmilia 234
Physical aspects of high-T_c tunneling junctions
I. Iguchi 241
Neutron diffraction from the flux line lattice
E.M. Forgan, DMcK. Paul, H.A. Mook, S.L. Lee, R. Cubitt, J.S. Abell, F. Gencer and P. Timmins. 247
Electron holography of flux lines
A. Tonomura 253
Scanning tunneling spectroscopy of vortices in a superconductor
H.F. Hess 259
Flux creep in high temperature superconductors
A.P. Malozemoff. 264
Dynamics of the flux-line lattice in high-T_c oxides
E.H. Brandt 270
Flux dynamics in high-T_c superconductors
V.V. Vinokur, G. Blatter, M.V. Feigel'man, V.B. Geshkenbein and A.I. Larkin 276
Anisotropic twin boundary pinning in $YBa_2Cu_3O_x$
G.W. Crabtree, W.K. Kwok, U. Welp, J. Downey, S. Fleshler, K.G. Vandervoort and J.Z. Liu 282
Flux pinning and creep in high temperature superconductors
P.H. Kes 288
Critical currents, grain boundaries and SQUIDs in the high temperature cuprate superconductors
P. Chaudhari 292
Anisotropy and dissipation in the mixed state of high temperature superconductors
Y. Iye, A. Fukushima, T. Tamegai, T. Terashima and Y. Bando 297
Properties of flux lines in cuprate oxide superconductors
M. Tachiki, T. Koyama and S. Takahashi 303
Neutron irradiation effects in high-T_c single crystals
H.W. Weber. 309
Electrical transport across grain boundaries in bicrystals of $YBa_2Cu_3O_{7-\delta}$
D.C. Larbalestier, S.E. Babcock, X.Y. Cai, M.B. Field, Y. Gao, N.F. Heinig, D.L. Kaiser, K. Merkle, L.K. Williams and N. Zhang 315
Flux pinning due to nonsuperconducting particles in melt processed YBaCuO superconductors
M. Murakami, H. Fujimoto, S. Gotoh, K. Yamaguchi, N. Koshizuka and S. Tanaka 321
Evidence from transport for phase transitions in the mixed state of YBCO and BSCCO
P.L. Gammel 327
Study of the flux pinning in the $YBa_2Cu_3O_y$ system
M.K. Wu, M.J. Wang, C.C. Chi and F. Holtzberg 332
Thermally activated flux-motion and quantum tunneling of vortices in high-T_c superconductors
R. Griessen, J.G. Lensink and H.G. Schnack 337
Flux motion by quantum tunneling
A.C. Mota, G. Juri, P. Visani, A. Pollini, T. Teruzzi, K. Aupke and B. Hilti 343
Thermoelectric and thermomagnetic effects in the mixed state of HTSCs
R.P. Huebener, F. Kober, R. Gross and H.-C. Ri 349
New high-T_c benchmarks for organic and fullerene superconductors
J.M. Williams, H.H. Wang, K.D. Carlson, A.M. Kini, U. Geiser, A.J. Schultz, W.K. Kwok, U. Welp, G.W. Crabtree, S. Fleshler, M.-H. Whangbo and J.E. Schirber 355
Study of organic superconductors
I.F. Shegolev and E.B. Yagubskii 360
Novel aspects of organic superconductors: NMR and magnetic susceptibility
T. Takahashi, K. Kanoda and G. Saito. 366
Magnetism and superconductivity in heavy fermion systems
J. Flouquet, J.P. Brison, K. Hasselbach, L. Taillefer, K. Behnia, D. Jaccard and A. de Visser 372

Phase transitions in the heavy Fermi-liquid state: $CeCu_2Si_2$, UNi_2Al_3 and UPd_2Al_3
F. Steglich, U. Ahlheim, A. Böhm, C.D. Bredl, R. Caspary, C. Geibel, A. Grauel, R. Helfrich, R. Köhler, M. Lang, A. Mehner, R. Modler, C. Schank, C. Wassilew, G. Weber, W. Assmus, N. Sato and T. Komatsubara 379

Physical limits to quantum flux parametron operation
E. Goto, W. Hioe and M. Hosoya 385

High temperature Josephson devices
A.I. Braginski 391

Section B. High-T_c Materials

B1. Alkali-metal-doped fullerene (M_xC_{60})

Superconductivity in alkali fullerides
D.W. Murphy, M.J. Rosseinsky, R.C. Haddon, A.P. Ramirez, A.F. Hebard, R. Tycko, R.M. Fleming and G. Dabbagh . . . 403

Electrical transport properties of the potassium doped bulk fullerene, K_xC_{60}
E.B. Park, J.W. Shim, H. Park, Y.W. Park, K.B. Lee, H.S. Kim, Z. Iqbal and R.H. Baughman 409

Microwave low-field absorption and ESR in $K_x(C_{60})_{1-y}(C_{70})_y$ and K_xC_{70}
A.A. Zakhidov, K. Imaeda, A. Ugawa, K. Yakushi, H. Inokuchi, Z. Iqbal, R.H. Baughman, B.L. Ramakrishna and Y. Achiba 411

Electronic properties of C_{60} and alkali metal doped C_{60} thin films or single crystals
Y. Maruyama, T. Inabe, H. Ogata, H. Hoshi, N. Nakamura, Y. Mori, Y. Achiba, S. Suzuki, K. Kikuchi and I. Ikemoto 413

Structure and superconductivity of single crystalline C_{60}
K. Kikuchi, S. Suzuki, K. Saito, H. Shiromaru, I. Ikemoto, Y. Achiba, A.A. Zakhidov, A. Ugawa, K. Imaeda, H. Inokuchi and K. Yakushi 415

Photoemission study of C_{60} and its alkali-metal compounds
T. Takahashi, T. Morikawa, S. Sato, H. Katayama-Yoshida, A. Yuyama, K. Seki, H. Fujimoto, S. Hino, S. Hasegawa, K. Kamiya, H. Inokuchi, K. Kikuchi, S. Suzuki, K. Ikemoto and Y. Achiba. 417

Role of the valley degeneracy in the plasmon mechanism of superconductivity and its implication to the alkali-metal-doped fullerene A_xC_{60}
Y. Takada. 419

Electronic structures of superconducting ionic metal K_xC_{60}
S. Saito and A. Oshiyama 421

Resonance Raman spectroscopy of Buckminsterfullerene
M. Matus, S. Balgavy, H. Kuzmany and W. Krätschmer 423

Calorimetric observation of a structural phase transition at elevated temperatures in single crystal C_{60}
N.A. Fortune, K. Murata, F. Iga, Y. Nishihara, K. Kikuchi, S. Suzuki, I. Ikemoto and Y. Achiba 425

Heat capacity measurements and thermodynamic studies of the new compound C_{60}
T. Atake, T. Tanaka, H. Kawaji, K. Kikuchi, K. Saito, S. Suzuki, I. Ikemoto and Y. Achiba. 427

Observation of superconducting phase growth in $C_{60}K_x$ by magnetic susceptibility
M. Kobayashi, Y. Akahama and H. Kawamura 429

B2. Preparation technique, phase relation and crystal growth

Electrochemical Li doping effect in high-T_c superconducting film
Y. Morikawa, K. Satoh, S. Ozawa, K. Nakamura, H. Yamamoto and M. Tanaka 431

A novel method to prepare highly dense ceramics of $YBa_2Cu_3O_{7-\delta}$
J.-C. Park, S.-G. Kang, J.-H. Choy, A. Wattiaux and J.-C. Grenier 433

Growth and characterization of $Y_{1-x}Pr_xBa_2Cu_3O_{7-x}$ single crystals
M. Nevřiva, E. Pollert, J. Hejtmánek. 435

Growth and superconductivity of $Nd_{2-x}Ce_xCuO_4$ single crystals
I. Tanaka, T. Watanabe, N. Komai and H. Kojima. 437

Growth of $YBa_2Cu_3O_x$ single crystals by a self-flux method with alkali chlorides as additives
N. Nakamura and M. Shimotomai 439

The role of an alkali halide flux in the growth of $YBa_2Cu_3O_{7-\delta}$ single crystals
J.S. Abell and F. Gencer 441

Growth of 80K-phase (Bi, Pb)–(Sr, Ca)–Cu–O single crystals
S. Kishida, H. Tokutaka, M. Katayama, M. Chihaya, K. Nishimori and N. Ishihara 443

Synthesis of high-quality $Ba_{1-x}K_xBiO_3$ superconductors using the PMQ method
M. Kamino, M. Iyori, K. Takahashi, Y. Yoshisato and S. Nakano 445

Growth and superconductivity of $Bi_2Sr_2CaCu_2O_x$ single crystal by slow-cooling method
T. Kotani, H. Takei and K. Tada 447

High quality single crystal growth of cuprate superconductors by a skull melt method
Y. Hidaka. 449

Single crystal growth and characterization of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_y$ by TSFZ method
K. Takamuku, K. Ikeda, T. Takata, T. Miyatake, I. Tomeno, S. Gotoh, N. Koshizuka and S. Tanaka 451

Crystal growth and physical properties of Zn doped YBCO crystals
W. Sadowski, M. Affronte, M. François and E. Walker 453

Preparation of $Bi_2Sr_2CuO_6$ single crystals by the traveling solvent floating zone method
M. Matsumoto, J. Shirafuji, K. Kitahama, S. Kawai, I. Shigaki and Y. Kawate 455

Influence of precursors in the Bi-superconductors preparation
A. Castro, R. Enjalbert, D. Esparza, J. Galy, I. Rasines and M.L. Rovetta 457

Growth and study of bulk $YBa_2Cu_3O_{7-\delta}$ single crystals
S.N. Barilo, A.P. Ges, S.A. Guretskii, D.I. Zhigunov, A.A. Ignatenko, A.N. Igumentsev, L.A. Kurnevich, A.M. Luginets 459

Synthesis of $YBa_2Cu_4O_8$ under one bar oxygen pressure by the citrate pyrolysis method
K. Koyama, A. Junod, T. Graf, G. Triscone and J. Muller 461

Manipulation of superconducting properties by hole doping through heat treatment and chemical substitution
R. Suryanarayanan, M. S.R. Rao, L. Ouhammou, O. Gorochov, N. Le Nagard and H. Pankowska. 463

Growth of large single crystals of $YBa_2Cu_3O_{6+x}$ with various values of x
S. Shamoto and M. Sato 465

Colloidal chemical synthesis and preparation of ceramics with employment of nitrates
V.A. Fotiev 467

The phase equilibria of $Bi_2Sr_2Ca_2Cu_3O_{10}$ in the system Bi_2O_3–SrO–CaO–CuO
P. Majewski, B. Hettich, and K. Schulze 469

Thermal stability and oxygen nonstoichiometry of BSCCO superconductors
Y.D. Tret'yakov and T.E. Os'kina 471

Thermodynamic and magnetic studies of two new high-pressure phases ($p(O_2)=90$ bar) in the system Y–Ba–Cu–O
T. Graf, A. Junod, D. Sanchez, G. Triscone and J. Muller. 473

On thermal stability and mechanism of formation of the 2223-structure type phase in Bi–Sr–Ca–Cu–O system
R. Horyń and A. Sikora. 475

Effect of fluorine doping on Bi–Pb–Sr–Ca–Cu–O superconductor
S.Y. Lee, S. Suehara and S. Horiuchi 477

Sol–Gel: a novel method to synthesize $YBa_2Cu_4O_8$
V.R. Palkar, P. Guptasarma, M.S. Multani and R. Vijayaraghavan 479

Preparation and characterization of some superconductor/polymer composites
T.-M. Chen and Y.H. Hu 481

Synthesis of $YBa_2Cu_4O_y$ powder by the EDTA solution method and oxine coprecipitation under ambient pressure
W.L. Chen, Y. Huang, M.K. Wu, M.J. Wang, D.H. Chen, S.R. Sheen and C.T. Chang 483

Quantitative analysis and studies of the evolution of the transformation from $Bi_2Sr_2CaCu_2O_{8+x}$ to $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ with the Rietveld method
M. Pissas, V. Psycharis, D. Niarchos 485

Pseudo binary phase diagram of the system $(Bi_{1.6}Pb_{0.4}Sr_2CuO_6)_x$–$(CaCuO_2)_{1-x}$
D. Morin, P. Strobel, J.C. Tolédano, J. Schneck, G. Vacquier, O. Monnereau, T. Fournier and J. Primot. 487

Magnetic separation of high-T_c Y–Ba–Cu–O and Tl–Ba–Ca–Cu–O superconductors
E. Oba, H. Miyajima, Y. Ishikawa, S. Haseyama and S. Yoshizawa 489

Preparation of $YBa_2Cu_4O_8$ under an atmosphere of oxygen gas
L.Q. Feng, K. Mori, Y. Isikawa, K. Kamigaki and K. Rokudo 491
The application of gradual releasing precipitant method in the preparation of YBCO superconducting powder
C.Y. Shei, W.-M. Hurng and C.T. Chang 493
Silver-enhanced formation of $YBa_2Cu_4O_8$
J.M. Liang and L.J. Chen 495
Characterization and preparation of $Y(Ba_{1-x}Sr_x)_2Cu_4O_8$ superconductor through homogeneous coprecipitation
H.S. Koo, W.-M. Hurng, J.S. Ho, C.T. Chang, W.H. Lee and P.T. Wu 497
Bulk synthesis of $(BiPb)_2Sr_2Ca_2Cu_3O_x$ superconductor
S.K. Sinha, S.C. Gadkari, S.C. Sabharwal, L.C. Gupta and M.K. Gupta 499
Stability and intragrain critical current of $YBa_2Cu_4O_8$ phase under oxygen partial pressure below 1 atm O_2
W. Zhang and K. Osamura 501
Representative sections in the T–x phase diagram of the system Y–Ba–Cu–O
G. Krabbes, W. Bieger, U. Wiesner, M. Ritschel, J. Hauck and H. Altenburg 503
The effect of high-density pulsed plasma on high-T_c superconductivity
V.A. Alekseev, S.A. Pozigun, V.M. Strunnikov, N.V. Shishkov 505
Mechanical properties of Zr–YBCO/Ag sintered superconducting composites
T. Oka, Y. Itoh, Y. Yanagi, H. Tanaka and U. Mizutani 507
Polymer solution processing of (Bi, Pb)–Sr–Ca–Cu–O
G.F. De La Fuente, A. Sotelo, Y. Huang, M.T. Ruiz, A. Badia, L.A. Angurel, F. Lera, R. Navarro, C. Rillo, R. Ibañez, D. Beltran, F. Sapiña and A. Beltran 509
Citrate sol–gel route to high-T_c superconducting Y–Ba–Cu–O fiber
J.-H. Choy, J.-S. Yoo, J.-C.Park, S.-G. Kang, W. Kim and S.-G. Kang, ... 511
Preparation of single high-T_c phase Bi–Pb–Sr–Ca–Cu–O superconductor by the EDTA precursor solution method
C.Y. Shieh, Y. Huang, M.K. Wu, C.Y. Huang 513
Superconducting properties of $YBa_2Cu_3O_xF_yCl_z$ prepared by ClF_3 gas treatment
A. Sumiyama, Y. Oda and M. Takashima 515
Reaction route of the triple Cu–O layered (Tl, Pb/Bi)–Sr–Ca–Cu–O superconducting compound
Y.T. Huang, C.K. Chiang, W.-M. Hurng, S.F. Wu, J.M. Liang and W.H. Lee 517
Preparation of "124" superconductors using only alkoxides
S. Koriyama, T. Ikemachi, T. Kawano, H. Yamauchi and S. Tanaka 519
Effect of humid atmosphere on the stability of superconducting phases of BSCCO system
B. Gogia, S.C. Kashyap, D.K. Pandya and K.L. Chopra 521

B3. Rare-earth cuprates including new infinite layer system

A new superconducting cupric oxide found in the Sr–Cu–O system
Z. Hiroi, M. Takano, M. Azuma, Y. Takeda and Y. Bando 523
New family of planar cuprate superconductors: effect of nonmagnetic chains and planes
K.R. Poeppelmeier, J.P. Thiel, J.T. Vaughey, M.T. Anderson, D.A. Groenke, C.J. Stern, B. Dabrowski, D.G. Hinks and A.W. Mitchell 525
Particularities of the structure and oxygen stoichiometry in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$
I.E. Graboy, A.R. Kaul, Yu.D. Tretyakov, I.V. Zubov and I.G.Muttik 527
Diffuse scattering in T*-phase superconducting oxides (I) Nd–Ce–Sr–Cu–O
Y. Inoue, M. Hasegawa, F. Munakata, M. Yamanaka and Y. Koyama 529
Diffuse scattering in T*-phase superconducting oxides (II) La–Sm–Sr–Cu–O
T. Ikeda, Y. Koyama, Y. Inoue 531
High-resolution transmission electron microscopy of planar defects in $YBa_2Cu_4O_y$ doped with Ca
Y. Matsui, F. Izumi, K. Yanagisawa, Y. Yamada, T. Matsumoto and Y. Kodama 533
High-resolution transmission electron microscopy of $YBa_2(Cu_{1-x}Co_x)_4O_y$
K. Yanagisawa, Y. Matsui, Y. Kodama, Y. Ymada and T. Matsumoto 535
Neutron diffraction study of superconducting $La_{1.82}Ca_{1.18}Cu_2O_6$
K. Kinoshita, F. Izumi, T. Yamada and H. Asano 537

High pressure synthesis and structural study of R_2CuO_4 compounds with R = Y, Tb, Dy, Ho, Er, Tm
P. Bordet, J.J. Capponi, C. Chaillout, D. Chateigner, J. Chenavas, Th. Fournier, J.L. Hodeau, M. Marezio, M. Perroux, G. Thomas and A. Varela 539

Low-temperature phase structure of the T*-phase compound $(La, Tb, Pb)_2CuO_4$
P. Bordet, R. Argoud, C. Chaillout, J. Chenavas, S.-W. Cheong, Th. Fournier, J.L. Hodeau, M. Marezio, J. Muller and A. Varela 541

Structural study of $(Nd_{1.85}, Ce_{0.15})CuO_4$ superconducting single crystal by X-ray synchrotron radiation diffraction
P. Bordet, J.L. Hodeau, M. Marezio, D.B. McWhan, R.J. Melville and S. Palmer 543

{110} twinning mechanism in $YBa_2Cu_3O_{7-\delta}$
S. Blais, O. Thomas, J-P. Sénateur, F. Weiss and M. Audier 545

High-resolution electron microscopy of Ln_2CuO_4 (Ln = Pr, Nd, Sm)
T. Oku, T. Kajitani, K. Hiraga, S. Hosoya and D. Shindo 547

Structural analyses on $La_{2-x}Sr_xCuO_{4-\delta}$ crystals
M. Braden, P. Schweiss, G. Heger, W. Schwarz, D. Wohlleben, Z. Fisk, A. Rumiantzev, I. Tanaka and H. Kojima. 549

Single-crystal X-ray diffraction analysis of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ ($x \approx 0.047$)
I. Higashi and H. Kitazawa 551

Structural and Mössbauer studies in $REBaCuFeO_{5+x}$ compounds
M. Pissas, C. Mitros, G. Kallias, V. Psycharis, D. Niarchos, A. Simopoulos, A. Kostikas, C. Christides and K. Prassides 553

Crystallographic, thermogravimetric and magnetization study of the $YBa_2Cu_{3-x}Mn_xO_y$ superconductor ($0 \leqslant x \leqslant 0.08$, $6 < y < 7$)
G. Kallias and D. Niarchos 555

Substitution for copper in $YBa_2Cu_3O_{7-y}$ and $(CaLaBa)Cu_3O_{7-y}$
T. Watanabe, K. Kawase, I. Shiono, H. Yumoto, J. Furukawa and T. Tsukamoto 557

Structural and superconducting properties of vanadium substituted $YBa_2(Cu_{1-x}V_x)_3O_9$ perovskite oxide system
S. Al-Dallal, M.N. Khan and A. Memon 559

Changes in the Pr-induced T_c depression of 123 compounds by chemical pressure
G. Nieva, B.W. Lee, J. Guimpel, H. Iwasaki, M.B. Maple and I.K. Schuller. 561

$Y_2Ba_4Cu_7O_{15-\delta}$ and its relationship to $YBa_2Cu_3O_{7-\delta}$ and $YBa_2Cu_4O_8$
D.M. Pooke, J.L. Tallon, R.G. Buckley and J. Loram 563

Superconducting superoxygenated $La_{2-x}Sr_xCuO_{4+\delta}$: search for phase separation
B. Morosin, G.H. Kwei, J.E. Schirber, J.A. Voigt, E.L. Venturini and J.A. Goldstone 565

Electrochemically prepared high-T_c superconductor, $La_2CuO_{4+\delta}$ and its X-ray photoelectron spectroscopic analysis
J.-C. Park, S.-G. Kang, J.-H. Choy, A. Wattiaux and J.-C. Grenier 567

Another sighting of anomalous resistive jump at 240 K in Y–Ba–Cu–O
H.S. Kwok, S.Y. Dong, S.K. Hark, W.K. Mok and M.K. Wu 569

Structural and electronic properties of $La_{2-x}Sr_xNiO_{4-\delta}$
G. Tavizón, E. Orgaz and R. Escudero 571

Superconducting properties and Hall effect in electrochemically oxidised La_2CuO_4
R. Suryanarayanan, O. Gorochov, M.S.R. Rao, L. Ouhammou, W. Paulus and G. Heger 573

Structure and Raman scattering of $(NdCe)_2CuO_4$ single crystals depending on thermal treatment conditions
S.N. Barilo, A.P. Ges, D.I. Zhigunov, V.N. Kvardakov, V.T. Koyava, L.A. Kurnevich, I.D. Lomako, A.M. Luginets, O.Kh. Khasanov. 575

Superconducting properties of oxygenated $La_{2-x}Sr_xCuO_{4+y}$ ($0 \leqslant x \leqslant 0.06$)
Y. Fujiwara, A. Hayashi, Y. Ueda, K. Shibutani and R. Ogawa 577

Tetragonal and orthorhombic phases of La_2NiO_{4+y}
T. Kajitani, Y. Kitagaki, K. Hiraga, S. Hosoya, T. Fukuda, Y. Yamaguchi, S. Wada, S. Sugai, Y. Morii, K. Fuchizaki and S. Funahashi 579

The peculiarity of the temperature dependences for harmonics of magnetization in single crystals $YBa_2Cu_3O_{7-x}$
N.D. Kuzmichev, A.I. Golovashkin, V.V. Slavkin, I.S. Levchenko 581

Stabilization of new superconducting phases by low temperature fluorination of La_2CuO_4-derived oxides
A. Tressaud, B. Chevalier, C. Robin, E. Hickley and J. Etourneau 583

The electrical effects of Fermi energy changes in $EuSr_2Cu_2NbO_8$ and related phases
T.G.N. Babu and C. Greaves 585

Simple and reliable method for determination of oxygen contents in high-T_c copper oxides
Y. Maeno, H. Teraoka, K. Matsukuma, K. Yoshida, K. Sugiyama, F. Nakamura and T. Fujita 587
Crystal chemistry and superconducting property of R123 phase with rare earth elements
K. Osamura, S. Sato, W. Zhang and T. Kizu 589
A new method for the reduction of $Nd_{2-x}Ce_xCuO_{4-\delta}$
C. Geibel, A. Vierling, P.v. Aken, R. Eichert, A. Grauel, M. Rau, S. Horn, G. Weber, F. Steglich 591
Synthesis of superconducting oxides in the system of Gd–La–Ce–Cu–O
Y. Watanabe, Y. Mizutani, M. Takata, M. Yoshimoto and H. Koinuma 593
Gas effusion spectra of sintered $YBa_2Cu_3O_x$ and the intercalation of CO_2
T. Itoh, A. Yasuda, S. Nonomura and S. Nitta 595
Preparation and magnetic properties of the 95 K superconductor $Y_2Ba_4Cu_7O_{15}$
J.-Y. Genoud, T. Graf, A. Junod, G. Triscone and J. Muller 597
Layered copper oxide series, $(Fe, Cu)Sr_2(Y, Ce)_nCu_2O_{4+2n+z}$, containing multiple-$MO_2$-unit fluoride block
A. Nara, T. Wada, A. Ichinose, H. Yamauchi and S. Tanaka 599
Superconductivity at 60K in $La_{2-x}Sr_xCaCu_2O_6$ ($0<x\leqslant 0.4$) synthesized using an O_2-HIP technique
T. Sakurai, T. Yamashita, H. Yamauchi and S. Tanaka 601
Superconductivity of $La_{2-x}A_xCuO_{4+\delta}$ (A = Nd and Bi) prepared under high oxygen pressure
Y. Takeda, A. Sato, K. Yoshikawa, N. Imanishi, O. Yamamoto, M. Takano, Z. Hiroi and Y. Bando 603
Study on the insulator–metal transition and magnetic properties of La–M–Co–O system with M = Ba, Sr and Ca
Y. Zhao, H.K. Liu, G. Yang and S.X. Dou 605
Reproducible resistance transitions near room temperature in single crystal $YBa_2Cu_3O_{7-\delta}$ with regional defects
L.-Q. Wang, G.-H. Chen, L.E. Wenger and J.T. Chen. 607
Crystal structure and superconducting properties of layered copper oxides containing "123" block and single-MO_2-unit fluorite block: $(Ho_{2/3}Ce_{1/3})_2(La_{1/3}Ba_{1/3}Sr_{1/3})_2Cu_3O_{8+z}$
A. Ichinose, T. Wada, Y. Yaegashi, A. Nara, F. Izumi, H. Yamauchi, H. Asano and S. Tanaka 609
New copper oxides, $(Ba, Ca)_8CaCu_4O_{13+z}$
K. Hamada, T. Wada, A. Ichinose, T. Kaneko, H. Yamauchi and S. Tanaka 611
Fluorination and superconductivity of T′ phase Nd_2CuO_{4-y}
J. Li, M. Shibata, M. Yoshita, A. Morimoto, M. Kumeda and T. Shimizu 613

B4. Layered structure cuprates of Tl, Pb and Bi systems

Oxygen nonstoichiometry and metal substitution in $TlSr_2CaCu_2O_{7-z}$
F. Izumi, T. Kondo, Y. Shimakawa, T. Manako, Y. Kubo, H. Igarashi and H. Asano. 615
Formation, characterization and electronic structure of thallium-based strontium analogues superconductors
W.-M. Hurng, H.S. Koo, S.F. Wu, C. Chiang, C.Y. Shei, Y.T. Huang, J.M. Liang, S.R. Horng, W.H. Lee and P.T. Wu 617
Superconductivity and crystal structure of $Pb(Ba, Sr)_2(Ln, Ca)Cu_3O_y$ and $Pb(Ba, Sr)_2(Ln, Ce)_2Cu_3O_y$(Ln:lanthanoid) with (Pb, Cu) double layers
A. Tokiwa, Y. Syono, T. Oku and M. Nagoshi 619
HRTEM characterization of high-T_c Bi(Pb)-based superconductors
X-J. Wu, S. Horiuchi, L. Ben-Dor and Hussam Diab 621
Neutron diffraction studies of Tl-2201, Tl-2212 and Y-123 doped with strontium
C. Ström, M. Käll, L.-G. Johansson, S.-G. Eriksson, L. Börjesson 623
Neutron diffraction studies of Tl-2201 and Tl-2212 doped with lanthanum
C. Ström, M. Käll, L.-G. Johansson, S.-G. Eriksson, L. Börjesson 625
Effect of defects on the structure and superconductivity of Bi-containing superconductors
H. Zhang, Q.R. Feng, S.Q. Feng, X. Zhu and Z.Z. Gan 627
Li substitution to Bi–Sr–Ca–Cu–O superconductor
T. Horiuchi, K. Kitahama, T. Kawai and S. Kawai. 629
Lithium-doped $Bi_2Sr_2CuO_6$
S.J. Hibble, P.C.C. Welch and R. Cywinski 631
Recrystallisation of α-$Bi_2Sr_2CaCu_2O_x$ studied using small angle neutron scattering
C.J. Boardman, S.H. Kilcoyne and R. Cywinski 633

The structure of superconducting $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ by single crystal neutron diffraction data
C. Chaillout, O. Chmaissen, J.J. Capponi, T. Fournier, G.J. McIntyre and M. Marezio 635

Oxygen content and microstructure in $Bi_2Sr_2CaCu_2O_{8+\delta}$
J.M. Gonzalez-Calbet, A. Caneiro, J. Ramirez and M. Vallet-Regi 637

Tetragonal and orthorhombic structures in $Tl_2Ba_2CuO_6$
Y. Shimakawa, Y. Kubo, T. Manako and H. Igarashi 639

Superconductivity in non-modulated $(Bi,Pb)_2Sr_2Ca_{1-x}Y_xCu_2O_y$ $(x=0-1.0)$
Y. Iwai, N. Sato, T. Sasagawa, H. Saito and M. Takata 641

HREM study of the iodine intercalated superconducting oxide $IBi_2Sr_2CaCu_2O_y$
B. Chenevier, S. Ikeda and K. Kadowaki 643

XPS studies of $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$ superconductors
R.Y. Liu, Y. Takigawa, K. Kurosawa, H. Naito, M. Okuda, K. Nakahigashi, N. Nakanishi and T. Matsushita 645

Synthesis and characterisation of the 1113 family of cuprates
M.P. Sridhar Kumar, S.M. Doyle and D.McK. Paul 647

Temperature dependence of the Raman spectra of $Tl_2Ba_2CaCu_2O_8$
J. Chrzanowski, N. Fortier, A. Cragg, S. Burany, B. Heinrich and J.C. Irwin 649

A study of the single crystals with nominal composition of $Bi_2Sr_2CaCu_2O_y$ by STEM and single crystal X-ray diffraction
Z.X. Zhao, S.L. Jia, Y.M. Ni and J.Q. Li 651

Structure, defects and properties of $(Bi–Pb)_2Sr_2Ca_2Cu_3O_y$ superconductor
J. Du, J. Jiang, Y. Sun, H. Yin, Z. Li and J. Yang 653

Complexity and simplicity of the metal-superconductor-insulator transition in the $(Tl_{1-x}Pb_x)Sr_2(Ca_{1-y}Y_y)Cu_2O_{7-\delta}$ system
R.S. Liu and P.P. Edwards 655

Annealing and structure studies on Tl-2223 and Tl-1223 crystals
B. Morosin, E.L. Venturini and D.S. Ginley 657

New layered cuprates with the 2222 structure: $Bi_2Sr_2(RE_{1-x}Th_x)_2Cu_2O_{10}$ (RE=Pr, Nd, Sm, Eu, Gd, Tb, Dy and Ho)
A. Schilling, F. Hulliger, S. Samarappuli and H.R. Ott 659

Kinetics of phase formation process upon synthesis of 2212-phase in Bi(Pb)–Sr–Ca–Cu–O system
S.G. Titova, V.A. Fotiev, O.M. Fyodorova and V.F. Balakirev 661

Influence of annealing in N_2 atmosphere on the properties of Bi-system 2223 phase
K. Wu, Q.-R. Feng, H. Zhang, S.-Q. Feng, X. Zhu and Z.-Z. Gan 663

Effects of oxygen loss from Bi-2201 phase doped Pb and La on superconductivity
N. Sanada, J. Murata, Y. Fukuda, M. Nagoshi, Y. Syono and M. Tachiki 665

Enhancement of T_c in Pb-based cuprate superconductors prepared at high oxygen pressure
M. Ohta, M. Tsutsumi, J. Yoshimoto and B. Okai 667

Oxygen nonstoichiometry and T_c-variation in $TlSr_2(Ca_{1-x}Lu_x)Cu_2O_y$ $(x=0-1.0)$
T. Kondo, Y. Kubo, Y. Shimakawa, T. Manako and H. Igarashi 669

Studies on Sr/Ca ratio and Ln substitution in $(Pb/Cu)Sr_2(Y/Ca)Cu_2O_y$
S. Adachi, H. Adachi, K. Setsune and K. Wasa 671

Chemical characterization and superconductivity of $TlBa_2Ca_{n-1}Cu_nO_{y-v}$ system
S. Nakajima, M. Kikuchi, Y. Syono and N. Kobayashi 673

Valence states in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_y$
H.K. Liu, Y.L. Zhang and S.X. Dou 675

Intercalation of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ with iodine and other halogens
H. Nakashima, D.M. Pooke, N. Motohira, T. Tamura, Y. Nakayama, K. Kishio, K. Kitazawa and K. Yamafuji 677

Substitution of allovalent ions for cations in the (2201) and (2212) phases and its effect on T_c
K. Fueki, Y. Idemoto and H. Tokunaga 679

Lanthanum substitution in the tubular phase $Bi_4Sr_8Cu_5O_{19+y}$. Neutron diffraction of $Bi_4Sr_{8-x}La_xCu_5O_{19+y}$
M.T. Caldes, A. Fuertes, P. Gomez and J. Rodriguez 681

Superconductivity of $Bi_{2-z}Pb_zSr_{2-x}Ln_xCuO_y$ (Ln=La, Nd) and valence analysis of Bi and Cu
M. Kikuchi, H. Nameki, Y. Syono, R. Suzuki, M. Nagoshi, S. Awaji and N. Kobayashi 683

Synthesis and physical properties of stoichiometric Bi-2201 phase
M. Kato, K. Yoshimura and K. Kosuge 685

Substitution effects of Ca for Sr in Pb-based layered copper oxides, $(Pb_{(1+x)/2}Cu_{(1-x)/2})Sr_2(Y_{1-x}Ca_x)Cu_2O_{7+\delta}$
T. Maeda, K. Sakuyama, K. Isawa, H. Yamauchi and S. Tanaka 687

Characterization of a new cubic compound in the Bi–Sr–Cu–O system
Bokhimi and M. Portilla 689

Nearly single-phase Tl-based "2223" superconductor with $T_c = 125$ K
T. Kaneko, K. Hamada, T. Wada, H. Yamauchi and S. Tanaka 691

B5. Non-cuprates and other general issues

Fragmentary crystal structures of high-T_c superconductors
E.G. Romanoff 693

Structural transitions in $Ba_{1-x}M_xBiO_3$ (M = K, Rb)
S. Nakamura, Y. Koyama and M. Ishimaru 695

The structure of $BaK_{0.03}Bi_{0.97}O_3$ by single-crystal X-ray diffraction
C. Chaillout, J. Chenavas, J. Durr, M. Marezio and L. Schneemeyer 697

Electrical and magnetic properties of oxygen deficient layered perovskite $Sr_2VO_{4-\delta}$ with $\delta = 0.18, 0.29, 0.38$
N. Suzuki, T. Noritake, S. Kobayashi, N. Yamamoto and T. Hioki. 699

Charge transfer and high temperature superconductivity under high pressures
C.W. Chu, P.H. Hor, Y.Y. Xue, G. Lin, R.L. Meng, K. Matsuishi, Z.J. Huang, C. Diaz and Y.C. Jean 701

Simple structure model of high-T_c oxides
C. Kawabata and T. Nakanishi 703

Is the high-T_c superconductivity associated with unusual electronic states of the elements?
V.E. Fedorov 705

Variation of T_c as a function of the stoichiometry in $Ba_{1-x}K_xBiO_3$ single crystals
J. Marcus, C. Escribe-Filippini, S.K. Agarwal, C. Chaillout, J. Durr, T. Fournier 707

Comparative study of electronic states of VO_6 and CuO_6 clusters
S. Tanaka, N. Fukushima, R. Yoshimura and T. Tada 709

X-ray emission from high-T_c superconductors: role of apical oxygen
C.F. Hauge, J.-M. Mariot, V. Barnole and C. Michel 711

High-T_c as a consequence of structure deformation
R.P. Djajic, B.S. Tosic, J.P. Setrajcic and D.Lj. Mirjanic 713

Metal–insulator transition in $Sr_3V_2O_7$
N. Fukushima, S. Tanaka, H. Niu and K. Ando 715

Influence of the type of blocking layer on high-T_c superconductivity
H. Nobumasa, K. Shimizu, Y. Kitano and T. Kawai 717

Preparation and physical properties of the spinel Ti and V oxides
Y. Nakajima, Y. Amamiya, K. Ohnishi, I. Terasaki, A. Maeda and K. Uchinokura 719

Search for new high-T_c oxide structures
J. Hauck, K. Mika and G. Krabbes. 721

Superconductivity in Sr(Ln)–Nb–O system (Ln:La, Nd, Pr, Ce, Gd and Ho)
J. Akimitsu, J. Amano, K. Tomimoto, T. Suzuki, M. Kogai, Y. Fukawa, H. Sawa and Y. Matsui 723

New phases in the Tl–Sr–V–O system
W. Zhou and W.Y. Liang 725

Superconductivity and valence bond order
E.W. Kvam 727

Crystal chemistry of copper-based oxide superconductors and related compounds
T. Wada, A. Ichinose, H. Yamauchi and S. Tanaka. 729

List of Contributors xci

Part II

Section C. Properties of High-T_c Materials

C1. Chemical properties and local electronic states

Classifying superconductors in a plot of T_c versus Fermi temperature T_F
Y.J. Uemura 733

Fermi surface measurements in $YBa_2Cu_3O_{7-x}$ and $La_{1.874}Sr_{0.126}CuO_4$
R.H. Howell, P.A. Sterne, F. Solal, M.J. Fluss, H. Haghighi, J.H. Kaiser, S.L. Rayner, R.N. West, J.Z. Liu, R. Shelton, H. Kojima and K. Kitazawa. 735

Annealing and quenching effects on $Nd_{2-x}Ce_xCuO_{4-\delta}$
Y. Itoh, K. Koyama and S. Noguchi 737

Crystallochemical analysis of charge and spin dynamics in YBCO substituted by trivalent metal ions at Cu site
H.P. Mohapatra, D. Behera, B. Dash, N.C. Mishra and K. Patnaik 739

Substitution effect in $Ln_{1.85}Ce_{0.15}CuO_4$ (Ln = Pr and Sm)
N. Kobayashi, A. Ito, M. Hiroi and H. Iwasaki 741

Wide-range oxygen content variations and its effect on properties of $Nd_{2-x}Ce_xCuO_{4-y}$ films
T. Yoshitake, T. Satoh, J. Fujita, Y. Kubo and H. Igarashi 743

The influence of Au and Pr on the superconductivity-related gap in $RBa_2Cu_3O_{7-\delta}$
C. Thomsen, B. Friedl, M. Cieplak and M. Cardona 745

Dependence of T_c on carrier concentration for $(Bi_{1.8}Pb_{0.3})(Sr_{2-x}La_x)Ca_{0.9}Cu_2O_{8+\delta}$
E.J. Ansaldo, J. Boyle, C. Niedermayer, H. Glückler, J.L. Tallon and A. Mawdsley 747

Electronic carrier density in doped Bi-based high-T_c superconductors
M. Weber, A. Amato, J. Bock, V.N. Duginov, I.A. Gaganov, V.G. Grebinnik, F.N. Gygax, S. Kapusta, B.F. Kirillov, A.B. Lazarev, H. Maletta, V.G. Olshevsky, A.V. Pirogov, V.Yu. Pomjakushin, A.N. Ponomarev, E. Preisler, A. Schenck, S.N. Shilov, V.G. Storchak and V.A. Zhukov 749

Photoinduced superconductivity in $YBa_2Cu_3O_6$ films
V.I. Kudinov, I.L. Chaplygin, A.I. Kirilyuk, N.M. Kreines, R. Laiho and E. Lähderanta 751

The depression of superconductivity induced by the disturbance of Cu–O plane in $YBa_2Cu_3O_{7-y}$ through Co-doping
Y. Zhao, H.K. Liu, J.R. Li, G. Yang and S.X. Dou. 753

Influence of oxygen deficiency on the superconducting properties of $YBa_2Cu_3O_{7-\delta}$
H. Wühl, R. Benischke, M. Braun, B. Frank, O. Kraut, R. Ahrens, G. Bräuchle, H. Claus, A. Erb, W.H. Fietz, C. Meingast, G. Müller-Vogt and T. Wolf. 755

Hole filling and pair breaking effects of Pr in cuprate oxide with YBCO structure
K. Takita and T. Ohshima 757

NMR investigations of hydrogenated $Sm_{1.85}Ce_{0.15}CuO_4$
N.M. Suleimanov, A.D. Shengelaya, R.G. Mustafin, E.F. Kukovitskii, P.W. Klamut, G.W. Chądzyński, H. Drulis and J. Jańczak. 759

Substitutions in electron doped HTSC: influence and interplay of superconductivity and rare-earth antiferromagnetism
J.P. Ströbel, M. Klauda and G. Saemann-Ischenko. 761

Physiochemical distinction between Cu^{3+} and O_2^{2-} in $YBa_2Cu_3O_{6.5+\delta}$ lattice upon oxidation reaction of bromide and spectroscopic analyses
J.-H. Choy, D.-Y. Jung, S.-J. Kim, Q.W. Choi and G. Demazeau 763

NQR study of high-T_c superconductor $TlSr_2CaCu_2O_{7-\delta}$
G.-Q. Zheng, Y. Kitaoka, K. Asayama, T. Kondo, Y. Shimakawa, T. Manako and Y. Kubo 765

Correlation between T_c and the hole density at Cu and oxygen
G.-Q. Zheng, E. Yanase, K. Ishida, Y. Kitaoka, K. Asayama, Y. Kodama and S. Endo 767

Superconducting and normal state properties of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ single crystals
Y.X. Jia, J.Z. Liu, M.D. Lan, P. Klavins and R.N. Shelton 769

Superconducting properties of $Y_{1-x}Pr_xBa_2Cu_4O_8$ prepared by the citrate pyrolysis method
K. Koyama, S. Taga and S. Noguchi 771

A solution calorimetric study on stability of superconducting $YBa_2Cu_3O_{6.91}$
S.-G. Kang, J.-H. Choy, D.-Y. Jung and Q.W. Choi 773

Superconductivity and magnetic transitions of $La_{2-x}CuO_y$ system under 60 kbar O_2-HIP treatment
K. Sakai, K. Yamada, S. Migita, R. Aoki and B. Okai 775

Correlation of Bi and Cu valencies with structural modulation in $(Bi_{2-x}Pb_x)Sr_2CaCu_2O_y$
T. Kawano, F. Munakata and H. Yamauchi 777

Relation between oxygen content and superconductivity in Bi–Sr–Ca–Cu–O system
N. Miura, Y. Deshimaru, T. Otani, Y. Shimizu and N. Yamazoe 779

Ferroelectricity in $YBa_2Cu_3O_{7-\delta}$ and $La_2CuO_{4+\delta}$ single crystals
D. Mihailović and I. Poberaj 781

Mössbauer studies of single crystal $YBa_2Cu_{3-x}Fe_xO_{7-y}$
T. Okada, M.D. Lan, J.Z. Liu, R.N. Shelton, T. Matsumoto and K. Asai 783

Normal state and superconductivity of $La_{2-x}Sr_xCuO_{4-y}$: various doping effects in Sr-rich samples
C.V. Narasimha Rao, M.T. Weller and P.C. Lanchester 785

High pressure changes the charge carrier concentration in high-T_c superconductors: experiments to 50 GPa
R.J. Wijngaarden, E.N. Van Eenige, J.J. Scholtz and R. Griessen 787

Structural and superconducting properties of $Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$
M. Boekholt, D. Götz, H. Idink, M. Fleuster, T. Hahn, E. Woermann, G. Güntherodt 789

Effects of partial substitution on T_c and low-temperature structural phase transition in $La_{2-x}Ba_xCuO_4$
Y. Koike, T. Kawaguchi, S. Hosoya, N. Watanabe, T. Noji and Y. Saito 791

Superconducting and magnetic properties as a funciton of the oxygen content in the $Bi_2Sr_2CaCu_2O_{8+\delta}$ phase
G. Triscone, J.-Y. Genoud, T. Graf, A. Junod and J. Muller 793

Oxygen nonstoichiometry and structural transformation in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+y}$
F. Munakata, T. Kawano, H. Yamauchi and Y. Inoue 795

Magnetoconductance study of substitution effects in $Ba_2YCu_3O_7$
A. Matsuda and K. Semba 797

Cation substitution in Bi–Sr–Ca–Cu–O system
N.L. Wang, M.C. Tan, J.S. Wang and Q.R. Zhang 799

Mechanisms of substitution effects on different lattice sites in $YBa_2Cu_3O_{7-y}$
M.C. Tan, J.S. Wang, Z.A. Xu and Q.R. Zhang 801

Effect of carrier concentration on the superconducting property of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_y$
H. Yasuoka, M. Kakihana and H. Mazaki. 803

Effects of substitution for Cu in $La_{1.82}Sr_{0.18}Cu_{1-y}M_yO_4$ (M=Co, Ni, Ga, Zn)
N. Ishikawa, N. Kuroda, H. Ikeda and R. Yoshizaki 805

Effect of Sr–Ca solution at the Sr-site in $Bi_2Sr_2CaCu_4O_y$
N. Kuroda, R. Yoshizaki, J. Fujikami, M. Akamatu, T. Ishigaki and H. Asano 807

Effect of Pr substitution on superconductivity in $(Pr_xY_{1-x})Ba_2Cu_4O_8$
N. Yamada, Z. Guo, N. Ikeda, K. Kohn, T. Iri and K.I. Gondaira 809

Mechanism of the T_c enhancement in $Bi_2Sr_2CaCu_2O_{8+y}$ by sodium doping
S.-X. Dou, W.-M. Wu, H.-K. Liu and C.C. Sorrell 811

Substitutional effects of 3d elements for Cu in $YBa_2Cu_4O_8$
M. Furuyama, T. Ono and I. Iguchi 813

Electro-magnetic properties of the $La_{2-x}M_xCuO_4$ (M=Sr, Ba) and $La_{1.85}Sr_{0.15}Cu_{1-x}O_4$ (M=Mn, Mg, Ni and Zn)
L. Cao, C. Zhu, Z. Chen, D.F. Brewer and A.L. Thomson. 815

Neutron spectroscopic studies of crystalline electric fields in disordered high-T_c $ErBa_2Cu_3O_x$
A. Podlesnyak, V. Kozhevnikov, A. Mirmelstein, P. Allenspach, J. Mesot, U. Staub and A. Furrer. 817

Evidence for intermediate valence Sm ions in $SmBa_2Cu_3O_x$
M. Guillaume, P. Allenspach, J. Mesot, U. Staub, A. Furrer, V. Trunov, A. Kurbakov, H. Blank and H. Mutka 819

Changes in the apical oxygen vibrational frequency and T_c due to Sr substitution for Ba in $YBa_2Cu_3O_{7-y}$, $Tl_2Ba_2CaCu_2O_{8-y}$ and $Tl_2Ba_2CuO_{6-y}$ superconductors
M. Käll, L. Börjesson, M. Kakihana, C. Ström, L.-G. Johansson, S.-G. Eriksson and T. Larsson. 821

Superconductivity and normal-state magnetic properties of $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_y$
A. Sawa, T.-S. Han, T. Iwamatsu, H. Uwe, T. Sakudo, Y. Yamaguchi and M. Tokumoto 823

X-ray diffraction and high-pressure raman scattering study of iodine-intercalated $Bi_2Sr_2CaCu_2O_{8+x}$
C.H. Qiu, S.P. Ahrenkiel, N. Wada and T.F. Ciszek 825

Raman study on quenched $YBa_2Cu_3O_{7-\delta}$ single crystals: evidence of charge transfer during oxygen ordering on room temperature annealing
K. Matsuishi, Y.-K. Tao, H.-S. Feng, P.-H. Hor and C.-W. Chu 827

X-ray photo-electron and Auger electron spectroscopy of oxygen in La_2CuO_4
G. Rietveld, M. Glastra, S.M. Verbrugh, O. Jepsen, O.K. Anderson and D. van der Marel 829

XPS study on the site occupancy of Sr and Ca ions in Bi–Sr–Ca–Nd(Y)–Cu–O superconductors
K. Tanaka, H. Takaki, K. Nagai and S. Goto 831

Oxygen deficiency and structural phase transition in $(La_{1-x}Ba_x)_2CuO_4$
E. Takayama-Muromachi 833

Vacuum annealing effects on $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_{9.9+y}$ high temperature superconductor
Y. Kimishima and J. Nakano 835

XPS studies oc Cu^{3+} ions in $Ba(CuO_2)_2nH_2O$
Yu.A. Teterin, M.I. Sosulnikov, V.I. Ozhogin, T.M. Senchenkova, N.S. Tolmacheva, L.D. Shustov 837

The effect of oxygen doping on the superconductivity of $Bi_2CaSr_2Cu_2O_{8+\delta}$
H.-C.I. Kao, N.-H. Wang and C.-M. Wang 839

The role of oxygen defects in superconductivity of $Nd_{2-x}Ce_xCuO_{4-y}$ studied by X-ray absorption fine structure
H. Oyanagi, Y. Yokoyama, H. Yamaguchi, T. Katayama, Y. Nishihara and Y. Kuwahara 841

An intrinsic surface state on $YBa_2Cu_3O_{7-\delta}$
R. Manzke, F. Mante, R. Claessen, M. Skibowski and J. Fink 843

Feasibility of electron donation to the CuO_2 Plane of monolayer copper oxides by hydrogen absorption
T. Ekino, K. Matsukuma, T. Takabatake, Y. Maeno and H. Fujii 845

Intercalation of Br and Li in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$
T. Okubo, A. Fujiwara, Y. Koike, T. Noji and Y. Saito 847

EPR of Er^{3+} and Yb^{3+} ions in high-T_c superconducting ceramics $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$
R. Eremina, M. Falin, S. Gudenko, V. Kosynkin, S. Kucheyko, A. Mezhuev, D. Pishagin, A. Yakubovskii and E. Zheglov 849

Role of chain oxygen disorder in charge transfer in $YBa_2Cu_3O_{7-\delta}$ superconductors
M. Gupta and R.P. Gupta 851

Local structure and valence states in $PbBaSrY_{1-x}Ca_xCu_3O_{7+\delta}$ and $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$
H. Yamaguchi, H. Oyanagi, A. Tokiwa and Y. Shono 853

Electronic phase diagram for superconducting cuprates – universality, phase separation, transition broadening and charge distribution
J.L. Tallon, R.G. Buckley, E.M. Haines, M.R. Presland, A. Mawdsley, N.E. Flower and J. Loram 855

High temperature oxygen transport study of superconducting BiSrCaCuO thin films
R. Vaitkus, T. Shiraishi and H. Asano 857

Chemical bond and electronic structure in Y123 and 124 superconductors
U-H. Paek, M.S. Son and K.H. Lee 859

STM/STS study of single crystalline $Bi_2Sr_2CaCu_2O_y$ (1): superconducting gap and barrier width dependence of tunneling spectrum
M. Nantoh, S. Heike, H. Ikuta, T. Hasegawa and K. Kitazawa 861

STM/STS study of single crystalline $Bi_2Sr_2CaCu_2O_y$ (2): electronic nature of the BiO layer as a function of oxygen content
W. Wei, M. Nantoh, H. Ikuta, T. Hasegawa and K. Kitazawa 863

^{57}Fe and ^{57}Co Mössbauer studies of $YBa_2Cu_3O_{7-y}$ oxides
S. Nasu, M. Yoshida, Y. Oda, K. Asayama, F.E. Fujita, T. Kohara, S. Katsuyama, Y. Ueda, K. Kosuge, T. Shinjo and I.S. Lyubutin 865

C2. Structure

Local structural anomaly near T_c observed by pulsed neutron scattering
T. Egami, B.H. Toby, S.J.L. Billinge, H.D. Rosenfeld, J.D. Jorgensen, D.G. Hinks, B. Dabrowski, M.A. Subramanian, M.K. Crawford, W.E. Farneth and E.M. McCarron 867

The effect of oxygen nonstoichiometry on the properties and structure of the low-T_c phase in Bi–Sr–Ca–Cu–O superconductor
S. Kobayashi and N. Suzuki 869

Stacking faults and microstrain in $La_{1.85}M_{0.15}CuO_4$ (M=Ca, Ba, Sr) by analyzing X-ray diffraction line broadening
D. Balzar, H. Ledbetter adn A. Roshko 871
Microstructural aspects of the LTO→LTT transition in $La_{1.875}Ba_{0.125}CuO_4$
M. Marezio, H. Takagi, B. Batlogg, P. Bordet, D.E. Cox and S. Uchida 873
In-plane lattice expansion anomalies of untwinned single crystals of $YBa_2Cu_3O_{7-\delta}$ superconductor
H. You, U. Welp and Y. Fang 875
Relation between structural distortions and T_c in high-T_c superconductors
V. Voronin, A. Mirmelstein, A. Karkin, S. Davydov, I. Berger and B. Goshchitskii 877
Polarization-dependent EXAFS study on anharmonicity in $YBa_2Cu_3O_{7-\delta}$
H. Yamazaki, H. Kimura, H. Maeda, H. Maruyama, A. Koizumi and T. Ishii 879
Temperature dependence of the structure of $Tl_2Ba_2CuO_{6+\delta}$: a neutron powder diffraction study
T. Kamiyama, F. Izumi, H. Asano, Y. Shimakawa, Y. Kubo, T. Manako and H. Igarashi 881
TEM investigation of discommensurations in the bismuth-type high-T_c superconductors
M. Clin, K. El Boussiri 883
Changes in modulation period of $Bi_2Sr_2(Ca_{1-x}Nd_x)Cu_2O_{8+\delta}$ and their relations to oxygen content
T. Onozuka, A. Tokiwa, Y. Syono, Y. Koike and Y. Saito 885
Tetragonal and orthorhombic modifications HTSC 1-2-3 crystals and probable mechanism of their formation
A.N. Cherkasov, V.I. Kamenev, L.T. Tsymbal and E.A. Zavadski 887
Effect of pressure on the lattice parameters of $La_{2-x}Sr_xCuO_{4-y}$
G. Oomi, T. Kagayama and T. Takemura 889
The correlation between superconductivity and Cu–O bond length for the single Cu–O layer compounds with the $Bi_2Sr_2CuO_{6+\delta}$-type (2021) structure
H.C. Ku, S.J. Sun and J.B. Shi 891
Neutron diffraction and Raman spectroscopic studies of Y-123
S.-G. Eriksson, L.-G. Johansson, C. Ström, P. Berastegui, L. Börjesson, M. Käll and M. Kakihana 893
Phonons and magnons under the sequential structural phase transitions in La_2NiO_4
S. Sugai, S. Hosoya, T. Kajitani, T. Fukuda and S. Onodera 895
Oxygen ordering and mobility in $ReBa_2Cu_3O_{6+x}$ by elastic energy loss and modulus measurements
M. Canali, G. Cannelli, R. Cantelli, F. Cordero, M. Ferretti and F. Trequattrini 897
Structural, electric and magnetic properties of Bi(Pb)–Sr–Ca(Re)–Cu(M)–O vitroceramics
S. Simon, E. Burzo, O. Cozar, I. Barbur, V. Simon, I. Ardelean, V. Pop and Gh. Borodi 899
Oxygen isotope effect in La–Sr–Cu–O system with T_c modified by Ni and Zn doping
N. Babushkina, A. Inyushkin, V. Ozhogin, A. Taldenkov, I. Kobrin, T. Vorob'eva, L. Molchanova, L. Damyanets, T. Uvarova and A. Kuzakov 901
Low temperature phase transition and superconductivity in (La Nd)–Sr–Cu–O
B. Büchner, M. Braden, M. Cramm, W. Schlabitz, W. Schnelle, O. Hoffels, W. Braunisch, R. Müller, G. Heger and D. Wohlleben 903
On the mechanism of the structural transition to the low temperature tetragonal phase in $La_{2-x}Ba_xCuO_4$
M. Sato, M. Sera, S. Shamoto, S. Yamagata and K. Kakurai 905
Superconductivity and structure of $(La, Nd)_{1.875}Ba_{0.125}CuO_4$
N. Hara, T. Kamiyama, A. Aoyagi, T. Ishigaki, I. Kamata, H. Asano and H. Ikeda 907
Effects of Th-doping on the anomalous low-temperature properties of $La_{2-x}Ba_xCuO_4$
Y. Maeno, N. Kakehi, M. Kato, Y. Tanaka and T. Fujita 909
Pressure effect on superconductivity and low-temperature phase transition in Ba-doped La_2CuO_4
M. Ido, N. Yamada, M. Oda, Y. Segawa, N. Momono, A. Onodera, Y. Okajima and K. Yamaya 911
Superconducting, electronic and magnetic anomalies due to structural transition around $x=0.12$ in $La_{2-x}Ba_xCuO_4$
K. Kumagai, I. Watanabe, K. Kawano, H. Matoba, K. Nishiyama, K. Nagamine, N. Wada, M. Okaji and K. Nara 913
Neutron diffraction studies of $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ with $x<=0.1$
M. Andersson, Ö. Rapp and R. Tellgren 915
Observations of new superconducting phases in $La_2CuO_{4+\delta}$ annealed in high pressure oxygen gas
Y. Oda, A. Sumiyama, T. Kohara, M. Yamada, K. Asayama, S. Kashiwai and M. Motoyama 917
Effect of sintering temperature on T_c and phase stability of $Nd_{2-x}Ce_xCuO_4$ and $Eu_{2-x}Ce_xCuO_4$
H. Itoh and M. Kusuhashi 919

Monte Carlo calculation of oxygen in-diffusion into $YBa_2Cu_3O_x$
M. Ohkubo and T. Hioki 921

Changes in the Cu K-edge XANES of Bi 2201 phase by N_2 annealing
R. Sekine, S. Kambe, M. Kawai and Y. Murakoshi. 923

Effects of X-ray irradiation of $YBa_2Cu_3O_y$
T. Izumi, T. Kurihama, M. Yamashita, S. Mori, T. Dousaka and T. Nakajima 925

Magnetoelasticity of high-T_c $RBa_2Cu_3O_{7-x}$ (R = Dy, Er and Tm)
Z.A. Kazei, N.P. Kolmakova, I.B. Krynetskii, R.Z. Levitin and V.V. Snegirev. 927

Anisotropic oxygen diffusion in $YBa_2Cu_3O_y$ single crystal observed by SIMS
S. Tsukui, T. Yamamoto, M. Adachi, Y. Shono, K. Kawabata, N. Fukuoka, A. Yanase and Y. Yoshioka 929

Oxygen nonstoichiometry and phase instability of $Bi_2Sr_2CaCu_2O_{8+\delta}$
J. Shimoyama, J. Kase, T. Morimoto, J. Mizusaki and H. Tagawa 931

Thermal stability and decomposition mechanism of $YBa_2Cu_4O_8$
M. Isobe, M. Suzuki, T. Ami and M. Tanaka 933

Elastic properties of $Bi_2Sr_2CaCu_2O_8$ and $Bi_2Sr_{1.5}Ca_{1.5}Cu_2O_8$
H. Ledbetter, S. Kim and K. Togano 935

Modulated structure in Bi–Sr–Ca–Cu–O system and electronic state of 2D electron–hole system on Cu–O plane
W. Kinase, S. Kuwata and X.P. He. 937

Strong time dependence of the sample length of $YBa_2Cu_3O_{7-\delta}$ between 30 and 70 K
M. Lang, R. Kürsch, F. Steglich, M. Tachiki and T. Wolf 939

Scanning tunneling spectroscopy on $Bi_2Sr_2CaCu_2O_{8-\delta}$
K. Ichimura, K. Nomura, F. Minami and S. Takekawa 941

C3. Optical properties

Search for superconductivity in $(Ba_{1-x}K_x)_2Pb_{1-y}Bi_yO_4$
M. Licheron and F. Gervais 943

Local area bireflectance spectra of single crystal domains in YBCO
M. Indro, A. Bailey, K.N.R. Taylor and G.J. Russell 945

Anisotropic IR absorptivity of single domain $YBa_2Cu_3O_7$
T. Pham, M.W. Lee, H.D. Drew, U. Welp and Y. Fang 947

Infrared properties of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$
K. Shimizu, H. Nobumasa, N. Nagai and T. Kawai 949

Optical properties and transition temperatures of $La_{2-x}Sr_xCuO_4$ crystals (x=0, 0.14, 0.19)
M. Shimada, M. Shimizu, J. Tanaka, I. Tanaka and H. Kojima 951

Far infrared evidence: the real part of the optical conductivity below the superconducting energy gap of Bi–Sr–Ca–Cu–O thin films
M. Sato, K. Nagasaka, M. Ihara, T. Kimura and H. Nakao 953

An enhancement of electron localization in (Cu–O) bond upon vanadium substitution in $YBa_2Cu_{3-x}V_xO_{7-\delta}$ superconductor
D.-Y. Seong, S.-C. Park, H.-I. Song, S.-G. Kang and J.-H. Choy 955

An optical investigation of the valency of Pr in $Y_{1-x}Pr_xBa_2Cu_3O_7$
J. Kircher, J. Humlìček, D. Fuchs, H.-U. Habermeier, M. Cardona and A. Roeseler 957

Photo-induced carrier dynamics of high-T_c oxide superconductors
M. Sasaki, G.X. Tai, S. Tamura and M. Inoue. 959

Photoinduced changes in Raman scattering of $YBa_2Cu_3O_{7-\delta}$
V.V. Eremenko, V.P. Gnezdilov and V.I. Fomin 961

IR photoinduced absorption and FT-Raman of $YBa_2Cu_3^{18}O_{6+x}$: further evidence of the role of the apex oxygen
G. Ruani, R. Zamboni, C. Taliani, V.N. Denisov, V.M. Burlakov and A.G. Mal'shukov 963

Superconductive-conjugate photoconductivity of Nd_2CuO_4
H. Yamaguchi, T. Masumi and H. Minami 965

Superconductive-conjugate photoconductivity of the $Bi_2(Sr_2Ca_1)_{1-x}(La_2Y_1)_xCu_2O_z$ system
T. Masumi, H. Yamaguchi and H. Minami 967

Kink (soliton) nature of photoinduced carriers in $YBa_2Cu_3O_{6+x}$
M.E. Kozlov, K.I. Pokhodnia, V.G. Choni and I.I. Ukrainskii 969
Electron–phonon interaction associated with Cu–O bond investigated by Raman spectroscopy
M. Yoshida, S. Tajima, N. Koshizuka, S. Tanaka, S. Uchida and S. Ishibashi 971
Structure, exchange interaction, and Madelung potential of R_2CuO_4 (R = Pr, Nd, Sm, Eu, Gd and La)
R. Uzumaki, N. Kamehara and K. Niwa 973
Anisotropic dielectric constant of La_2CuO_4
S.V. Varyukhin and A.A. Zakharov 975
Infrared and Raman study of La: $YBa_2Cu_4O_8$ – an investigation of charge transfer
R.G. Buckley, M.P. Staines and H.J. Trodahl 977
Characteristic of IR absorption of 110 K Bi(Pb)–Sr–Ca–Cu–O superconductor
X.Y. Ze, Q.L. Hu, B. Yu, C.J. Li, D. Sun and D.Z. Sun 979
Charge-transfer effects in the Cu L X-ray emission spectra of copper(II) compounds
J. Kawai and K. Maeda 981
Cu L X-ray fluorescence spectra of high-T_c superconductors
K. Nakajima, J. Kawai and Y. Gohshi 983
Infrared reflection and Raman scattering on $Ba_{1-x}Rb_xBiO_3$
A. Inoue, A. Iyo, Y. Oiji, Y. Tanaka, M. Tokumoto, H. Uwe and T. Sakudo 985
Infrared reflectivity of $RBa_2Cu_3O_{7-\delta}$ superconductors: phonon self-energy effects
A.P. Litvinchuk, C. Thomsen and M. Cardona 987
Investigation of the electronic structure of high-T_c $Ba_{1-x}K_xBiO_3$ by the optical method
A.L. Shelehov, N.V. Anshukova, A.I. Golovashkin, L.I. Ivanova and A.P. Rusakov 989
Metal–insulator transition in $Ba_{1-x}K_xBiO_3$
S. Guha, D. Peebles, T. Wieting, R. Gilardi and M. Norton 991
A systematic optical study of the $Ba_{1-x}K_xBiO_3$ system
W. Markowitsch, H. Jodlbauer, V. Schlosser, W. Lang, K. Remschnig and P. Rogl 993
Mid-gap states in $BaBiO_3$: a photo-induced reflectance study
W. Markowitsch, V. Schlosser, W. Lang, K. Remschnig and P. Rogl 995
Spectral ellipsometry of $Bi_2Sr_2CaCu_2O_x$ single crystals with different stoichiometry
M.A. Tanatar, V.S. Yefanov, V.V. Dyakin, S.I. Frolov, V.G. Litovchenko, S.V. Moshkin and M.A. Kuz'mina 997
Refractive index of high-T_c YBCO superconductors
H. Kezuka, T. Masaki, N. Hosokawa, K. Hirata and K. Ishibashi 999
Optical spectra of titanium oxide perovskites with varying number of d-electrons
Y. Fujishima , Y. Tokura, T. Arima and S. Uchida 1001
Anisotropy optical reflection of $YBa_2Cu_3O_{7-x}$ epitaxial films
A.S. Kovalev, A.N. Obraztsov, V.N. Ohrimenko and V.G. Pirogov 1003
Correlations between optical and electrical properties in La–Sr–Ni–O compounds
J.P. Loup, J.M. Bassat, G. Couturier, F. Gervais and P. Odier 1005
Electronic characteristics of high-T_c $YBa_2Cu_3O_{7-x}$ single crystals
A.L. Shelehov, A.I. Golovashkin and K.V. Kraiskaya 1007
Strength of infrared phonons in $RBa_2Cu_3O_{7-x}$ ceramic superconductors
A. Memon, M.N. Khan, S. Al-Dallal, D.B. Tanner and C.D. Porter 1009
Electronic states of HTSC cuprates as deduced from mid-IR spectroscopy
Y. Watanabe, N.P. Ong, D.C. Tsui, J.M. Tarascon and S. Uchida 1011
Plasmons in high-T_c superconducting cuprates
S. Tajima, T. Kaneko, T. Wada, I. Tomeno, K. Tai, Y. Mizuo, H. Yamauchi, K. Koshizuka, T. Ido and S. Uchida 1013
Infrared conductivity versus doping from reflectivity in $YBa_2Cu_3O_{6+x}$ and $Nd_{1+y}Ba_{2-y}Cu_3O_{6+x}$ ceramics
J. Bouvier, N. Bontemps, M. Nanot and F. Queyroux 1015
Optical study of $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$-doping effects, n-dependence of the spectra and characteristics of the CuO_2 plane
I. Terasaki, S. Takebayashi, I. Tsukada, A. Maeda and K. Uchinokura 1017
Plasmons in the high-temperature superconductors
J.H. Kim, I. Bozovic, J.S. Harris, Jr., W.Y. Lee, C.B. Eom, T.H. Geballe and E.S. Hellman 1019

Optical conductivity in $Pr_{2-x}Ce_xCuO_{4-\delta}$ single crystals: Comparison with the case of $La_{2-x}Sr_xCuO_4$
T. Arima, Y. Tokura, T. Ido and S. Uchida 1021

Influence of oxygen concentration on the two-magnon and electron light scattering spectra in $YBa_2Cu_3O_{6+x}$ single crystals
A.V. Bazhenov, A.A. Maksimov, D.A. Pronin, I.I. Tartakovskii and V.B. Timofeev 1023

Resonant dependences of Raman scattering in $YBa_2Cu_3O_{7-x}$ at different oxygen content
O.V. Misochko, E.Ya. Sherman and V.B. Timofeev 1025

Detailed study of electronic Raman scattering in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals
A. Yamanaka, H. Takato, F. Minami, K. Inoue and S. Takekawa 1027

Raman continuum in the insulating and untwinned superconducting ($T_c=66$ K and $T_c=90$ K) $YBa_2Cu_3O_{6+\delta}$ single crystals
D. Reznik, A. Kotz, S.L. Cooper, M.V. Klein, W.C. Lee and D.M. Ginsberg 1029

Raman scattering from collision-dominated plasmons in YBCO
S.S. Jha and M.R. Press 1031

Raman spectra of Ca substituted $YBa_2cu_4O_8$
Y. Kodama, S. Tanemura and T. Ikeda 1033

Raman scattering in $Bi_2Sr_2Ca_{1-x}(Y, Er, Tm)_xCu_2O_{8+\delta}$ single crystals
M. Boekholt, G. Güntherodt, L.I. Leonyuk and V.V. Moshchalkov 1035

Positron annihilation study of $Tl_mBa_2Ca_{n-1}Cu_nO_x$ ($m=1$, $n=3$; $m=2$, $n=1$–3) compounds
V.T. Adonkin, V.V. Dyakin, V.S. Yefanov, M.A. Tanatar, A.I. Akimov and A.P. Chernyakova 1037

Raman scattering study of $(La_{1-x}Sr_x)_2NiO_4$
M. Udagawa, T. Yamaguchi, N. Ogita, K. Ohbayashi, M. Kato, Y. Maeno and T. Fujita 1039

Microwave losses and far infrared reflectivity of ion irradiated $YBa_2Cu_3O_{7-}$ films
M. Lippert, J.P. Ströbel, G. Saemann-Ischenko, S. Orbach, S. Hensen, G. Müller, H. Piel, J. Schützmann, K.F. Renk, B. Roas and W. Gieres 1041

Coupling of phonons to crystal field excitations in $NdBa_2Cu_3O_{7-\delta}$
E.T. Heyen, R. Wegerer and M. Cardona 1043

Angle-resolved photoemission study of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$ ($x=0.0$, 0.2, 0.4, 0.6) single crystals
T. Kusunoki, T. Takahashi, S. Sato, H. Katayama-Yoshida, K. Kamiya and H. Inokuchi 1045

A photoemission study to confirm the second order nature of anomalous O 2s resonant enhancement of $Bi_2Sr_2CaCu_2O_8(001)$ Fermi level states
P.L. Wincott, A.G. Thomas, R. Lindsay, C.A. Muryn, C.F.J. Flipse, G.N. Raiker, G. Thornton, T.R. Cummins, O. Cohen, R.G. Egdell, J.R. Laverty, P.W. Mitchell, J.W. Ross, D.S-L. Law, D.M.P. Holland, L. Leonyuk, B.C. Morris and W.R. Flavell. 1047

Core and valence level photoemission studies of oxygen annealed $Y_2Ba_4Cu_{6+n}O_{14+n}$ ($n=0$, 1, 2) surfaces
O. Cohen, T.R. Cummins, R.G. Egdell, G.C. Georgiadis and M.S. Golden 1049

Photoemission study on $Ba_{1-x}K_xBiO_{3-\delta}$ and $BaPb_xBi_{1-x}O_{3-\delta}$
M. Nagoshi, Y. Fukuda, T. Suzuki, H. Ueki, A. Tokiwa, M. Kikuchi, Y. Syono and M. Tachiki 1051

Photoemission study of metallic but non-superconducting and insulating copper oxides
T. Mizokawa, H. Namatame, A. Fujimori, H. Eisaki, S. Uchida, K. Akeyama, H. Kuroda, H. Kondoh and N. Kosugi 1053

Far-infrared Fabry–Pérot filters and laser resonators with high-T_c superconductor reflectors
J. Schützmann, P. Wiese, X. Riederer, B. Gorshunov, A. Bespalov, J. Betz and K.F. Renk 1055

High-resolution oxygen-K absorption study of $Bi_2Sr_2Ca_{1-x}Cu_2O_8$ ($x=0.0$ and 0.6) and $YBa_2Cu_2O_{7-\delta}$ ($\delta=0.0$-0.7)
T. Takahashi, S. Suzuki, T. Kusunoki, S. Sato, H. Katayama-Yoshida, A. Yamanaka, F. Minami and S. Takekawa 1057

Electron energy loss spectroscopy of $YBa_2Cu_4O_8$ and related compounds
J. Yuan, R.S. Liu, P.P. Edwards, N. Browning, L.M. Brown. 1059

Coupling between the charge carriers and lattice distortions via modulation of the orbital angular momentum $m_l=0$ of the 3d holes by polarized XAS spectroscopy
M. Pompa, S. Turtù, A. Bianconi, F. Campanella, A.M. Flank, P. Lagarde, C. Li, I. Pettiti and D. Udron 1061

Two-dimensional plasmon–phonon interaction in layered HTSC compounds
G. Blumberg and E. Joon 1063

Possibility of phonon assisted electronic excitation for the pairing interaction in high-T_c superconductors
R. Aoki, K. Sakai, H. Murakami, T. Nakamura, H. Kawaji and M. Itoh 1065

C4. Magnetic properties

Comparison of the ^{89}Y NMR with the ^{17}O NMR in $YBa_2Cu_3O_{6+x}$
T. Ohno, K. Mizuno, T. Kanashiro and H. Alloul 1067

Magnetic ordering, hyperfine and "linear" contributions to the low-temperature specific heat of $(Y_{1-x}Pr_x)Ba_2Cu_3O_7$
N.E. Phillips, R.A. Fisher, D.A. Wright, A. Amato, R. Caspary, H.B. Radousky, J.L. Peng, L. Zhang and R.N. Shelton . . . 1069

Hyperfine fields and quadrupole frequencies at each Cu site in $RBa_2Cu_3O_6$ and $RBa_2Cu_3O_7$ (R: rare earth element)
T. Takatsuka, K.-I. Kumagai, H. Nakajima and A. Yamanaka. 1071

Cu-NMR study of local electronic state and the microscopic phase separation in the electron-doped $R_{2-x}Ce_xCuO_4$ (R = Nd, Pr, Sm, Eu and Gd)
K.-I. Kumagai, M. Abe, S. Tanaka and T. Kishino 1073

Oxygen- and Ca-concentration dependence of Cu-NQR/NMR in the antiferromagnetic and the superconducting $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+y}$
O. Okada, T. Oashi, K.-I. Kumagai, T. Noji, Y. Koike and Y. Saito 1075

^{205}Tl-NMR study on $TlBa_2CaCu_2O_{7-\delta}$
T. Goto, T. Shinohara, T. Sato, S. Nakajima, M Kikuchi, Y. Syono and T. Fukase. 1077

Microscopic aspects of cobalt-doping in $YBa_2Cu_3O_{7-\delta}$: an Y–NMR study
W.J. Webster, D.P. Tunstall, P.F. Freeman and J.R. Cooper 1079

$^{63/65}Cu$–NMR study on $La_{2-x}Ba_xCuO_4$
T. Goto, K. Miyagawa and T. Fukase. 1081

Nuclear resonance study of superconducting $La_{1.82}Ca_{1.18}Cu_2O_6$
S. Sasaki, K. Kinoshita and A. Matsuda 1083

A μSR search for localised moments in $YBa_2(Cu_{1-x}Zn_x)_3O_7$
J.L. García-Muńoz, X. Obradors, S.H. Kilcoyne and R. Cywinski 1085

Negative muon spin rotation studies on single crystal $La_2CuO_{4+\delta}$ above T_N
H. Kitazawa, E. Torikai, K. Nishiyama, K. Nagamine, F. Iga and Y. Nishihara 1087

Muon-spin (μSR) study of the temperature dependence of the London penetration depth in copper oxide superconductors
H. Keller, W. Kündig, I.M. Savić, H. Simmler, B. Stäuble-Pümpin, M. Warden, D. Zech and P. Zimmermann 1089

Negative muon spin rotation in $YBa_2Cu_3O_x$ ($x = 7$, 6.5 and 6)
N. Nishida, S. Okuma, S. Shiratake, Y. Ueda, A. Hayashi, S. Kambe, H. Yasuoka, K. Nishiyama, K. Nagamine and T. Yamazaki 1091

The μSr-study of the London penetration depth in the high-T_c compounds $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$
M. Weber, A. Amato, V.N. Duginov, V.G. Grebinnik, I.I. Gurevich, F.N. Gygax, S. Kapusta, B.F. Kirillov, A.B. Lazarev, H. Maletta, B.A. Nikolsky, V.G. Olshevsky, A.V. Pirogov, V.Yu. Pomjakushin, A.N. Ponomarev, A. Schenck, S.N. Shilov, V.G. Storchak, V.A. Suetin, V.A. Zhukov. 1093

^{139}La NMR and NQR study of the temperature dependent structure of $La_2CuO_{4+\delta}$
P.C. Hammel, E.T. Ahrens, A.P. Reyes, R.H. Heffner, P.C. Canfield S.-W. Cheong, Z. Fisk and J.E. Schirber. 1095

Unusual magnetic behavior of $La_{1-x}Ca_xCoO_{3-y}$
S.K. Tolpygo, I.G. Mikhailov, A.E. Morozovsky, S.K. Yushchenko and S.M. Ryabchenko 1097

Cu–NQR study of the spin correlation and superconductivity in $La_{2-x}Sr_xCuO_4$
S. Ohsugi, Y. Kitaoka, K. Ishida and K. Asayama 1099

Cu–NQR study of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-y}$
H. Yamagata, K. Inada and M. Matsumura 1101

Magnetic and transport properties of $La_{2-x}Sr_xCuO_y$ near $x = 1$
F. Nakamura, K. Yoshida, K. Sugiyama, Y. Maeno and T. Fujita 1103

Temperature dependent anisotropy of Cu(2) nuclear relaxation rate in $YBa_2Cu_3O_7$ below T_c
M. Takigawa, J.L. Smith and W.L. Hults 1105

^{141}Pr and ^{169}Tm NMR study of superconducting PrCeCuO and TmBaCuO
M.A. Teplov, O.N. Bakharev, A.V. Dooglav, A.V. Egorov, M.V. Eremin, M.S. Tagirov, A.G. Volodin and R.Sh. Zhdanov 1107

Magnetism and superconductivity of $Sm_{2-x-y}Gd_xCe_yCuO_{4-d}$
Y. Nagata, T. Okamoto, N. Suzuki, T. Uchida, M.D. Lan, L. Zhang, P. Klavins and R.N. Shelton. 1109

Anisotropy of Knight shift and T_1 in $Tl_2Ba_2CuO_{6+y}$
K. Fujiwara, Y. Kitaoka, K. Asayama, K. Shimakawa, T. Manako, Y. Kubo 1111

Nuclear spin relaxation via spin fluctuations
L. Hu, S.S. Wu and K.W. Yu 1113
Possibility of d-wave superconductivity in high-T_c superconductor. NMR study in $YBa_2(Cu_{1-x}M_x)_3O_7$ (M=Zn, Ni)
K. Ishida, Y. Kitaoka, N. Ogata, T. Kamino and K. Asayama 1115
Coexistence and competition between superconductivity and magnetic order in $YBa_2Cu_4O_8$
I. Felner, I. Nowik, U. Yaron, E.R. Bauminger and D. Hechel 1117
TDPAC experiments with ^{140}Ba–^{140}La in YBaCuO compounds
Y. Kawase, S. Uehara, S. Nasu and Y. Ueda 1119
^{151}Eu Mössbauer effect of (Pb, Cu)(Sr, Eu)$_2$(Eu, Ce)$_2Cu_2O_z$ superconductor
M. Taniwaki, T. Maeda, K. Sakuyama, H. Yamauchi and S. Tanaka 1121
^{151}Eu Mössbauer analysis of T'-phase superconductor $Eu_{1.85}Ce_{0.15}CuO_4$
M. Taniwaki, H. Itoh and M. Kusuhashi 1123
^{57}Fe Mössbauer studies of $BiPbSr_2FeO_6$
T. Okada, Y. Kobayashi, K. Asai, N. Yamada and T. Yamadaya. 1125
Magnetic study of $Pr_{2-x}Ce_xCuO_{4-\delta}$
M. Földeáki, H. Ledbetter and Y. Hidaka. 1127
Mössbauer study of the $La_{2-x}Sr_xNi_{0.99}Fe_{0.01}O_{4\pm\delta}$ system
S. Aburto, M. Jiménez, M.L. Marquina, V. Marquina, R. Gómez, G. Tavizón and R. Escudero 1129
Low temperature magnetoresistance in $Gd_{1-x}Pr_xBa_2Cu_3O_y$
Y. Ochiai, T. Tamura, Y. Narahara, F. Nakamura, T. Terashima, K. Shimura and Y. Bando 1131
Proton NMR spectra of hydrogen-doped superconducting $YBa_2Cu_3O_{6.94}H_x$
H. Niki, H. Kyan, T. Shinohara, S. Tomiyoshi, M. Omori, T. Kajitani, T. Sato and R. Igei 1133
Nuclear resonance study of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$
M. Matsumura, H. Yamagata and Y. Oda. 1135
^{17}O NMR of the $Bi_2Sr_2Ca_2Cu_3O_{10}$ high temperature superconductor
A.P. Howes, R. Dupree, D.McK. Paul and S. Male. 1137
^{17}O nuclear spin-lattice relaxation in YBCO single crystals
M.Horvatić, C. Berthier, Y. Berthier, P. Butaud, W.G. Clark, J.A. Gillet, P. Segransan and J.Y. Henry 1139
NMR study of spin fluctuations in $YBa_2Cu_3O_{6+x}$
C. Berthier, Y. Berthier, P. Butaud, W.G. Clark, J.A. Gillet, M. Horvatić, P. Segransan and J.Y. Henry 1141
^{17}O NMR investigation of the properties of the various types of CuO_2 planes in (Bi, Pb)$_2Sr_2Ca_{n-1}Cu_nO_y$
A. Trokiner, L.L. Noc, J. Schneck, A.M. Pougnet, R. Mellet and H. Savary 1143
Anisotropy of ^{63}Cu Knight shift and spin-lattice relaxation in $YBa_2Cu_4O_8$
H. Zimmermann, M. Mali, M. Bankay and D. Brinkmann 1145
Nuclear spin–lattice relaxation rate in $Y_{1-x}Ca_xBa_2Cu_4O_{8+\delta}$ (x=0, 0.075)
T. Machi, I. Tomeno, T. Miyatake, K. Tai, N. Koshizuka, S. Tanaka and H. Yasuoka 1147
Possible intermediate Jahn–Teller EPR spectra in $RBa_2Cu_3O_{7-x}$ (R=Sm, Tm) single crystals
Y.A. Koksharov, V.V. Moshchalkov, V.I. Voronkova and A.A. Gippius 1149
EPR spectra in R_2BaCuO_5 (R=Y, Sm, Eu, Gd, Dy, Ho) oxides
Yu.A. Koksharov, V.V. Moshchalkov, A.A. Gippius, B.V. Mill, Y. Zoubkova, S.V. Gudenko and A.N. Mezhuev 1151
Magnetic susceptibility of electron-doped superconductor $(Nd_{0.92}Ce_{0.08})_2CuO_{4-\delta}$
M. Suzuki, T. Ami, M. Isobe and M. Tanaka 1153
Temperature dependency of the normal-state magnetic susceptibility for high-T_c superconducting cuprates
K. Kubo, F. Munakata, K. Matsuura and H. Yamauchi. 1155
Magnetic depairing in highly-doped La_2CuO_4
M. Oda, T. Nakano, Y. Kamada and M. Ido 1157
Magnetic and superconducting properties in $(LaNdSr)_2CuO_4$ and $(LaNd)_2CuO_4$
K. Umezawa 1159
Ultrasonic anomaly at Neel point at T=2.23 K in $GdBa_2Cu_3O_{6.4}$ single crystal
V.N. Nikiforov, V.V. Moshchalkov, M.G. Mikheev, V.V. Rzhevskii and L.I. Leonyuk 1161
Superconductivity and magnetic ordering in the $(Nd_{1-x}Gd_x)_{1.85}Ce_{0.15}CuO_{4-\delta}$ system
G.H. Hwang, J.H. Shieh and H.C. Ku 1163

Magnetic susceptibility of the (Y, Ca)(Ba, La)$_2$Cu$_4$O$_8$ system
I. Tomeno, J.O. Willis, T. Machi, M. Kosuge, T. Miyakate, K. Tai, N. Koshizuka and S. Tanaka 1165

Neutron diffraction study of the magnetic ordering of the Cu^{++} spins in Nd$_{1.5}$Ba$_{1.5}$Cu$_3$O$_{6+x}$
A.H. Moudden, P. Schweiss and B. Hennion, P.M. Gehring, G. Shirane and Y. Hidaka 1167

Return of antiferromagnetic long range order upon La doping in YBa$_2$Cu$_3$O$_{7+y}$
P. De Groot, T. Young, B.D. Rainford, M.T. Weller, J.R. Grasmeder, O. Schärpf 1169

Neutron scattering study of the dynamics of Fe spins in Bi$_2$CaSr$_2$(Cu$_{1-x}$Fe$_x$)$_2$O$_8$
E. Vanlathem, M. Mehbod and R. Deltour 1171

The nature of magnetic order in YBa$_2$(Cu$_{0.9}$Fe$_{0.1}$)$_3$O$_{7.2}$: A neutron polarisation analysis study
J.L. García-Muńoz, J. Rodríguez-Carvajal, O. Schaerpf, X. Obradors, S.H. Kilcoyne and R. Cywinski 1173

Static magnetic order in La$_{1.875}$Ba$_{0.125}$CuO$_4$
G.M. Luke, L.P. Le, B.J. Sternlieb, W.D. Wu, Y.J. Uemura, J.H. Brewer, T.M. Riseman, S. Ishibashi and S. Uchida 1175

Superconducting transition temperature and Cu spin moments observed by the nuclear heat capacity in La$_{2-x}$M$_x$CuO$_4$ (M=Sr and Ba)
N. Wada, Y. Nakamura and K. Kumagai 1177

The linewidths of crystal field excitations in Tm$_{0.1}$Y$_{0.9}$Ba$_2$Cu$_3$O$_{6+x}$. A probe of the magnetic susceptibility of the CuO$_2$ planes
R. Osborn and E.A. Goremychkin 1179

^{17}O, ^{63}Cu and ^{205}Tl NMR study of over-doped Tl$_2$Ba$_2$CuO$_y$
S. Kambe, Y. Yoshinari, H. Yasuoka, A. Hayashi and Y. Ueda 1181

Anisotropy of Knight shift at the oxygen site in high-T_c superconductor YBa$_2$Cu$_3$O$_{6+x}$
Y. Yoshihari, H. Yasuoka, Y. Ueda 1183

Nuclear magnetic relaxation of ^{63}Cu in high-T_c related antiferromagnetic Cu oxides
T. Tsuda, H. Yasuoka, Y. Ueda, K. Kosuge, K. Kishio, K. Kitazawa and T. Ohno 1185

Cu NQR study in Bi$_2$Sr$_2$CuO$_6$
Y. Kohori, K. Ueda and T. Kohara 1187

NQR and NMR studies in superconducting La$_2$CuO$_{4+d}$
T. Kohara, K. Ueda, Y. Kohori and Y. Oda 1189

3D antiferromagnetic ordering in cuprates: a Kosterlitz–Thouless transition
P. Mendels, X. Labouze, G. Collin, H. Alloul 1191

Magnetic properties of Zn and Ga substituted 123 compounds
H. Alloul, P. Mendels, H. Casalta, J.F. Marucco and J. Arabski 1193

Magnetic and electronic properties of La$_x$Sr$_{1-x}$VO$_3$
A.V. Mahajan, D.C. Johnston, D.R. Torgeson and F. Borsa 1195

Fe^{3+}–ESR in La$_{2-x}$Sr$_x$CuO$_{4-y}$ system at high doping levels
M. Coldea 1197

ESR study of Gd as spin probe in Gd$_{0.05}$Y$_{0.95}$Ba$_2$(Cu$_{1-x}$M$_x$)$_3$O$_y$ (M=Ni, Co and Zn) compounds
H. Fukuoka, F. Nakamura, K. Chahara, K. Senoh, Y. Ochiai and Y. Narahara 1199

ESR detection of Cu^{2+} spins in oxide superconductors
T. Ishida, K. Koga, K. Kanoda and T. Takahashi 1201

Gd–Gd and Gd–M interactions in GdBa$_2$(Cu$_{1-x}$M$_x$)$_3$O$_7$(M=Fe, Co, Ni, Zn) studied by Gd^{3+}–EPR
H. Shimizu, T. Kiyama and J. Arai. 1203

Gd^{3+}–ESR study in T, T^* and T'-phase of (La$_{1-x}$Gd$_x$)$_{1.82}$Sr$_{0.18}$CuO$_{4-z}$
J. Arai, H. Shimizu and D. Yamaguchi 1205

EPR study of interaction between paramagnetic species and the fine particles of the R–Ba–Cu–O (R=Y, Eu, Gd) superconductors
M. Kaise, H. Kondoh, M. Mizuno, C. Nishihara, H. Nozoye and H. Shindo 1207

Spin dynamics of La–Sr–Cu–O as revealed by EPR
G.B. Teitel'baum, Yu.S. Greznev, V.E. Kataev, E.F. Kukovitsky. 1209

Magnetic properties of Y$_{1-x}$R$_x$Ba$_2$Cu$_3$O$_{7-\delta}$ compounds (R=Nd, Dy, Zr or Zr+Eu)
E. Burzo, V. Pop, S. Simon and I. Ardelean 1211

Superconductivity and magnetic order in superoxygenated La$_2$MCu$_2$O$_{6+\delta}$ (M=Ca, Sr)
E.J. Ansaldo, C. Niedermayer, H. Glückler, C.E. Stronach, T.M. Riseman, R.S. Cary, D.R. Noakes, X. Obradors, A. Fuertes, J.M. Navarro, P. Gomez, N. Casañ, B. Martinez, F. Perez, J. Rodriguez-Carvajal and K. Chow 1213

NMR studies of magnetic and electronic properties of $La_{2-x}M_xCuO_{4-y}$ (M=Ba, Sr)
I. Watanabe, K. Kumagai and H. Nakajima 1215
Theory of positive muon spin rotation in La_2CuO_4
R. Saito, H. Kamimura and K. Nagamine 1217
A ^{89}Y NMR study of $YBa_2Cu_4O_8$
R. Dupree, Z.P. Han, D.McK. Paul, T.G.N. Babu and C. Greaves 1219
Magnetic frustration, muon probing, and hydrogen bonding in $RBa_2Cu_3O_y$
W.K. Dawson, C. Boekema, R.L. Lichti and D.W. Cooke 1221
Nuclear spin–spin relaxation in high-T_c superconductors
Y. Itoh, H. Yasuoka, Y. Fujiwara, Y. Ueda, T. Machi, I. Tomeno, K. Tai, N. Koshizuka and S. Tanaka 1223
Magnetic field induced transition in Pr_2NiO_4 single crystals
M.T. Fernández-Díaz, J.L. Martínez, J. Rodríguez-Carvajal, P. Odier, G. Fillion, J. Beille, B. Barbara and M. Cyrot 1225
Anomalous transverse relaxation of Cu NQR in $YBa_2Cu_3O_{7-\delta}$
M. Tei, H. Matsuzawa, H. Sakamoto, K. Mizoguchi and K. Kume 1227
^{119}Sn–Mössbauer spectroscopic study of oxygen deficient YBCO
Y. Matsumoto, M. Katada and T. Nishida 1229
Mössbauer studies on superconducting $La_{1.82}Ca_{1.18}(Cu_{0.99}Fe_{0.01})_2O_6$
T. Furubayashi, K. Kinoshita, T. Yamada and T. Matsumoto 1231

C5. Transport properties

Superconductivity and the metal–insulator transition in $La_{1.85}Sr_{0.15}CuO_4$
M.Z. Cieplak, S. Guha, H. Kojima, P. Lindenfeld, G. Xiao, J.Q. Xiao and C.L. Chien 1233
Growth and anisotropic properties of superconducting $La_{2-x}Ca_{1+x}Cu_2O_{6-x/2+\delta}$ single crystals
T. Watanabe, T. Ishii, K. Kinoshita and A. Matsuda 1235
Superconductivity in the $YBa_2Cu_3O_y$-like compounds with disordered Ba–O plane
K. Yamaya, Y. Okajima, T. Yagi, M. Domon and F. Itoh 1237
Systematic variation for the temperature dependence of normal-state resistivity in $(La_{1-x}Ba_x)_2CuO_4$ system
S. Nagata, M. Nakajima, K. Kido, T. Ikeda and S. Chikazawa 1239
Persistent photoconductivity in YBaCuO films
V.I. Kudinov, I.L. Chaplygin, A.I. Kirilyuk and N.M. Kreines 1241
Single crystal Hall effect and stoichiometry in $Bi_2Sr_2CuO_6$
S.D. Hughes, A. Mackenzie, J.R. Cooper, A. Carrington, J.S. Edmends, C. Chen and B.M. Wanklyn 1243
Properties of transport carriers in $Y_{1-x}Ca_xBa_2Cu_3O_y$ and $Tl_2Ba_2CuO_y$
T. Honma and K. Yamaya 1245
Transport properties of thallium series compounds $Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4+x}$ ($n=1, 2, 3$) with different oxygen content
M.A. Tanatar, V.S. Yefanov, V.V. Dyakin, A.I. Akimov, A.P. Chernyakova 1247
Transport properties of $R_{1-x}Pr_xBa_2Cu_3O_y$ systems
H. Iwasaki, J. Sugawara and N. Kobayashi 1249
Hall coefficients of $Nd_{2-x}Ce_xCuO_4$ thin films
S. Kubo and M. Suzuki 1251
Transport and magnetic properties of overdoped $Tl_2Ba_2CuO_{6+\delta}$ and $TlSr_2CaCu_2O_{7-\delta}$
Y. Kubo, Y. Shimakawa, T. Manako, T. Kondo and H. Igarashi 1253
Anisotropic transport properties of superconducting $La_2CuO_{4+\delta}$ single crystal
H. Kitazawa and K. Katsumata 1255
Electronic transport phenomena in semiconductive phase of $BaPb_{1-x}Bi_xO_3$
H. Minami, T. Masumi and H. Shimada 1257
Magnetoresistance of Y–Ba–Cu–O microcylinders
K.Yu. Arutiunov, E.D. Nikulin, N.A. Generalov, V.P. Zimakov 1259
Structure and transport properties of superconductive $Nd_2CuO_{4-x}F_x$
J. Sugiyama, M. Kosuge, Y. Ojima, H. Yamauchi and S. Tanaka 1261
Transport properties of $SmBa_2Cu_3O_{6.2}$ single crystal
V. Kovacik, V.V. Moshchalkov, V.N. Nikiforov, L.I. Leonyuk 1263

Transport properties of several series of high-T_c oxides
J.R. Cooper, S.D. Obertelli, A. Carrington, J.W. Loram and W.Y. Liang 1265

Electrical conduction across CuO_2 planes in copper oxide superconductors
T. Ito, Y. Nakamura, H. Takagi and S. Uchida 1267

Anisotropic properties of high-T_c single crystals disordered by fast neutron irradiation
A. Karkin, S. Davydov, A. Mirmelstein, B. Goshchitskii, N. Chebotaev, A. Samokchvalov, W. Sadowski, E. Walker. 1269

Hall effect and substitution effect in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$
H. Sunagawa, M. Kaiwa, Y. Koike, T. Noji and Y. Saito 1271

Superconductivity and magnetism in $La_{1-x}Pr_xBa_2Cu_3O_y$
K. Sekizawa, Y. Takano, K. Kanno and K. Ohtani. 1273

In-plane transport properties of single-crystal $Nd_{2-x}Ce_xCuO_4$
S.J. Hagen, X. Xu, J.L. Peng, Z.Y. Li, W. Jiang and R.L. Greene 1275

Hall effect and magnetic properties in $Pr_{2-x}Ce_xCuO_4$
N.A. Fortune, K. Murata, Y. Hidaka, M. Ishibashi, Y. Yokoyama, F. Iga and Y. Nishihara. 1277

Transport properties of $La_{2-x}Sr_xCuO_y$ as function of x and y
K. Yoshimura, T. Uemura and K. Kosuge 1279

Hall effect on epitaxial $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_y$ films
R. Hopfengärtner, M. Leghissa, G. Kreiselmeyer, P. Schmitt, B. Holzapfel, I. Khassanov, J. Ströbel and G. Saemann-Ischenko 1281

Anisotropic resistivity of $Tl_2Ba_2CuO_{6+d}$ single crystals with different oxygen concentrations
H.M. Duan, R.M. Yandrofski, T.S. Kaplan, B. Dlugosch, J.H. Wang and A.M. Hermann. 1283

Thermoelectric powers of "123" and "124" superconductors
K. Matsuura, T. Wata, Y. Yaegashi, N. Suzuki, K. Kubo, H. Yamauchi and S. Tanaka 1285

Magnetoresistance of superconducting $HoBa_2Cu_3O_7$ thin films in the normal state
M.A. Gonzáles, P. Prieto, D. Oyola and J.L. Vicent 1287

Hall effect in YBCO "247" ceramics
M. Affronte, M. Decroux, J.Y. Genoud, T. Graf and Ø. Fischer 1289

Pressure effect on T_c of $(Yb_{0.7}Ca_{0.3})(Ba_{0.8}Sr_{0.2})_2Cu_3O_z$ with various oxygen contents
T. Miyatake, T. Wada, M. Kosuge, Y. Yaegashi, A. Ichinose, H. Yamauchi, N. Koshizuka, S. Tanaka and N. Mori 1291

Is pressure dependence of T_c through change in carrier density?
C. Murayama, Y. Iye, T. Enomoto, A. Fukushima, N. Môri,, Y. Yamada and T. Matsumoto 1293

Metal-insulator transition in 3d transition-metal oxides with ABO_3 and A_2BO_4 type structures
H. Eisaki, T. Ido, K. Magoshi, M. Mochizuki, H. Yamatsu, T. Ito and S. Uchida 1295

High pressure studies of high-T_c superconductor $YBa_2Cu_3O_{7-\delta}$
K. Suenaga and G. Oomi 1297

Pressure effects on T_c of superconducting $La_{2-x}Ca_{1+x}Cu_2O_6$
Y. Yamada, K. Kinoshita, T. Matsumoto, F. Izumi and T. Yamada 1299

The origin of the huge $1/f$ conduction noise in high-T_c cuprates
A. Maeda, H. Watanabe, I. Tsukada and K. Uchinokura 1301

Study of superconducting fluctuation using $YBa_2Cu_3O_7$ single crystals
K. Semba, T. Ishii and A. Matsuda. 1301

Transport property of $Tl_2Ba_2Ca_{1-x}Nd_xCu_2O_y$
M. Akamatsu, H. Kuwahara, R. Yoshizaki, H. Ikeda and M. Nakao 1305

Metal–insulator transition in $Bi_2Sr_{1.6-z}La_{0.4}CuO_{6+\delta}$ induced by cation vacancies
M.T. Caldes, M. Carrera, F. Perez, A. Fuertes, J. Fontcuberta, X. Obradors and N. Casañ 1307

Localization and superconductivity in single crystals of $Sm_{2-x}Ce_xCuO_4$
S. Uji, T. Shimizu and H. Aoki 1309

Microwave modulation by transport current in YBCO films
A.M. Grishin, Yu.M. Nicolaenko, K.V. Rao, A.V. Zinovuk 1311

Resistivity and magnetoresistance in $La_{2-x}Sr_xCuO_{4-\delta}$ ceramic samples
E.B. Nyeanchi, N.E. Hussey, D.F. Brewer, A.L. Thomson, Z.-J. Chen and L.Z. Cao 1313

Superconducting fluctuations in YBaCuO thin films
W. Lang, G. Heine, H. Jodlbauer, V. Schlosser, W. Markowitsch, P. Schwab, X.Z. Wang and D. Bäuerle 1315

Magnetoresistance of $Ba_{1-x}K_xBiO_3$ polycrystalline thin films
Y. Enomoto, K. Tanabe and A. Yamaji 1317

Analysis of the electrical property of the superconducting ceramics simulated by the two-dimensional resistance network model
H. Seki, Y. Masuda, Y. Yokochi, T. Muranaka, S. Fujita, S. Ohta, Y. Sakamoto, A. Baba, A. Togasawa, M. Baba and M. Masuda 1319

High-pressure transport phenomena in $(Pb_{(1+x)/2}Cu_{(1-x)/2})Sr_2(Y_{1-x}Ca_x)Cu_2O_{7+\delta}$
M. Kosuge, T. Maeda, K. Sakuyama, T. Miyatake, N. Koshizuka, H. Yamauchi, S. Tanaka, H. Takahashi, C. Murayama and N. Mori. 1321

Superconductor–insulator transition in $Nd_{2-x}Ce_xCuO_4$ single-crystal thin films
S. Tanda, S. Ozeki, M. Iionma, A. Oiii and T. Nakayama. 1323

Pressure effects on the transport properties of $Ln_{2-x}Ce_xCuO_4$ (Ln = Pr, Nd, Sm, Gd) single crystals
A. Matsushita, S. Uji and T. Matsumoto 1325

Single crystal study of $Tl_2Ba_2CuO_{6+\delta}$
T. Manako, Y. Shimakawa, Y. Kubo and H. Igarashi. 1327

Measurement of very low resistivity for a rod-shaped superconductor
H. Nakane, T. Watanabe, H. Kojima, J. Akimitsu and S. Yoshizawa 1329

Quantum oscillating magnetoresistance of multiple connected high-T_c superconducting structures
Y.B. Poyarkoff, N.V. Afanasjev, A.I. Golovashkin, K.V. Mitsen 1331

Structural ordering effects on conductances of metaloxide compounds and tunnel structures on their base
V.M. Svistunov, Yu.F. Revenko, O.V. Grigut 1333

Thermal conductivity of high-T_c oxides
M. Sera, S. Shamoto and M. Sato 1335

Electronic transport across the superconductor–insulator transition in $Bi_2Sr_2[Ca_{1-x}(Y, Ce)_x]Cu_2O_{8+y}$
C. Quitmann, M. Fleuster, C. Jarchow, D. Andrich, P.L. Paulose, G. Güntherodt 1337

Pressure effect on the electrical resistivity and thermoelectric power of $La_{2-x}Sr_xCuO_4$
M. Sera and M. Sato 1339

Thermoelectric power of high-T_c materials: a new phenomenological model
Y.S. Song, Y.S. Choi, Y.W. Park, M.S. Jang, S.K. Han 1341

Superconducting and normal states of $Ba_{1-x}K_xBiO_3$ studied by high quality thin films
H. Sato, T. Ido, S. Tajima, M. Yosida, K. Tanabe and S. Uchida 1343

C6. Thermal properties, phonons and isotope effect

Oxygen isotope effect and structural phase transitions in $La_{2-x}M_xCuO_4$
M.K. Crawford, W.E. Farneth, R. Miao, R.L. Harlow, C.C. Torardi and E.M. McCarron. 1345

Thermal expansion derived lattice instabilities near maximum T_c in high-T_c cuprates
M. Lang, R. Kürsch, F. Steglich, T. Wolf, Y. Maeno, K. Kumagai and Y. Hidaka 1347

Heat capacity of the electron-doped $Pr_{2-x}Ce_xCuO_4$
A. Iwai, M. Abe, H. Nakajima and K. Kumagai 1349

Specific heat of $(BiPb)_2Sr_2Ca_2Cu_3O_{10-y}$ from 78 to 300 K
J.E. Gordon, S. Prigge, S.J. Collocott and R. Driver 1351

Specific heat study of T_c reduction by Zn doping in $(La_{1-x}Ba_x)_2CuO_4$
Y. Okajima and K. Yamya 1353

The effect of Ag doping on the low temperature specific heats of $Nd_{1.85}Ce_{0.15}CuAg_xO_{4-y}$
Y.Y. Chen, Y.D. Yao and M.K. Wu 1355

Electron–phonon interaction and thermal diffusivity of high-T_c superconductors
T. Higashi, M. Onuki, S. Ishii, H. Kubota and T. Fujiyoshi 1357

Correlation between oxygen isotope shift and T_c in 2- and 3-layer high temperature superconductors
H.J. Bornemann, D.E. Morris, H.B. Liu, A.P.B. Sinha, P. Narwankar and M. Chandrachood 1359

The differential specific heat study on the superconductivity for the "214" phase and the doped superconductors
Z.J. Chen, H.S. Yang, X.N. Zhan and K.Q. Wang 1361

Evidence from heat conductivity for normal-conducting chains in the high-T_c superconductor $YBa_2Cu_3O_{6.9}$
K. Petersen, S. Arnold, C.D. Bredl, G. Sparn, F. Steglich, S. Takahashi, M. Tachiki, B. Runtsch and T. Wolf 1363

Lattice dynamics and the far infrared spectra of $Pr_xEr_{1-x}Ba_2Cu_3O_{7-y}$ and $Pr_xGd_{1-x}Ba_2Cu_3O_{7-y}$
S. Onari, H. Fukunaga, M. Kado, T. Saito, T. Arai and T. Mori 1365

Vibrational spectra of $Bi_{1-x}Pb_xBaO_3$ and $Ba_{1-y}K_yBiO_3$
M.G. Zemlyanov, P.P. Parshin, P.I. Soldatov, N.V. Anshukova, A.I. Golovashkin, L.I. Ivanova, A.P. Rusakov 1367

Lattice absorption spectra in high-T_c phase of superconducting Bi compounds
Y. Hayashi, Y. Harada, H. Sasakura and H. Teraoka 1369

Processes of electron–phonon interaction in thin YBaCuO films
E.M Gershenzon, G.N. Gol'tsman, I.G. Gogidze, A.D. Semenov and A.V. Sergeev 1371

Internal friction study of carriers in high-T_c superconductors
L.H. Sun, Y.N. Wang and Z. Yu 1373

Effect of Th impurities on the Raman spectrum of $YBa_2Cu_3O_7$
E. Altendorf, J.C. Irwin, W.N. Hardy and R. Liang 1375

Electromagnetic generation of the longitudinal ultrasound by electric field in $YBa_2Cu_3O_7$ single crystals
V.I. Khizhnyi, E.M Ganapolskyi and A.P. Korolyuk 1377

The oxygen isotope effect in Pr, Ca, and Zn substituted $YBa_2Cu_3O_{7-\delta}$ and $EuBa_2Cu_3O_{7-\delta}$
J.P. Franck, S. Gygax, G. Soerensen, E. Altshuler, A. Hnatiw, J. Jung, M.A.-K. Mohamed, M.K. Yu, G.I. Sproule, J. Chrzanowski and J.C. Irwin 1379

Anisotropic sound velocity anomaly at T_c in $La_{2(1-x)}Sr_{2x}CuO_4$
Y. Satoh, M. Yamaguchi, M. Suzuki, Y. Okuda and Y. Hidaka 1381

Thermal expansion measurements in $La_{1.85}Sr_{0.15}CuO_4$ single crystal superconductor by X-ray diffraction
H. Maeta, T. Kato, F. Ono, K. Haruna, I. Tanaka and H. Kojima 1383

Oxygen isotope effect in $Nd_{1.85}Ce_{0.15}CuO_4$
B. Batlogg, S.-W. Cheong, G.A. Thomas, S.L. Cooper, L.W. Rupp Jr., D.H. Rapkine and A.S. Cooper 1385

Specific-heat anomalies in $La_{2-x}M_xCuO_4$ (M=Ba, Sr; x=0.09, 0.12, 0.15) near 70 and 100 K
D.A. Wright, J.P. Emerson, B.F. Woodfield, R.A. Fisher, N.E. Phillips, M.K. Crawford and E.M. McCarron III. 1387

Effects of grain size and silver doping on ultrasonic propagation in YBCO ceramics
A. Anderson, G.J. Russel, K.N.R. Taylor, D.N. Matthews and J.I. Dunlop 1389

Elastic properties of single crystal $Bi_{2.2}Sr_{1.8}CaCu_2O_y$ as measured by a vibrating reed method
O.M. Nes, K. Fossheim, N. Motohira and K. Kitazawa 1391

Elastic behavior of single-phase polycrystalline $YBa_2Cu_4O_8$ superconductor
W. Ting, K. Fossheim, T. Wada, H. Yamauchi and S. Tanaka 1393

Ultrasonic studies in the $La_{1.85}Sr_{0.15}CuO_4$ single crystal under the magnetic field
T. Hanaguri, R. Toda, T. Fukase, I. Tanaka and H. Kojima 1395

Anisotropic coupling between high-T_c superconductivity and lattice in single-crystalline $La_{1.86}Sr_{0.14}CuO_4$
M. Nohara, T. Suzuki, Y. Maeno, T. Fujita, I. Tanaka and H. Kojima 1397

Specific heat of the 95 K superconductor $YBa_2Cu_{3.5}O_{7.5}$ from 1 to 330 K
A. Junod, D. Sanchez, J.-Y. Genoud, T. Graf, G. Triscone and J. Muller 1399

Low-temperature specific heat of the 123, 124 and 247 phases of Y–Ba–Cu–O in 14 Tesla
D. Sanchez, A. Junod, J.-Y. Genoud, G. Triscone and J. Muller 1401

$La_{2-x}Sr_xCuO_4$: low temperature specific heat and thermal conductivity
N.E. Hussey, J.P. Bird, D.F. Brewer, L.-Z. Cao, Z.-J. Chen, C.S. McMenamin, A.L. Thomson and A.J. Young 1403

Anisotropic phonon thermal conductivity of $YBa_2Cu_3O_{7-\delta}$
J.E. Jaffe, A.D. Kulkarni and F.W. De Wette 1405

Calorimetric study of $YBa_2Cu_3O_x$, $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$, and $Nd_{1.85}Ce_{0.15}CuO_z$ between 300 and 750 K
Y.D. Yao, Y.Y. Chen, Y.C. Chan and M.K. Wu 1407

In-plane and out-of-plane thermal conductivity of $La_{2-x}Sr_xCuO_4$ single crystals
Y. Nakamura, S. Uchida, T. Kimura, N. Motohira, K. Kishio, K. Kitazawa, T. Arima, and Y. Tokura 1409

Thermal conductivity of single crystal $La_{1.85}Sr_{0.15}CuO_{4-y}$
K. Mori, Y. Ogiso, Y. Isikawa, K. Sato, M. Matsukawa, K. Noto, T. Sasaki and N. Kobayashi 1411

Heat capacity anomalies due to phase transitions in $La_{2-x}Ba_xCuO_y$ and $La_{2-x}Sr_xCuO_y$
T. Atake, H. Kawaji, K. Yoshimura, T. Uemura and K. Kosuge 1413

List of Contributors vii

Part III

Section D. Theory

Symmetry of hole states in superconducting oxides: correlation with T_c
C. Di Castro, L.F. Feiner and M. Grilli 1417

The SU(N)$t-J$ model: insights from a $1/N$ expansion
G. Kotliar. 1419

Dimerized spin model of superconductivity
M. Imada 1421

Ferromagnetism in the Hubbard–Hirsch model
V.A. Ivanov and M.E. Zhuravlev 1423

An exactly solvable realistic model of electrons with magnetic impurity
I.N. Karnaukhov and V.A. Ivanov. 1425

On the entangled-disentangled transition in magnetic flux liquids
E.I. Kornilov 1427

Conductivity and transport mass in the 1D $t-J$ model at $t=J$
N. Kawakami and S.-K. Yang. 1429

Optical conductivity of high-temperature superconductors: exact solution for a "spin-bag" model
M.V. Sadovskii and A.A. Timofeev 1431

A model for high-T_c superconductivity originating in logarithmic interactions and testing by photon and electron scattering
K. Fukushima and H. Sato 1433

RKKY and magnetic dipole interactions in layered superconductors
S.N. Burmistrov and L.B. Dubovskii. 1435

Is the electron–phonon coupling relevant in high-T_c superconductors?
R. Zeyher 1437

The mechanism of high-T_c superconductivity
Y. Murayama and S. Nakajima 1439

Ground state properties of the two-dimensional spin fermion model
N. Furukawa and M. Imada 1441

Monte Carlo simulation of nearly half-filled Hubbard model in the ground state
N. Furukawa and M. Imada 1443

Spin susceptibility in superconducting state of square lattice electron systems
R. Konno 1445

Numerical results on superconducting correlation and momentum distribution in repulsive and attractive Hubbard model
M. Imada 1447

Origin of superconductivity in cuprates: the van Hove scenario
J. Bok and L. Force 1449

Quasi-classical theory of the Andreev reflection at the N–S interface
K. Nagai, Y. Nagato, S. Higashitani, M. Ashida and J. Hara 1451

Superconductivity in a two-band Hubbard system with inter-band attraction
K. Kuroki, H. Aoki and Y. Takada 1453

Macroscopic structural coherence in two-component superconductivity
Y. Bar-Yam 1455

The Hebel–Slichter enhancement in narrow band systems
H.B. Brom and D. van der Marel 1457

Numerical simulations on two-dimensional vortex lattices
D. Reefman and H.B. Brom 1459

Nonlinear excitations in the polarization layers of HTSC's
H. Eschrig, S.-L. Drechsler and J. Malek 1461

The vortex's supercurrent density in uniaxial superconductors
O. Buisson and M. Doria 1463

Surface effects in vortex patterns of uniaxial superconductors
O. Buisson, G. Carneiro and M. Doria 1465
Motion of single hole in the framework of the Emery model: equivalence to the t–J model
V.V. Kabanov and O. Yu. Mashtakov 1467
Cooper pairing in asymmetric electron layer systems
V.M. Edelstein 1469
Theoretical investigations on electronic structure and properties in the charged model clusters relating to high-T_c S-substituted YBCO superconductors
K.H. Lee, U.-S. Choi, W.R. Lee and U-H. Pack 1471
Investigation of the dielectric tensor in $YBa_2Cu_3O_7$
S. Gopalan, J. Kircher, O.K. Andersen, O. Jepsen, M. Alouani and M. Cardona 1473
Anharmonic localized lattice modes and high temperature superconductivity
B.S. Lee. 1475
Upper critical field of a superconductor near Anderson transition
E.Z. Kuchinskii and M.V. Sadovskii 1477
Gauge-field interaction and superconductivity in the $t'-J$ model
B. Normand, P.A. Lee and N. Nagaosa 1479
Search for chiral ordering in frustrated quantum spin systems
C. Gros, J. Richter and W. Weber 1481
Diamagnetism in the gauge theory
J. Wheatley 1483
Theory of Cu 2p-XPS in electron-doped superconductor $Nd_{2-x}Ce_xCuO_4$
Y. Seino, K. Okada and A. Kotani. 1485
Chiral fluctuations in t–J and frustrated Heisenberg models
D. Poilblanc. 1487
Theory of Cu 2p X-ray emission spectroscopy in high-T_c superconductors
S. Tanaka, K. Okada and A. Kotani 1489
Study of the midgap state in oxide superconductors by composite operator approach
M. Sasaki, S. Ishihara, H. Matsumoto and M. Tachiki 1491
Effect of cyclic 4-spin interaction on magnetic Raman scattering
Y. Honda, Y. Kuramoto and T. Watanabe 1493
Normal state and superconducting properties of the three-band Hubbard model from quantum Monte Carlo simulations
G. Dopf, A. Muramatsu and W. Hanke 1495
Correlation functions and susceptibilities of the dp model
Y. Asai 1497
Generalised $t-J$ models on a chain as a substitute for planar systems
P. Prelovšek, J. Bonča and I. Sega 1499
Ferromagnetic polarons in the one-dimensional $t-t'-J$ model
I. Sega, A. Ramšak and P. Prelovšek 1501
Three-dimensional flux phases of $t-J$ model in a layer structure
H. Mori. 1503
Magnetism in the single- and two-band Hubbard models: generalized Hund's coupling
K. Kusakabe and H. Aoki 1505
Finite size scaling for the 2-D frustrated antiferromagnet
H.J. Schulz and T.A.L. Ziman 1507
Ground state of the two-dimensional Dzyaloshinski–Moriya antiferromagnet
W. Koshibae, Y. Ohta and S. Maekawa 1509
Phase diagram of 2D Hubbard model by simulated annealing mean field approximation
M. Kato and T. Kitagaki 1511
Electronic state and superconductivity in the d–p model
D.S. Hirashima, Y. Ōno, T. Matsuura and Y. Kuroda 1513
Mean field theory of hole pairs in three dimensions
K. Sakakibara, I. Ichinose and T. Matsui 1515

Theory of spin waves in short range order on the basis of the two-dimensional $t-J$ model
H. Shimahara 1517
The Goldstone modes of the Abrikosov vortex line lattice
M. Hayashi and H. Fukuyama 1519
Charge and spin fluctuations $Cu^{2+}(S=1/2)\leftrightarrow Cu^{3+}(S=1)$ in HTSCs. New model of narrow impurity bands
M. Eremin and O. Anikeenok 1521
Anharmonic phonons and strong electronic correlations in high-T_c superconductors: a quantum Monte Carlo study
M. Frick, I. Morgenstern and W. von der Linden 1523
Superconductivity, phase separation and charge transfer instability in the $U=\infty$ limit of the three-band model of the CuO_2 planes
Y. Bang, C. Castellani, C. Di Castro, M. Grilli, G. Kotliar and R. Raimondi 1525
Anomalous magnetic properties of weak-links-bearing superconductors
S. Sergeenkov 1527
On the influence of anharmonicity on the isotope effect
T. Galbaatar, S.L. Dreschler, N.M. Plakida and G.M. Vujicic 1529
A microscopical model of anharmonic lattice dynamics of La_2CuO_4
N.M. Plakida and S.E. Krasavin 1531
Superconducting states with pair breaking magnon scattering
K. Hashimoto and H. Abe 1533
Entropy transport in high-T_c superconductors in the fluctuation regime
K. Maki 1535
Two-dimensional Hubbard model in low electron density limit
O. Narikiyo, Y. Hasegawa and H. Fukuyama 1537
Exactly solvable model for correlated lattice fermions in any dimensions
Y. Hatsugai and M. Kohmoto 1539
Generalized flux state in three-dimensional lattice with next-nearest-neighbor hopping
Y. Hasegawa 1541
Pairing in layered superconductors in the presence of a magnetic field
A.K. Rajagopal and S.S. Jha 1543
Properties of a van Hove superconductor
R.S. Markiewicz 1545
Longitudinal muon spin relaxation in the mixed phase of anisotropic type II superconductors
M. Weber 1547
Disorder effect on non-Ohmic resistive state in model high-temperature superconductor
T. Onogi, R. Sugano and Y. Murayama 1549
Electronic structure of $YBa_2cu_3O_6$ and $YBa_2Cu_3O_7$ by density-functional pseudopotential band calculation
M. Hirao, T. Uda and Y. Murayama 1551
Jahn–Teller effect in the La–Sr–Cu–O superconductor
A. Calles, A. Cabrera, F. Ramos-Gomez, E. Yepez, J.J. Castro and A. Salcido 1553
Upper critical fields of superconducting superlattice
K. Takanaka 1555
Exact solution of a supersymmetric t–J model with long-range exchange and transfer
Y. Kuramoto and H. Yokoyama 1557
Magnetic properties in t–J model
K. Kuboki, T. Tanamoto and H. Fukuyama 1559
The coupling nature of plasmon modes among different layers in a system composed of CuO_2 layers and CuO chains
T.J. Watson Yang, S.-F. Tsay and S.-Y. Wang 1561
Massless modes and superconducting order in Abrikosov flux lattice
R. Ikeda, T. Ohmi and T. Tsuneto 1563
Penetration depth of anisotropic narrow-band superconductivity
S. Misawa 1565
Possibility of cubic copper–oxide superconductors with high-T_c
H. Ihara, K. Bushida, N. Terada, S. Ishibashi, G. Zouganelis and M. Hirabayashi 1567

Random walk approach of the thermally activated flux flow
Q. Xu and Y. Bruynseraede 1569
Fermi-liquid analysis of the normal phase
H. Kohno and K. Yamada 1571
Pairing correlations for the 1-dimensional t–J model
Th. Pruschke and H. Shiba 1573
Doping dependence of optical conductivity and photoemission spectra in high-T_c copper oxides
T. Tohyama and S. Maekawa 1575
Optical absorption in the one-dimensional two-band model
A. Mishima 1577
Modified spin-wave analysis of multi-magnon excitations in Raman spectra for quantum Heisenberg AF systems on a square lattice with/without frustration
Y. Natsume and T. Suzuki 1579
RPA calculation of the transverse nuclear relaxation rate for $YBa_2Cu_3O_7$ in the superconducting state
N. Bulut and D.J. Scalapino 1581
Symmetry of electronic states in antiferromagnets; applications to CuO_2 planes
S. Brazovskii and I. Luk'yanchuk 1583
Angular resolved photoemission spectra, spin-correlations, and Fermi surface of the t–J model at moderate doping
P. Horsch and W. Stephan 1585
Superconductivity in narrow-band system with correlated hopping $q=\langle ii|1/r|ij\rangle$
V.A. Ivanov and M.E. Zhuravlev 1587
The crucial role of apical oxygen in superconductivity: new experimental evidence, new approaches to recent data and double well potential model
Yu.M. Baikov and S.L. Shokhor 1589
Critical behavior and topological terms for high-T_c superconductors
A. Muramatsu 1591
Large bipolarons and superconductivity
D. Emin 1593
Excessively suppressed metal–insulator transitions, enhanced superconductivity and reduced isotope effect by hard-core type anharmonicity of phonons in Peierls–Hubbard model
K. Nasu 1595
Mixed state in layered superconductors
T. Koyama, N. Takezawa and M. Tachiki 1597
Low spin to high spin transition at the onset of superconductivity in La–Sr–Cu–O and high spin state in Nd–Ce–Cu–O compound
M. Eto and H. kamimura 1599
Influence of the hole ordering in the copper–oxygen planes on the $YBa_2Cu_3O_7$ vibrational frequencies
V.R. Belosludov, M.Yu. Lavrent'ev and S.A. Syskin 1601
Triplet hole propagation and high-T_c superconductivity
A.M. Oleś, J. Zaanen and P. Horsch 1603
Symmetry of the superconducting phases in a two-dimensional t–J model
J. Konior and A.M. Oleś 1605
Fermi liquid theory for doped antiferromagnetic correlated systems
D. Nguyen Manh, D. Mayou and M. Cyrot 1607
AC susceptibility of high-temperature ceramic superconductors
K-H. Müller 1609
Local charge density wave and metal–insulator transition in $Ba(K)Bi(Pb)O_3$
D. Nguyen Manh, D. Mayou and F. Cyrot-Lackmann 1611
Electronic structure of copper free superconductors and related compounds
J.P. Julien, D.A. Papaconstantopoulos, F. Cyrot-Lackmann and D. Mayou 1613
Slave-boson results for experimental observables
L. Lilly, A. Muramatsu and W. Hanke 1615
Optical and single-particle excitations in the multiband Hubbard model for cuprate superconductors
J. Wagner, W. Hanke and D.J. Scalapino 1617

A T-matrix approach to a dynamic interpretation for high-T_c superconductivity
S-H. Suck Salk 1619
Effect of stacking on two-dimensional gapless superconductivity
S. Kanno, S. Ishido and T. Ishida 1621
Attractive channel for Cooper pairing with "s"-symmetry driven by the wavenumber-dependent renormalization of p- and d-electrons forming the Fermi quasiparticles on CuO_2 plane of high-T_c cuprates
A. Tokumitu and K. Miyake 1623
The hc/e vs. $hc/2e$ oscillations in the SNS junction
H. Yoshioka and H. Fukuyama 1625
Hubbard approximation for the d–p model of the CuO_2 plane
M. Kataoka 1627
Dynamical properties of two-dimensional Hubbard clusters
E. Dagotto 1629
Superconducting ground state of the two-band model indicated by the superconducting correlation function
K. Yamaji, T. Yanagisawa and K. Harigaya 1631
Superconductivity by Suhl–Kondo pair transfer interaction in dp+π model
Y. Asai 1633
Vanadates as relative compounds to high-T_c cuprates
V.A. Ivanov 1635
Spin-fluctuation resistivity in high-temperature superconductors
D. Ihle and N.M. Plakida 1637
Strong coupling effects in high-T_c oxides from paramagnons
E.J. Nicol and J.P. Carbotte 1639
AC-susceptibility of YBaCuO and YBaCuO:Ag ceramics in terms of the percolation theory
V.F. Gantmakher, B.G. Karepov, A.M. Neminsky, D.V. Shovkun and N.S. Sidorov 1641
Power-law resistive behavior and KT transition of a weakly-frustrated 2D Josephson-junction array
R. Sugano, T. Onogi and Y. Murayama 1643
Determination of the type of pairing and the order parameter in HTSC by sound and microwave absorption experiments
P.N. Brusov, M.Y. Nasten'ka and T.V. Filatova-Novaselova 1645
Charge transfer instability and superconductivity
A. Miyanaga, Y. Hasegawa and H. Fukuyama 1647
Exact response to a constant vector potential for Hubbard and t–J Hamiltonians
A. Ferretti, I.O. Kulik and A. Lami 1649
A numerical investigation on the effects of bond hole pairs–phonon coupling in copper–oxygen high-T_c superconductors
A. Lami and G. Villani 1651
Effects of the slave-boson fluctuations on the photoemission and inverse photoemission spectra of the CuO_2 three-band model
T. Saikawa and H. Kaga 1653
Effects of doping on the magnetic interactions and the stability of the antiferromagnetic phase in the CuO_2 model
H. Kaga and T. Saikawa 1655
Model of interatomic interaction and dynamic and thermodynamic properties of $Tl_2CaBa_2Cu_2O_8^*$
V.R. Belosludov, M.Yu. Lavrent'ev and S.A. Syskin 1657
The covalence corrections on ionic model total energy for $YBa_2Cu_3O_7$
R.S. Han, Z.Z. Gan, W. Pan, Z. Zheng and Q.Q. Zheng 1659
Knight shift and nuclear relaxation rate in layered cuprate oxides
M. Tachiki and S. Takahashi 1661
Renormalization group analysis of the doped antiferromagnet in the two-dimensional space
T. Yanagisawa 1663
Non-collinear spin density wave in a two-dimensional Hubbard model
M. Ichimura, M. Fujita and K. Nakao 1665
A generalized flux phase for the t–J model
D. Peter, D. Mayou and M. Cyrot 1667

Finite temperature crossover in the Anderson lattice model
Y. Ōno, K. Miura, T. Matsuura and Y. Kuroda 1669
Magnetic force microscopy and superconductors
C. Bruder 1671
Cu–O charge fluctuations and electron–phonon coupling in the effective single-band Hubbard theory for cuprate superconductors
A.J. Fedro and H.-B. Schüttler 1673
Coherence effects in the high-T_c oxides
F. Marsiglio 1675
Optical conductivity in the superconducting state of layered cuprate oxides
S. Takahashi, A. Shoyama and M. Tachiki 1677
Lattice stability of $YBa_2Cu_3O_6$ and $YBa_2Cu_3O_7$
R.G. Della Valle 1679
Pressure dependence of the carrier concentration in electron and hole-doped Ln_2CuO_4 superconductors
R.P. Gupta and M. Gupta 1681
Cumulant approach to the coherent hole motion in the t–J model
K.W. Becker, R. Eder and H. Won 1683
Exact lower bounds for the ground state energy of correlated Fermi systems
R. Valenti, P.J. Hirschfeld, J. Stolze and C. Gros 1685
Berry's phase realized in solids with broken time-reversal symmetry: application to anyon superconductivity
J. Ihm and H. Kim 1687
Phonons in high-T_c superconductor $Nd_{2-x}Ce_xCuO_4$
H.C. Gupta 1689
Incommensurate antiferromagnetism within a slave-boson approach to a two-dimensional Hubbard Hamiltonian
E. Arrigoni, G.C. Strinati and M. Geddo 1691
Monte Carlo and spin wave studies of antiferromagnetic ordering in anisotropic Heisenberg systems
C.M. Soukoulis 1693
Clarification of normal state properties of $La_{2-x}Sr_xCuO_4$
S. Matsuno, H. Ushio and H. Kamimura 1695
Theory of the Hall effect in the normal state of copper oxide superconductors
H. Kamimura, T. Schimizu and H. Ushio 1697
Investigation of superconducting properties of $La_{2-x}Sr_xCuO_4$
H. Ushio and H. Kamimura 1699
Thermal phase fluctuations in thin superconducting wires
S.-G. Lee and J.-C. Park 1701
Gauge field and high-T_c superconductivity
I. Kanazawa 1703
Cluster model calculation of the electronic states of the d–p model and its effective Hamiltonian
H. Matsukawa and H. Fukuyama 1705
Effects of the t/J perturbation in the one- and two-dimensional t–J models
M. Uchinami 1707
Gauge fields in slave-fermion formalism
K. Kuboki and D. Yoshioka 1709
Self-induced superconducting pairing
A.A. Gorbatsevich and Yu.V. Kopaev 1711
Self-consistent theory of phase separation in HTSCs
A.A. Gorbatsevich, Yu.V. Kopaev and I.V. Tokatly 1713
Monte Carlo simulation of oxygen kinetics in $YBa_2Cu_3O_{6+x}$
V.V. Alekseenko and I.I. Titov 1715
Simulations of magnetization process in superconducting films
R. Kato, Y. Enomoto and S. Maekawa 1717
Dynamics of a magnetic flux in type-II superconductors
Y. Enomoto, R. Kato, K. Katsumi and S. Maekawa 1719

Electronic structure of insulating cuprates: role of Madelung potential in the charge-transfer gap and superexchange interaction
Y. Ohta, T. Tohyama and S. Maekawa 1721
Bound state of two holes in the t–J model
J. Inoue and S. Maekawa 1723
Numerical study on spin and charge degrees of freedom in one-dimensional t–J model
K. Sano and K. Takano 1725
Broken symmetry instabilities and solutions of the extended Hubbard model
M. Ozaki and S. Yamamoto 1727
High frequency vibrations in the YBaCuO superconductor
J.J. Castro, E. Yepez, A. Cabrera, F. Ramos-Gomez, A. Calles and A. Salcido 1729
Anyon superconductivity as conformal field theory
A. Protogenov 1731
Local-density band structure of Y–Ba–Cu oxides
T. Oguchi, T. Sasaki and K. Terakura 1733
On the nature of the phase transitions at elevated temperature in the 123 type ceramics
Yu.S. Netchaev, K.N. Zhangozin, Yu.A. Minaev, L.A. Andreev, D.B. Kargin, N.G. Konovalov and V.A. Lyhin 1735
Electron and hole superconductivity in the model of local pairs near half filling
A. Kocharian and P. Ovnanian 1737
Studies for a layered superconductor in Eliashberg theory
C. Jiang and J.P. Carbotte 1739

Section E. Superconducting Properties

Cryogenic scanning tunneling spectroscopy on oxide superconductors
T. Hasegawa, M. Nantoh, H. Ikuta and K. Kitazawa 1743
Electric field effect on superconducting $YBa_2Cu_3O_{7-\delta}$ films
J. Mannhart, D.G. Schlom, J.G. Bednorz and K.A. Müller 1745
New phenomena in proximity effect tunneling of high-T_c superconducting cuprates
M. Holcomb, J.P. Collman and W.A. Little 1747
Two superconducting gaps and electron–phonon coupling in $YBa_2Cu_4O_8$
E.T. Heyen, M. Cardona, J. Karpinski, E. Kaldis and S. Rusiecki 1749
Critical behaviour in the resistivity of $Y_{1-x}Ca_xSr_2Cu_2Tl_{0.5}Pb_{0.5}O_7$
J.W. Loram, J.R. Cooper, R.S. Liu, K.A. Mirza, W.Y. Liang and J.M. Wade 1751
Superconducting gap and magnetic field effects in $Bi_2Sr_2CaCu_2O_8$
G. Martinez, L.C. Brunel, S.G. Louie, S. Labdi and H. Raffy 1753
Specific heat and penetration depths of $YBa_2Cu_4O_8$ and $YBa_{1.8}Ca_{0.2}Cu_4O_8$ near T_c
A. Schilling, H.R. Ott, J.D. Guo, S. Rusiecki, J. Karpinski and E. Kaldis 1755
Anomalous below-gap absorption by bulk high-T_c superconductors
E. Kawate, A. Onae, Y. Nakazawa, M. Ishikawa, K. Ishida, Y. Miki and M. Okaji 1757
Measurements of the longitudinal electrical field in granular $YBa_2Cu_3O_{7-\delta}$ superconductors in the low-frequency AC regime
F. Miguelez, A. Pomar and F. Vidal 1759
Magnetic field at the surface of high-T_c superconducting oxides by magnetic resonance
Y. Maniwa, S. Sato, T. Mituhashi, K. Mizoguchi and K. Kume 1761
Systematics of magnetic penetration depths in $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15-\delta}$
E.J. Ansaldo, Ch. Niedermayer, J.L. Tallon, D.M. Pooke, J.H. Brewer, G.D. Morris and S.R. Kreitzmann 1763
The London penetration depth in 110 K-phase of lead-free Bi–Sr–Ca–Cu–O measured by muon spin rotation technique
S. Kapusta, J. Šebek, V.Yu. Pomjakushin, V.N. Duginov, V.A. Zhukov, V.G. Olshevsky, A.N. Ponomarev, A.V. Pirogov, B.F. Kirillov, J. Buriánek and H. Šíchová 1765
Ultrasonic studies of flux creep and intrinsic pinning properties in high-T_c superconductors
Y. Horie, T. Miyazaki, T. Fukami and T. Aomine 1767
Hall and Nernst effect studies of vortex motion in $Tl_2Ba_2CaCu_2O_8$
S.J. Hagen, C.J. Lobb, R.L. Greene and M. Eddy 1769

Coexistence of superconductivity with paramagnetism in magnetic field for $RBa_2Cu_3O_y$ system (R=Sm, Gd, Er, Ho, Dy)
Y.H. Zhang, H.Z. Zhao, C.G. Fan, X.-G. Li and L.Z. Cao 1771
Vortex chains in the mixed state of anisotropic high-T_c superconductors
B.I. Ivlev, N.B. Kopnin and M.M. Salomaa 1773
Phonon anomalies and gap anisotropy in substituted ceramics and oriented thin films of 123 superconductors
T. Pichler, B. Sumetsberger, M. Matus, H. Kuzmany and J. Geerk 1775
Millimeter and submillimeter wave surface impedance of $YBa_2Cu_3O_{7-\delta}$ thin films with reduced low temperature absorption
N. Klein, U. Dähne, U. Poppe, H. Soltner, B. Kabius, K. Urban, J. Schubert, W. Zander, S. Orbach, S. Hensen, G. Müller, H. Piel, B.P. Gorshunov, G.V. Kozlov, S.P. Lebedev and A.A. Volkov 1777
Low frequency electromagnetic losses for high-T_c $YBa_2Cu_3O_{7-x}$ superconductors magnetic fields up to H_{c1}
D.G. Andrianov, S.B. Bugorskij, I.P. Zautin, I.V. Matveev, Yu.V. Mezentsev and E.A. Khalyavin 1779
Lorentz-force independent energy dissipation in the mixed state in $Bi_2Sr_2CaCu_2O_y$
Y. Ando, N. Motohira, K. Kitazawa, J. Takeya and S. Akita 1781
Effect of elastic stress on the resistivity and T_c of $(Bi, Pb)_2Sr_2Ca_{n-1}Cu_nO_x$ for $n=2$ or 3
G.X. Tessema, X.-F. Chen and M.J. Skove 1783
Scaling behavior of the fluctuations in magnetization and conductivity of untwinned $YBa_2Cu_3O_{7-\delta}$
U. Welp, S. Fleshler, W.K. Kwok, R.A. Klemm, V.M. Vinokur, J. Downey and G.W. Crabtree 1785
Interplanar effects on the electrical response in YBCO and BSCCO
C. Paracchini and L. Romanó 1787
The flux pattern in the high-T_c superconductor $YBa_2Cu_3O_7$ studied by ^{89}Y-NMR
H.B. Brom and H. Alloul 1789
Transition from activated to diffusive behavior in the vortex-liquid state in $YBa_2Cu_3O_7$
T.R. Chien, T.W. Jing, N.P. Ong and Z.Z. Wang. 1791
Nonresonant microwave absorptions of Ln-123, Bi-2223 and Bi-2212 superconductors
K. Tagaya and N. Fukuoka 1793
Temperature-induced dimensional crossover in BiSrCaCuO
E. Silva, R.Fastampa, M. Giura and R. Marcon 1795
Determination of the London penetration depth with EPR of surface spin probes
M. Wahlen, M. Rübsam, Olaf Dobbert and K.-P. Dinse 1797
Dimensionality crossover of the superconducting-normal transition in $YBa_2Cu_3O_{7-\delta}$ thin films both at high magnetic fields and at zero field
C. Dekker, R.H. Koch, B. Oh and A. Gupta. 1799
Neutron depolarization experiments on $YBa_2Cu_3O_{6.85}$
S.J. Kennedy, B.A. Hunter and K.N.R. Taylor 1801
Influence of sample microstructures on the decoration pattern
H.H. Zhang, S.Y. Ding, Z.H. Qing, Z. Yu, X. Jin and X.X. Yao 1803
Dependence of the decoupling temperature of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ ($0<\delta<0.15$) on applied magnetic field and oxygen stoichiometry
R.S. Liu, S.Y. Lin, K.N. Tu, P.P. Edwards and W.Y. Liang 1805
Low temperature relaxation in YBaCuO
P.A. Godelaine, C. Hannay, R. Cloots and M. Ausloos 1807
Determination of the spatial length scale of the magnetic field distribution in $YBa_2Cu_3O_7$ ceramics and $Bi_2Sr_2CaCu_2O_8$ crystal
N. Bontemps, B.Y. Bertin, D. Davidov, P. Monod, C. Lacour, R. Even and V.V. Moshchalkov 1809
Two dimensional superconducting properties in single crystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$
K. Kadowaki 1811
Noise measurements in YBaCuO thin films
G.H. Koh, S.H. Moon, H.J. Lee and Z.G. Khim 1813
Scaling behavior at the vortex glass transition
H.K. Olsson, R.H. Koch, W. Eidelloth and R. Robertazzi. 1815
Mixed state properties of $Bi_2Sr_2CaCu_2O_x$ single crystals with $T_c \approx 95$ K
N.V. Zavaritsky, A.V. Samoilov and A.A. Yurgens. 1817
Activation energies in a $Bi_2Sr_2CaCu_2O_x$ single crystal
M. Reissner, W. Steiner, W. Kritscha, F.M. Sauerzopf, H.W. Weber and G.W. Crabtree 1819

Magnetic noise near the superconducting transition in bulk and thick film YBCO
S.A. Foulds, S.P. Harrop, C.M. Muirhead, C.E. Gough, N. McNalford and T.W. Button 1821
Frequency dependent magnetisation and susceptibility of YBCO thick-film rings
A. Gencer, C.E. Gough, T.C. Shields and J.S. Abell 1823
Tunnelling with thin-metal contact layers on Bi–Ca–Sr–Cu–O: experiment and theory
H.J. Van Schevicoven, D. Lenstra, A.H.M. Eisenga and A.T.A.M. De Waele 1825
Elastic properties of $YBa_2Cu_3O_7$ single crystals at the superconducting phase transition
S.K. Japaridze, T.Sh. Kvirickashvili, V.A. Melik-Shahchnazarov, I.I. Mirsoeva, I.N. Makarenko and S.M. Stishov 1827
Granular effects in superconducting $YBa_2Cu_4O_8$ ceramic
S.Y. Lin, R.S. Liu, D.N. Zheng, W.Y. Liang and P.P. Edwards 1829
Superconducting percolation networks in $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_y$
Y. Kimishima and A. Ohnishi 1831
Superconducting properties of super–nonsuperconducting cuprate composites
K. Yoshimura, T. Shibata, N. Saga, T. Sawamura and K. Kosuge 1833
The first magnetic penetration field in BSCCO single crystals, temperature dependence and electron irradiation effect
N. Chikumoto, M. Konczykowski, N. Motohira, K. Kishio, K. Kitazawa 1835
Anomalous neutron scattering from the flux-line lattice in $K_{0.4}Ba_{0.6}BiO_3$
D.M. Paul, E.M. Forgan, H.A. Mook, R. Cubitt, S.L. Lee, M.L. Norton, H-Y. Tang and P. Timmins 1837
Neutron depolarization study of flux distribution in superconducting state
Y. Endoh, T. Watanabe, K. Yamada, S. Itoh, I. Tanaka and H. Kojima. 1839
Anomalously enhanced noise spectral densities of YBCO micro-bridge near the resistive transition region
K.H. Han, S.-I. Lee, S.H. Lee, S. Suck Salk, J.K. Ku and H.J. Shin. 1841
Magnetic irreversibility in granular superconductors: AC susceptibility study
F. Pérez, X. Obradors, J. Fontcuberta, M. Vallet and J. González-Calbet 1843
Paraconductivity in $YBa_2(Cu_{1-x}Ni_x)_3O_{7-y}$ and $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+y}$
S.N. Bhatia, C.P. Dhard, P.V.P.S.S. Sastry, I.K. Gopalakrishnan, J.V. Yakhmi and R.M. Iyer. 1845
Observation of a peak below T_c in the RF-conductivity $\mathrm{Re}\{\sigma(T)\}$ of $YBa_2Cu_3O_7$
H.K. Olsson and R.H. Koch. 1847
Angular scaling of the magnetoresistance of BiSrCaCuO thin films below T_c
H. Raffy, S. Labdi, O. Laborde and P. Monceau 1849
Electromagnetic response of superconducting $Bi_2(Sr, Ca)_3Cu_2O_y$
T. Shibauchi, A. Maeda, N. Kondo, K. Uchinokura, N. Motohira, K. Kishio and K. Kitazawa 1851
Hall effect in an untwinned single crystal of $YBa_2cu_3O_{7-x}$
J.P. Rice, J. Giapintzakis, D.M. Ginsberg and J.M. Mochel 1853
Anisotropic suscepbitility in the normal state and superconducting fluctuation-induced diamagnetism of single-crystal $La_{2-x}Sr_xCuO_4$
M. Hase, I. Terasaki, A. Maeda, K. Uchinokura, T. Kimura, K. Kishio, I. Tanaka and H. Kojima 1855
Magnetic anisotropy of layered superconducting oxide $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals
K. Okuda, S. Kawamata, S. Noguchi, N. Itoh and K. Kadowaki 1857
Low temperature direct measurements of H_{c2} in HTSC using megagaus magnetic fields
A.I. Golovashkin, O.M. Ivanenko, Yu.B. Kudasov, K.V. Mitsen, A.I. Pavlovsky, V.V. Platonov and O.M. Tatsenko. 1859
Lower critical field of $RBa_2Cu_3O_7$ (R = Y, Ho and Gd) by low-frequency AC losses
Y. Yamaguchi, M. Tokumoto and K. Mitsugi 1861
Upper critical field of $YBa_2Cu_{3-x}Fe_xO_7$ single crystals
M.D. Lan, J.Z. Liu, Y.X. Jia, L. Zhang, Y. Nagata, P. Klavins and R.N. Shelton 1863
Observation of the Kosterlitz–Thouless transition in superconducting $YBa_2Cu_3O_{7-x}$ thin films
H. Teshima, K. Ohata, H. Izumi, K. Nakao, T. Morishita and S. Tanaka 1865
Anisotropy of lower critical field and critical currents in $YBa_2Cu_3O_{6+x}$ single crystal
C. Marin, V.V. Moshchalkov, J.Y. Henry, J. Rossat-Mignod and J.F. Jacquot. 1867
Vortex kinks and anysotropic superconductor magnetization curve
V.N. Zavaritsky and N.V. Zavaritsky. 1869
A scaling property in the reversible magnetization of anisotropic high-κ type-II superconductors
Z.D. Hao, J.R. Clem, J.H. Cho and D.C. Johnston. 1871

Field dependence of the irreversibility lines in high-T_c superconductors
J. Schaf, P. Rodrigues and P. Pureur 1873

Magnetic field induced anisotropic resistive transition in single crystalline $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$
J.N. Li, K. Kadowaki, Z. Tarnawski, Z. Koziol and J.J.M. Franse 1875

Remanence magnetization in powders and ceramics of YBaCuO
E. Lähderanta, R. Laiho, E. Blinov, V. Fleisher and Yu.P. Stepanov 1877

Diamagnetism and irreversibility in single crystal $Bi_{1.7}Pb_{0.3}Sr_{1.83}CaCu_{1.85}O_{8+\delta}$
Q. Xu, J. Vanacken, Y. Bruynseraede, Y.S. Wang and W.T. Fu 1879

A comparative study of magnetic relaxation and V–I characteristics in the laser-ablated YBCO thin films
W.H. Lee, S.W. Hsu, Y.C. Chen, T.L. Chen, C.M. Chang, J.J. Chu and P.T. Wu. 1881

Disorder effect on flux lattice melting near H_{c2}
A. Fujita, S. Hikami and A.I. Larkin 1883

An analysis of the validity limits of the current approaches for superconducting granular systems
R. De Luca, S. Pace, A. Saggese, B. Polichetti, G. Rotoli, G. Filatrella, R. Vaccarone and L. Liberatori 1885

$Tl_2Ba_2CaCu_2O_y$ logarithmic magnetic relaxation sharp trop at $T=T_j$
V.N. Zavaritsky and N.V. Zavaritsky. 1887

Magnetic penetration depth of $Ba_{0.625}K_{0.375}BiO_3$
E.J. Ansaldo, Z.R. Wang, J.H. Cho, D.C. Johnston and T.M. Riseman 1889

Vortex structure in the high-T_c superconductor $Tl_2Ba_2CaCu_2O_8$; A ^{205}Tl NMR study on single crystals
J.T. Moonen, D. Reefman, J.C. Jol, H.B. Brom, T. Zetterer, D. Hahn, H.H. Otto and K.F. Renk 1891

Bean–Livingston barrier in layered superconductors
A.Yu. Simonov and V.P. Damjanović 1893

Detection of Andreev reflection contributions to nonlinear IVC response of HTSC-normal metal point contacts to external microwave radiation
V.M. Dmitriev, A.L. Solovjov and A.B. Agafonov 1895

Thermoelectric power rounding above T_c versus paraconductivity in copper oxide superconductors
O. Cabeza, Y.P. Yadava, J. Maza, C. Torron and F. Vidal 1897

A phenomenological model for the analysis of tunneling experiments on 90 K and 60 K YBCO phases
A.M. Cucolo, C. Noce and A. Romano 1899

Magnetoresistance measurements on (Ca, Th)-doped $YBa_2Cu_3O_{7-\delta}$
M. Andersson and Ö. Rapp 1901

Phonon mechanism of high-T_c superconductivity based on the tunneling study of Bi-based cuprates
N. Tsuda, D. Shimada and N. Miyakawa 1903

Tunneling spectra for junctions parallel and perpendicular to the *ab* plane of $YBa_2Cu_3O_7$
S. Fujita, K. Nakao, M. Akashi, M. Murakami, H. Fujimoto, T. Morishita and N. Koshizuka. 1905

Tunneling spectra of $Au/Bi_2Sr_2CuO_6$ thin film/$Bi_2Sr_2CaCu_2O_8$ single crystal junctions with well defined interface
T. Matsumoto, T. Kawai, K. Kitahama, S. Kawai, I. Shigaki and Y. Kawate 1907

Scanning tunneling spectroscopic studies of quench and melt growth (QMG) YBaCuO crystals at 4.2 K
M. Tanaka, S. Takebayashi, K. Sawano, S. Kashiwaya, F. Hirayama and M. Koyanagi 1909

Vortex penetration in the uniaxial anisotropic superconductor
T. Krzyszton 1911

Upper critical field anisotropy and dissipative flux motion in Nd–Ce–Cu–O single crystals
L. Fabrega, M.A. Crusellas, J. Fontcuberta, X. Obradors, S. Piñol, C.J. van der Beek, P.H. Kes, T. Grenet and J. Beille. 1913

Radio-frequency surface impedance of type-II superconductors: dependence upon the magnitude and angle of an applied static magnetic field
J.R. Clem and M.W. Coffey. 1915

Section F. Thin Films and Multilayers

Novel proximity effect between high-T_c superconductor and magnetic manganese oxide
Y. Kozono, M. Kasai, Y. Kanke, T. Ohno, M. Hanazono and Y. Sugita 1919

Superconducting characteristics of an S–N–S junction coupled with a LnBaCuO film
Y. Tarutani, T. Fukazawa, U. Kabasawa, A. Tsukamoto, M. Hiratani, M. Suga and K. Takagi 1921
Proximity junctions on YBCO thin films
J. Yoshida, T. Hashimoto, S. Inoue, M. Sagoi and K. Mizushima 1923
Disappearance of superconductivity and critical resistance in thin indium films
S. Okuma and N. Nishida. 1925
Magnetic properties of $YBa_2Cu_3O_x$ monocrystalline epitaxial superconducting films
A.A. Zhukov, V.V. Moshchalkov, V.V. Metlushko, G.T. Karapetrov, V.D. Kuznetsov, I.V. Timashev and E.V. Pechen. . . . 1927
The properties of $YBa_2Cu_3O_{7-x}$ thin films prepared by MOCVD
O.Yu. Gorbenko, A.R. Kaul, S.V. Pozigun, V.A. Alekseev, Yu.D. Tretyakov and V.I. Sritni. 1929
Non-destructive measurement of the critical current and the current carrying length scale in superconducting crystals and films
M.A. Angadi, A.D. Caplin, J.R. Laverty, Z.X. Shen and P. Tonolo. 1931
Preparation and characterization of thin epitaxial $YBa_2Cu_3O_y$ films
J. Schneider, T. Göddenhenrich, U. Krüger and R. Wördenweber 1933
Current-induced broadening of resistive transition in Bi(Pb)–Sr–Ca–Cu–O thin films
M. Akinaga 1935
Resistivity and AC susceptibility of Bi(2212) films
M. Asfaj, M.S.R. Rao, R. Suryanarayanan and O. Gorochov 1937
Narrow YBCO microbridges in ultrathin laser deposited films
M. Danerud, M.E. Gershenson, Z. Ivanov, D. Winkler and T. Claeson 1939
$YBa_2Cu_3O_x$ thin films on off-axis substrates
K. Yamamoto, M. Yoshihara, M. Matsui and M. Nakajima. 1941
Transport properties and in-plane alignment of Y–Ba–Cu–O films
N. Yoshida, M. Kubota, S. Takano, M. Nagata, T. Hara, H. Ishii, T. Yamamoto and K. Maekawa. 1943
Anisotropic magnetic-field dependence of the critical current density and microstructure for Y–Ba–Cu–O thin films
S. Kondoh, T. Matsubara, S. Ohashi and T. Morimoto 1945
Anisotropic pressure dependence of the critical temperature of $REBa_2Cu_3O_{7-\delta}$
S.L. Bud'ko, O. Nakamura, J. Guimpel, M.B. Maple and I.K. Schuller 1947
High-T_c and high-J_c superconducting BSCCO thin films grown by MOCVD
K. Endo, H. Yamasaki, S. Misawa, S. Yoshida and K. Kajimura. 1949
Preparation in situ of YBCO films by opposed-targets sputtering
Y.E. Grigorashvily, I.L. Sotnikov, V.M. Fartushnaya and A.A. Fomin 1951
High quality superconducting thin films by sputtering
Z.W. Dong, G.R. Liu, B.C. Yang, G.C. Xiong, Q.S. Yang and Z.X. Zhao 1953
Influence of process induced surface impurities on electrical contacts to $YBa_2Cu_3O_7$ thin films
R. Fagerberg, F. Vassenden, Z.H. Gong, P. Tuset and J.K. Grepstad 1955
MOCVD precursors and reaction mechanism
F.A. Kuznetsov, I.K. Igumenov, V.S. Danilovich 1957
Biaxially aligned $YBa_2Cu_3O_{7-x}$ thin film tapes
Y. Iijima, N. Tanabe, Y. Ikeno and O. Kohno 1959
Fluctuations of T_c in YBCO thin films
T. Ogawa, K. Inoue, K. Morita, A. Senda and T. Kasanami 1961
Epitaxial thin films of $YBa_2Cu_4O_8$ by laser ablation
V.R. Palkar, P. Guptasarma, S.T. Bendre, S.B. Ogale and M.S. Multani 1963
Epitaxial growth of $Ba_{1-x}K_xBiO_3$ thin films by rf-magnetron sputtering
M. Iyori, M. Kamino, K. Takahashi, Y. Yoshisato and S. Nakano 1965
In situ epitaxial growth of YBCO films by facing targets sputtering method
M. Imafuku and H. Shimada 1967
Effect of pulsed laser irradiation on growing surface of Ba–Y–Cu–O superconducting films
T. Minamikawa, Y. Yonezawa, K. Segawa, S. Otsubo, S. Mizukami, A. Morimoto and T. Shimizu 1969
Preparation of smooth *A*-axis oriented YBCO films using laser MOCVD
T. Ushida, H. Higa, K. Higashiyama and S. Tanaka 1971

Properties of YBCO films prepared by pure argon sputtering
T. Matsui, T. Suzuki, H. Kimura, K. Tsuda, M. Nagano and K. Mukae 1973

Anisotropy in superconducting state of (11*n*)-oriented Bi–Sr–Ca–Cu–O thin films
S. Ikegawa, Y. Ishizuka, Y. Terashima and T. Miura 1975

A study of the compositional dependence of the quality of in-situ grown YBaCuO films in E-beam coevaporation
M. Naito 1977

Epitaxial growth study of $(Ba_{1-x}Rb_x)BiO_{3-\delta}$ films by ion beam sputtering
J. Fujita, T. Yoshitake, T. Satoh, H. Igarashi, I. Takeuchi, S. Miura, J.S. Tsai and H. Tsuge. 1979

Growth of ultrathin Y–Ba–Cu–O films by an off-axis rf sputtering technique
H.C. Yang, Y.L. Ding, M.H. Chou and H.E. Horng 1981

Temperature dependence of stoichiometry of laser ablated $YBa_2Cu_3O_{7-x}$ thin films
K. Scott, A. Mackenzie, C. Dineen and W.A. Phillips 1983

$Pb_2(Sr_{1-x/2}A_{x/2})_{2+n}Cu_{2+n}O_{6+2n}$ thin films prepared by laser ablation processing
T. Nonaka, K. Shimizu and T. Kawai 1985

Phase formation and superconductivity in sputtered Pb-based cuprate thin films
H. Adachi, S. Adachi, Y. Ichikawa, K. Setsune and K. Wasa 1987

Observation of a new phase in hydrogen-charged $YBa_2Cu_3O_7$ thin films
J. Erxmeyer, A. Weidinger, H. Glückler, W. Paulus, R. Schöllhorn, W. Zander, J. Schubert and B. Stritzker 1989

In-situ growth of $YBa_2Cu_3O_{7-x}$ superconducting thin films on (001) MgO by laser ablation method
C.M. Chang, J.J. Chu and P.T. Wu. 1991

The effects of target composition on the microstructure characteristic of epitaxial YBCO thin films by in-situ rf magnetron sputtering with single compound targets
C.L. Lin, L.P. Wang, J.J. Chu and P.T. Wu 1993

MOMBE growth of superconducting oxide thin films
K. Endo, Y. Moriyasu, S. Misawa and S. Yoshida 1995

In-situ fabrication of YBCO/YSZ/SI thin films by laser ablation
Y.G. Zhang, S.S. Fan, C.Q. Shi, Z.C. Niu and B.L. Gu 1997

Growth mechanism and superconducting anisotropy of layer controlled $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$
M. Kanai, T. Kawai and S. Kawai 1999

Selflimiting adsorption of precursors for chemical vapor deposition of oxide superconductors
S. Oda, H. Zawa, K. Masuda, K. Fujii and Y.C. Chen 2001

Preparation of oxide superconducting films in MBE using NO_2 and O_3 gases
T. Shimizu, H. Nonaka, S. Hosokawa, S. Ichimura and K. Arai 2003

Thin films of $YBa_2Cu_3O_{7-\delta}$ prepared by a new MOCVD technique
B. Schulte, M. Maul, W. Becker, S. Elschner, E.G. Schlosser, P. Häussler and H. Adrian 2005

Observation of screw dislocations in sputtered $YBa_2Cu_3O_{7-\delta}$ films
D.G. Schlom, D. Anselmetti, J.G. Bednorz, Ch. Gerber, J. Mannhart and K.A. Müller. 2007

Growth mechanism study of Bi–Sr–Ca–Cu–O films with *c*-axis inclined to $SrTiO_3$(110) substrate surface
T. Miura, Y. Ishizuka, Y. Terashima and S. Ikegawa 2009

n-Dependence of superconducting properties in $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ thin films prepared by in-situ MBE technique
I. Tsukada, H. Watanabe, I. Terasaki, A. Maeda and K. Uchinokura 2011

Atomic layer by atomic layer growth of Bi–Sr–Ca–Cu oxide superconducting thin films by molecular beam epitaxy
S. Sakai, Y. Kasai, H. Tanoue, H. Matsuhata, P. Bodin and T. Oohira 2013

Observation of metal film growth on the surface of 80 K-phase Bi-based bulk single crystals by RHEED
K. Yamano, K. Nishimori, H. Tokutaka, S. Kishida and N. Ishihara 2015

YBCO thin films on yttria stabilized zirconia and $LaAlO_3$–growth and properties
J.A. Alarco, G. Brorsson, T. Claeson, Z.G. Ivanov, M. Löfgren and P.-Å. Nilsson 2017

Crystal and electronic structure of $MCuO_{2\pm\delta}$ thin films
N. Terada, G. Zouganelis, M. Jo, M. Hirabayashi, K. Kaneko and H. Ihara 2019

Microwave properties of halide–CVD grown BiSrCaCuO thin films
T. Nakamura, C. Yoshida, H. Yamawaki and M. Ihara 2021

High quality $Tl_2Ba_2CaCu_2O_x$ thin films prepared by MOCVD
N. Hamaguchi, R. Boerstler, R. Gardiner and P. Kirlin. 2023

The oscillation of the critical temperature of S–F multilayers
A.I. Buzdin, M.Yu. Kupriyanov, B. Vujičić 2025

Superconductivity in magnetic impurity-doped superconductor/superconductor multilayers
S.N. Burmistrov and L.B. Dubovskii 2027

Superconducting properties of epitaxial $YBa_2Cu_3O_7/PrBa_2Cu_3O_7/YBa_2Cu_3O_7$ heterostructures
P. Prieto, D. Araujo, M. Chacon, M.E. Gomez, L.F. Castro and E. Solarte 2029

Dependency of superconducting films critical parameters on their microstructure
E.M. Golyamina, V.I. Dedyu, A.N. Lykov, S.L. Prishchepa and A.M. Troyanovskii 2031

Cross-sectional transmission electron microscopy (TEM) observation of ultrathin $YBa_2Cu_3O_7$ films and $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices
T. Satoh, T. Terashima, K. Shimura, Z. Hiroi and Y. Bando 2033

Enhanced superconductivity due to magnetic field in Au/Ge multilayers
Y. Seguchi, T. Tsuboi and T. Suzuki 2035

Phase-dependent energy spectrum of the quasiparticle and Josephson effect in the superconducting superlattice
Y. Tanaka and M. Tsukada 2037

All high-T_c epitaxial $YBa_2Cu_3O_x/NdGaO_3/YBa_2Cu_3O_x$ heterostructures
J. Kobayashi, Y. Tazoh, M. Mukaida and S. Miyazawa 2039

Magnetization measurements of $YBa_2Cu_3O_y/PrBa_2Cu_3O_y$ layered structures
H. Obara, S. Kosaka and Y. Kimura 2041

TEM study of $YBa_2Cu_3O_{7-x}/MgO/YBa_2Cu_3O_{7-x}$ trilayers
M. Nakajima and M. Matsui 2043

Superconductivity of ultrathin Bi–Sr–Ca–Cu–O films prepared by MOCVD
T. Sugimoto, S. Yuhya, D.J. Baar, K. Sugawara, Y. Shiohara and S. Tanaka 2045

$YBa_2Cu_3O_{7-\delta}$–$PrBa_2Cu_2TaO_8$ heterostructure made by pulsed laser deposition
H. Izumi, K. Ohata, T. Sawada, S. Kawamoto, T. Wada, Y. Yaegashi, H. Yamauchi, T. Morishita and S. Tanaka 2047

Crystal structures and superconductivities of $(La, Sr)_2CuO_4/Sm_2CuO_4$ and $YBa_2Cu_3O_7/(La, Sr)_2CuO_4$ strained superlattices
K. Horiuchi, H. Tabata, T. Kawai and S. Kawai 2049

Kosterlitz–Thouless transition in ultrathin $YBa_2Cu_3O_{7-x}$ layers in superlattices
S. Vadlamannati, Q. Li, X.X. Xi, T. Venkatesan, W.L. McLean and P. Lindenfeld 2051

Phenomenology of an unconventional superconductor in a thin film
M. Sigrist, N. Ogawa and K. Ueda 2053

Transport properties of ultrathin YBCO films and YBCO/PrBCO superlattices
Y. Matsuda, A. Fujiyama, S. Komiyama, T. Terashima, K. Shimura and Y. Bando 2055

Ultra thin film of Bi cuprate grown by a low temperature molecular beam epitaxy
M. Kawai, A. Yanase, Z.Y. Liu, M. Mori, S. Watanabe and T. Hanada 2057

Microstructure of $Bi_2(Sr, Ca)_3Cu_2O_x/Bi_2Sr_2CuO_x/Bi_2(Sr, Ca)_3Cu_2O_x$ multilayer films fabricated by ion beam sputtering
T. Satoh, J. Fujita, T. Yoshitake, H. Igarashi, S. Miura, N. Matsukura and H. Tsuge 2059

Thermally induced transition in the vortex lattice of Ge/Pb multilayers
D. Neerinck, K. Temst, M. Baert, E. Osquiguil, C. Van Haesendonck, Y. Bruynseraede, A. Gilabert and I.K. Schuller 2061

The non-conventional low-bias anomaly of the single-electron density of states in disordered indium films
J. Kim, H.J. Shin and H.J. Lee 2063

Transport properties of *a*-axis $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices
C.-B. Eom, J.-M. Triscone, Y. Suzuki and T.H. Geballe 2065

Variation of T_c in YBaCuO/PrBaCuO superlattice: a charge transfer effect?
J. Bok, L. Force and P. Bernstein 2067

Disorder and superconductivity in $YBa_2Cu_3O_{7-\delta}/GdBa_2Cu_3O_{7-\delta}$ superlattices
O. Nakamura, E.E. Fullerton, J. Guimpel and I.K. Schuller 2069

The crucial effect of the outer layers on the critical fields of Nb/NbZr-type superconducting superlattices
J. Aarts, W. Maj, K.J. De Korver, P. Koorevaar and P.H. Kes 2071

In-situ growth of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ superconducting ultrathin films prepared by MBE technique and their characterization
H. Watanabe, I. Tsukada, I. Terasaki, A. Maeda and K. Uchinokura 2073

S/N heterostructure of BiSrCaCuO/BiSrCuO grown by halide CVD
M. Ihara, H. Nakao, H. Yamawaki and T. Kimura 2075

$YBa_2Cu_3O_7$ on $SrTiO_3$ (100) and Si(111) investigated with X-ray standing waves
J. Zegenhagen, H.-U. Habermeier, T. Siegrist, J.R. Patel, E. Fontes and L.E. Berman 2077

Investigation of thermally activated flux flow of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices in magnetic fields parallel to the *a*, *b* plane
O. Brunner, M.G. Karkut, L. Antognazza, L. Miéville, P. van der Linden, J.A.A.J. Perenboom, J.M. Triscone and Ø. Fischer. 2079

Magnetic field dependence of the activated flux flow behaviour of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices
L. Antognazza, O. Brunner, L. Miéville, J.-M. Triscone and Ø. Fischer. 2081

In-situ epitaxial growth of Bi–Sr–Ca–Cu–O films and superlattices by MBE using an oxygen radical beam
H. Furukawa, S. Tokunaga and M. Nakao 2083

Laser MBE of layered $[(AE)^{2+}/(CuO_2)^{2-}]_n$(AE=Sr or Ba) lattices
M. Yoshimoto, H. Nagata, J. Gong, H. Ohkubo and H. Koinuma 2085

Anisotropy of the pinning force density and the resistive transitions in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices
G. Jakob, P. Przyslupski, C. Stölzel, C. Tomé-Rosa, A. Walkenhorst, M. Schmitt and H. Adrian 2087

$Ba_{1-x}K_xBiO_3/BaBi_2O_y$ thin film heterostructures
E.S. Hellman, E.H. Hartford, Jr., R.M. Fleming, P. Marsh and D.J. Werder 2089

Studies of the superconducting properties of YBCO/Ag/YBCO proximity junctions using a ceramic composite ring
M.A.-K. Mohamed and J. Jung 2091

Organometallic chemical vapor deposited (OMCVD) thin films of $YBa_2Cu_3O_{7-x}$ (YBCO) on MgO and on YSZ buffer layers deposited on sapphire
S. Chocron, T. Tsach, M. Parizh, M. Schieber, G. Deutscher, D. Racah, A. Raizman and S. Rotter 2093

Substrates for high-temperature superconductors
H.J. Scheel, M. Berkowski and B. Chabot. 2095

YBaCuO thin films on Si substrate
S.I. Krasnosvobodtsev and E.V. Pechen 2097

Epitaxial CeO_2 buffer layers and cross-overs for $YBa_2Cu_3O_7$ thin films
P.D. Grant, M.W. Denhoff and H. Tran 2099

Micropatterning of epitaxially grown YBCO thin films on ZrO_2-buffered silicon single crystals
G. Beddies, B. Leibold, H.-U. Habermeier and G.H. Lu 2101

Low-temperature chemical vapor deposition of $YBa_2Cu_3O_x$ films
H. Zawa, S. Oda, T. Miyake and T. Hattori 2103

Observation of oxygen in YBCO thin films during the cooling down using ^{18}O tracer
K. Tsuda, T. Suzuki, T. Matsui, H. Kimura, M. Nagano and K. Mukae 2105

Formation of Y–Ba–Cu–O thin films by sol–gel technique
C.H. Kwon, S.M. Cho, Y.H. Choi, B.K. Moon, D.Y. Yang and S.T. Kim 2107

Surface morphology and electrical transport properties of $YBa_2Cu_3O_7$ films on substrates relevant for technical application
G. Adrian, G. Grabe, W. Wilkens, H. Adrian, M. Huth and A. Walkenhorst 2109

Electrical and structural properties of $YBa_2Cu_3O_7$ films on poly and single crystalline oxides of Cu and Ni
A. Ginsbach, G. Adrian, R. Schneider, G. Schulz, H.W. Grueninger, G. Grabe and H. Adrian 2111

Superconducting properties of $YBa_2Cu_3O_{7-x}$ films deposited by chemical vapor deposition
O. Thomas, E. Mossang, J. Fick, F. Weiss, R. Madar, J.P. Senateur, S.K. Agarwal, C. Schlenker, M. Ingold, P. Germi and M. Pernet 2113

Sputter deposition of epitaxial $YBa_2Cu_3O_x$ films on $SrTiO_3$, MgO, $LaAlO_3$, $NdGaO_3$ and YSZ/sapphire substrates
G. Gieres, H. Schmidt, K. Hradil, W. Hösler, and R. Seeböck. 2115

Growth, properties and applications of epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films on Si
D.K. Fork, G.A.N. Connell, J.B. Boyce and T.H. Geballe. 2117

In-situ growth of YBaCuO films at low oxygen pressure
K. Shinohara, V. Matijasevic, P.A. Rosenthal, A.F. Marshall, R.H. Hammond and M.R. Beasley 2119

XTEM/SAED and SNMS study of film/substrate reactions in $Bi_2Sr_2CaCu_2O_y$ films on Si(100) with Si_3N_4 buffer layer
D. Hesse, V. Klocke, A. Pfau, G. Güntherodt, U. Breuer, W. Albrecht and H. Kurz 2121

Preparation of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ (n=1, 2, 3 and 4) thin films by MOCVD
J. Ishiai, S. Yamada, S. Yoshizawa and K. Endo 2123

Bi(Pb)–Sr–Ca–Cu–O thin films on piezoelectric $PbTiO_3$
M. Akinaga and H. Fukuda 2125

Magnetic shielding properties of superconducting Y–Ba–Cu–O films on Ni foils
R.J. Lin, T.L. Chen, S.W. Hsu and P.T. Wu 2127

Synthesis and analysis of high-T_c thin films
H.R. Yi, H.C. Li, R.L. Wang, C.A. Wang, L. Li and Z.X. Zhao 2129

The microstructure of $YBa_2Cu_3O_{7-x}$ thin films grown on sapphire
K. Dovidenko, S. Oktyabrsky, A. Ivanov, A. Michaltsov, D. Tokarchuk and L. Zherikhina 2131

List of Contributors vii

Part IV

Section G. Flux Flow, Pinning and Critical Current

Energy losses in high-T_c superconductors in AC- and DC-bias low magnetic fields
M. Ciszek, A.J. Zaleski, J. Olejniczak and L.J.M. van de Klundert 2135

Two mechanisms of pinning in $Bi_{2+x}Sr_{2+y}Ca_{1+z}Cu_2O_t$ single crystals
A.A. Zhukov, V.V. Moschalkov, V.A. Rybachyk, V.A. Murashov, A.Yu. Martynkin, S.W. Moshkin and I.N. Goncharov . . 2137

Possible origin of the irreversibility line in high-T_c superconductors
X.-G. Li and Y. Zhang 2139

Flux creep and current relaxation up to T_c in $Bi_2Sr_2CaCu_2O_y$ single crystals
V.N. Zavaritsky and N.V. Zavaritsky 2141

Anisotropic irreversibility lines for *c*-axis aligned powders of the Bi(2223) compound $(Bi, Pb)_2Ca_2Sr_2Cu_3O_{10+\delta}$
J.B. Shi, P.L. Kuo, B.S. Chiou and H.C. Ku 2143

Flux compression values using critical state models
D.N. Matthews, G.J. Russell and K.N.R. Taylor 2145

Resistive transitions in YBCO and YBCO:Ag composite thick films
A. Bailey, G.J. Russell and K.N.R. Taylor 2147

The relaxation near the irreversibility line and a new flux phase boundary
Y.Y. Xue, Z.J. Huang, L. Gao, H.S. Feng, P.H. Hor and C.W. Chu 2149

Distorted hysteresis loops and flux creep in $YBa_2Cu_3O_{7-\delta}$ ceramics
M. Lu, Y.T. Zhang, X. Jin, X.N. Xu, H.L. Ji, X.X. Yao, F.S. Liu, H.L. Mou, X.Z. Wu and L. Zhou 2151

Flux pinning and logarithmic relaxation of microwave remanent absorption in superconducting $Tl_2Ba_2Ca_2Cu_3O_{10}$
A. Nishida, K. Shiiyama, T. Fujita, H. Shibayama, K. Iwahashi and K. Horai 2153

Magnetic flux creep in Bi-based superconductors
J. Wang, K.N.R. Taylor, H.K. Liu, G.J. Russell and S.X. Dou 2155

Flux pinning in solution spun Y–Ba–Cu–O filament
T. Goto and T. Sugishita 2157

The influence of oxygen vacancies on flux pinning in $(RE)Ba_2Cu_3O_{7-\delta}$
M.A. Angadi, Z.X. Shen, A.D. Caplin, D.G. McCartney, L. Leonyuk, A.A. Zhukov and G. Emelchenko 2159

Critical currents and magnetization decay in oxygen deficient $YBa_2Cu_3O_{7-\delta}$ thin films
B.M. Lairson, J.L. Vargas, S.K. Streiffer, D.C. Larbalestier and J.C. Bravman 2161

Quantitative analysis of zero field cooling and field cooling curves to determine the critical current density and lower critical field
Y. Tomioka, Y. Nakayama, M. Naito, T. Matsushita, I. Tanaka, H. Kojima, T. Ishii, K. Kishio, K. Yamafuji and K. Kitazawa. 2163

Distribution of pinning energies in metal (M) substituted $YBa_2Cu_{3-x}M_xO_{7-y}$
K. Kawaguchi, I. Tago and M. Nakao 2165

The crystalline electric field as a local probe for charge distributions in the copper–oxide planes of the high-T_c superconductor $ErBa_2Cu_3O_x$
J. Mesot, P. Allenspach, U. Staub, A. Furrer, R. Osborn, S. Bennington and A.D. Taylor 2167

Rotational hysteresis losses in sputtered REBCO films of different structure
W. Andrä, R. Hergt, W. Michalke and K. Steenbeck . . . 2169
Critical current density and upper critical field in sputter-deposited Y–Ba–Cu–O films
M. Suzuki, T. Uchiyama and H. Morita . . . 2171
Transition phenomena of $YBa_2Cu_3O_{7-x}$ thin films on MgO and $SrTiO_3$ substrates
C.J. Huang, Y.C. Chen and T.Y. Tseng . . . 2173
Thermally activated flux flow in epitaxially grown $YBa_2(Cu_{1-x}Zn_x)_3O_7$ thin films
C. Tomé-Rosa, G. Jakob, M. Paulson, P. Wagner, A. Walkenhorst, M. Schmitt and H. Adrian . . . 2175
Extremely smooth YBCO-films on MgO with high critical current densities
F. Baudenbacher, K. Hirata, P. Berberich, H. Kinder, W. Assmann and H.P. Lang . . . 2177
Critical behavior of the resistance noise in granular superconductors
J.M. Aponte, A. Bellorin, R. Oentrich, G. Gutierrez and M. Octavio . . . 2179
Self-organized critical state in high-T_c superconductors
X.S. Ling, D. Shi and J.I. Budnick . . . 2181
The influence of electron irradiation on superconductivity of $YBa_2Cu_3O_x$
Y. Kazumata, S. Okayasu and T. Kato . . . 2183
Critical state in disk and ring of $Y_1Ba_2Cu_3O_{7-\delta}$ ceramic superconductor
J. Jung and M.A.-K. Mohamed . . . 2185
Comparison of electrical properties of ordinary polycristalline, melt textured, and creep sintered YBaCuO
M. Ausloos, P.A. Godelaine, A. Dang, C. Hannay and R. Cloots . . . 2187
Magnetic properties of BiPbSrCaCuO undoped and Sb-doped
B. Hou, Y. Liu, Q. Xu, Z. Wang, Z. Chen and Y. Ni . . . 2189
The influence of relativistic ^{12}C ions irradiation on different critical current components in $TmBa_2Cu_3O_x$ single crystals
V.V. Moshchalkov, A.A. Zhukov, V.A. Rybachuk, V.I. Voronkova and I.N. Goncharov . . . 2191
Magnetic pinning effect in high-T_c superconductor GdBaCuO
X. Jin, H.L. Ji, Y.T. Zhang, Y. Yan, M. Lu, X.X. Yao, Y.H. Zhang, H.S. Zhao and C.G. Fan . . . 2193
Anisotropy of the irreversibility field in $YBa_2Cu_3O_7$ single crystals
M.A. Angadi, Z.X. Shen, A.D. Caplin, W. Assmuss, L. Leonyuk, V.V. Moshchalkov and G. Emelchenko . . . 2195
Vortex pinning by twin boundaries and CuO-planes in HTSC single crystals investigated by torque magnetometry
R. Hergt, W. Andrä and K. Fischer . . . 2197
Angular dependence of J_c and B_{c2} in the CVD-$YBa_2Cu_3O_{7-\delta}$ films
S. Awaji, K. Watanabe, N. Kobayashi, H. Yamane, T. Hirai and Y. Muto . . . 2199
Electron irradiation effect on the double hump magnetization loop in BSCCO crystals
N. Chikumoto, M. Konczykowski, N. Motohira, K. Kishio, K. Kitazawa . . . 2201
Magnetic relaxation close to T_c in $YBa_2Cu_3O_7$ crystal
M. Konczykowski, A.P. Malozemoff and F. Holtzberg . . . 2203
Resistance tail in melt-texture grown samples of $YBa_2Cu_3O_{7-x}$
L.V. Hong, N.X. Phuc, N.H. Hoang, P.H. Binh and H.V. Phuong . . . 2205
Angular dependent magnetic properties of single crystal Bi–Sr–Ca–Cu–O
K. Niskanen, P. Norling, P. Svedlindh, P. Nordblad, L. Lundgren, C. Rossel and G.V. Chandrashekar . . . 2207
Enhanced flux line pinning and irreversibility in Pb doped $Bi_2Sr_2CaCu_2O_{8+y}$
P.L. Paulose, S. Patil and G. Güntherodt . . . 2209
Fast neutron irradiation of 60- and 90 K-YBCO ceramics
A. Wiśniewski, R.M. Schalk, H.W. Weber, M. Reissner, W. Steiner and J. Górecka . . . 2211
Intergranular pinning potential and transport current path in Bi–Pb–Sr–Ca–Cu–O polycrystal superconductor
N. Murayama, Y. Kodama, S. Sakaguchi, F. Wakai, K. Michishita and Y. Ikuhara . . . 2213
Microstructure effects on $J_c - B$ properties in YBCO thin films
H. Fuke, H. Yoshino, M. Yamazaki, T.D. Thanh, K. Ando and Y. Kobayashi . . . 2215
Flux pinning by cation vacancies in $Bi_2(Sr, Ca)_3Cu_2O_{8+d}$
S. Nomura, H. Yoshino, K. Ando and Y.-M. Chiang . . . 2217
Introduction of pinning center in Bi-based oxides prepared using melt process
T. Umemura, K. Egawa, S. Kinouchi, M. Wakata, S. Utsunomiya . . . 2219

Angular dependence of flux pinning in high-T_c superconducting films
H.E. Horng, H.H. Sung, B.C. Yao and H.C. Yang 2221

Dissipative behavior due to flux motion in ultrathin YBaCuO films
H.H. Sung, H.C. Yang, T.R. Yang, B.C. Yao and H.E. Horng. 2223

Effects of thermal processing and oxygen composition on flux pinning in high-J_c epitaxial $Y_1Ba_2Cu_3O_{7-x}$ thin films
D.K. Christen and R. Feenstra 2225

Anisotropic AC screening response in the vortex state of superconducting $Bi_2Sr_2CaCu_2O_8$ crystals
D.G. Steel and J.M. Graybeal 2227

Characteristic H–T boundaries and dissipation in $YBa_2Cu_3O_{7-\delta}$ crystals
M.M. Miller, M.S. Osofsky, R.J. Soulen Jr, S.A. Wolf, J.L. Cohn, E.F. Skelton and T.A. Vanderah 2229

Medium range magnetic field in YBaCuO ceramics: evidence of serial and parallel combination of junction and modified flow dissipations
P. Mocaër, L. Tessler, M. Laguës, F. Laher-Lacour, C. Lacour, U. Dai and G. Deutscher 2231

A quantitative alternate description of decay in glassy systems applied to the decay in YBaCuO measured indirectly by microwaves
P. Erhart, B. Senning, S. Mini, L. Fransioli, F. Waldner, J.E. Drumheller, A.M. Portis, E. Kaldis and S. Rusiecki 2233

Microwave absorption in $YBa_2Cu_3O_x$ sensitive to the direction of DC current
S. Mini, P. Erhart, B. Senning, F. Waldner, E. Kaldis and S. Rusiecki 2235

Magnetic field and temperature dependences of pinning force in high-T_c Bi–Sr–Ca–Cu–O systems
K. Tenya, H. Miyajima, Y. Ishikawa, Y. Horata and S. Yoshizawa 2237

Increasing magnetic relaxation in granular high-T_c superconductor
S.H. Chun, S.H. Moon, H.J. Lee, G.T. Jeong, G.H. Koh and Z.G. Khim 2239

Numerical calculations on flux creep in high temperature superconductors
C.J. van der Beek, G.J. Nieuwenhuys and P.H. Kes 2241

Thermodynamic flux fluctuations in the granular superconductor $La_{1.8}Sr_{0.2}CuO_4$
L. Leylekian, M. Ocio and J. Hammann 2243

Eu^{3+} doped $Tl_2Ba_2Ca_2Cu_3O_y$ superconductor
Z.X. Shi, Z. Yu, S.Y. Ding, H.N. Zhou, K.X. Shi, X. Jin and X.X. Yao 2245

Critical currents of $Y_1Ba_2Cu_3O_{7-\delta}$ ceramics
B.V. Vasiliev, Yu.V. Obukhov. 2247

Superconducting diamagnetic magnetization moments of single crystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$
K. Kadowaki 2249

Effect of Ca_2CuO_3 excess on superconducting properties in Bi–Pb–Sr–Ca–Cu–O system
H.K. Liu, S.X. Dou and X.G. Li 2251

Resistive losses at microwave frequencies in granular high -T_c superconductors: flux-creep, flux-flow and Josephson junctions
M. Giura, R. Fastampa, R. Marcon and E. Silva 2253

Temperature, magnetic field and angular dependences of critical current due to intrinsic pinning in $Bi_2Sr_2CaCu_2O_{8+y}$ and $(Nd_{1-x}Ce_x)_2CuO_4$ films
T. Fukami, T. Yamamoto, K. Hayashi, T. Nishizaki, Y. Horie, F. Ichikawa and T. Aomine 2255

Anisotropy on superconductivity of c-axis oriented epitaxial $YBa_2Cu_3O_7$ thin film
B.R. Zhao, S. Kuroumaru, Y. Horie, E. Yanada, T. Aomine, X.G. Qiu, Y.Z. Zhang, P. Xu, L. Li, H. Ohkubo and S. Mase. 2257

Anisotropy of transport critical currents and intrinsic pinning properties in $YBa_2Cu_3O_{7-\delta}$ single-crystal thin films
T. Nishizaki, T. Aomine, I. Fujii, K. Yamamoto, S. Yoshii, T. Terashima and Y. Bando 2259

Evidence of strong pinning in peritectic grown $YBa_2Cu_3O_{7-x}$ single crystals
W. Gawalek, W. Schüppel, R. Hergt, W. Andrä, K. Fischer, P. Görnert 2261

Magnetization and flux creep in $YBa_2Cu_3O_x$ superconductor prepared by infiltration–reaction process
K.W. Lee, I.K. Jeong, Y.K. Park, D.Y. Kim and J.C. Park 2263

Search for irreversibility line in a conventional hard superconductor
R. Kumar, A.K. Grover, S. Ramakrishnan, P.L. Paulose, S.K. Malik and P. Chaddah 2265

Some universal properties of the critical current in high-T_c ceramics
L.M. Fisher, N.V. Il'in, N.M. Makarov, I.F. Voloshin and V.A. Yampol'skii 2267

Low magnetic field microwave absorption studies on ultra-thin superconducting Bi–Sr–Ca–Cu–O films
K. Sugawara, T. Sugimoto, D.J. Baar, Y. Shiohara and S. Tanaka. 2269

Nonlinear coupling of sound waves to the flux-line-lattice
P. Lemmens, S. Ewert and J. Pankert 2271

Comparison of flux pinning enhancement in fast neutron irradiated Bi-2212 single crystals and polycrystalline melt samples
W. Gerhäuser, H.-W. Neumüller, W. Schmidt, G. Ries, G. Saemann-Ischenko, H. Gerstenberg and F.-M. Sauerzopf 2273

Transport and pinning in high quality Tl–Ca–Ba–Cu–O films
D.S. Ginley, E.L. Venturini, C.P. Tigges, T.E. Zipperian, R.J. Baughman, J.C. Barbour and B. Morosin 2275

Critical current measured by magnetic method and pulsed-transport method
K. Shibutani, S. Hayashi, T. Egi, I. Shigaki, R. Ogawa, Y. Kawate, K. Kitahama and S. Kawai 2277

Effects of pinning potential on fluxoid lattice melting in high-T_c oxide superconductors
T. Fujiyoshi, K. Miyahara and K. Yamafuji 2279

Introduction of pinning centers into Tl–Sr–Ca–Cu–O systems
S.-P. Matsuda, T. Doi, A. Soeta, T. Yuasa, N. Inoue, K. Aihara and T. Kamo 2281

Interaction between a vortex and an inclusion in superconductors
S. Tokuono, S. Tanaka and H. Fukuyama 2283

On the difference of pinning potentials for thermally activated flux creep estimated by resistive and magnetization measurements in high-T_c superconducting films
K. Yamafuji, Y. Mawatari, T. Fujiyoshi, K. Miyahara, K. Watanabe, S. Awaji and N. Kobayashi 2285

Fast neutron irradiation effects on magnetization relaxation in YBCO single crystals
J.G. Lensink, R. Griessen, H.P. Wiesinger, F.M. Sauerzopf, H.W. Weber and G.W. Crabtree 2287

Observation of flux density distribution in disk-shaped $YBa_2Cu_3O_x$ thin films
Y. Yokoyama, Y. Suzuki, Y. Hasumi, H. Obara and S. Yoshida 2289

Critical current density across 45° misoriented grain boundaries in YBCO thin films
H.S. Kwok and D.H. Kim 2291

Electrical properties of bulk BSCCO/In interfaces
K. Michishita, Y. Ikuhara, Y. Ikuhara, Y. Kubo, K. Takahashi, Y. Kamisada and T. Ogawa. 2293

Grain orientation and anisotropic superconducting properties of textured bulk $YBa_2Cu_3O_x$
I.V. Zakharchenko, G.K. Nicolaides, K.V. Rao, M. Muhammed 2295

Anisotropic AC susceptibility response of a melt-textured YBCO superconductor
Y.C. Chen, K. Chen, S.W. Hsu, T.Y. Tseng, S.W. Lu and W.H. Lee. 2297

Selected area measurements of magnetization in high-T_c YBCO superconductor
T. Nagashima and Y. Fukai. 2299

J_c measurement of $Y_1Ba_2Cu_3O_{7-x}$ with a Hall sensor
Z.S. Lim, B.W. Lee, S.H. Lee, J.K. Ku and H.J. Shin 2301

High-T_c superconductor Bi–Sr–Ca–Cu–O films prepared by electrodeposition method
Y.C. Kim, H.N. You, S.K. Han, M.S. Jang and P.H. Hur 2303

Directional dependence of magnetic field induced surface resistance in HTSC film
M. Sato, T. Konaka and H. Asano. 2305

Initial magnetization and magnetic relaxation in a single crystal of $Bi_2Sr_2CaCu_2O_x$
M. Xu, A. Umezawa and G.W. Crabtree 2307

Temperature dependence of the transport critical current density in $(Y_{1-x}Ho_x)Ba_2Cu_3O_y$
K. Tsutsumi, H. Okamoto and Y. Ishihara 2309

Irradiation effects on flux pinning and J_c in high temperature superconductors
P.H. Hor, J. Bechtold, Y.Y. Xue, C.W. Chu, E.V. Hungerford, X.K. Maruyama, H. Backe, F.R. Buskirk, S.M. Connors, Y.C. Jean and J.W. Farmer 2311

Magnetic field dependence of the critical currents in high-T_c superconductors
L. Dobrosavljević-Grujić and Z. Radović 2313

Noncontact estimation of critical current density and magnetic susceptibility in a ring-shaped high-T_c superconductor
Y. Sakamoto, Y. Masuda, Y. Yokochi, T. Muranaka, S. Fujita, S. Ohta, H. Seki, M. Baba, A. Togasawa, A. Baba and M. Masuda 2315

YBCO (123-211) composites approaching the percolation limit
S.G. Hassan, K.N.R. Taylor and G.J. Russell 2317

Nonresonant microwave absorption and microscopic J_c in $Ba_2YCu_3O_x$ superconductors decomposed from $Ba_2YCu_4O_x$
A. Morimoto, M. Makida and T. Shimizu 2319

Angular dependence of the field-cooled, zero-field cooled and remanent magnetization in $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ single crystals
U. Yaron, I. Felner and Y. Yeshurun 2321
AC susceptibility and critical current density of Bi-based oxide superconductors
K. Yamamoto, J. Kai and M. Hiraoka 2323
Magnetic relaxation in an Ag-sheathed high-J_c Bi–Pb–Sr–Ca–Cu–O superconducting tape
K. Chen, W.H. Lee, L. Horng and T.J. Yang 2325
Strong anisotropy and weak flux pinning in $(BiPb)_2Sr_2CaCu_2O_8$ crystals
L. Zhang, J.Z. Liu, M.D. Lan, Y. Nagata, P. Klavins and R.N. Shelton 2327
Critical currents in melt-textured $YBa_2Cu_3O_x$
D. Shi, J.G. Chen, S. Salem-Sugui Jr. and K.C. Goretta 2329
Critical current densities of melt-textured $YBa_2Cu_3O_{7-y}$
H.C. Fan, Y.T. Zhang, X. Jin, M. Lu, H.L. Ji, X.N. Xu, X.X. Yao, H.T. Ren, L. Xiao and Q. He 2331
Anomaly in magnetic behavior in oxide superconductors
T. Matsushita, E.S. Otabe and B. Ni 2333
The quantitative determination of flux density gradients and volume pinning forces in patterned YBCO thin films using the magnetooptical Faraday effect
A. Forkl, H.-U. Habermeier, B. Leibold and H. Kronmüller 2335
Manifestation of "staircase vortices" in angular dependence of the IR-reversible boundary of YBaCuO crystals
L. Krusin-Elbaum, L. Civale, T.K. Worthington and F. Holtzberg. 2337
Correlation of flux line pinning and irradiation damage in Bi-2212 single crystals after 0.5 GeV iodine irradiation
W. Gerhäuser, H.-W. Neumüller, W. Schmidt, G. Ries, O. Eibl, G. Saemann-Ischenko and S. Klaumünzer 2339
Critical current density and flux pinning in textured $Bi_2Sr_2Ca_1Cu_2O_8$ tapes
H. Kumakura, K. Togano, H. Kitaguchi, H. Maeda and J. Kase 2341
Flux motion dissipation in $La_{2-x}Sr_xCuO_4$ as a function of doping
M. Suzuki. 2343
Lock-in transition of flux-lines in layered superconductors
A.J. Vermeer, D.G. de Groot, N.J. Koeman, R. Griessen and C. van Hæsendonck 2345
Flux pinning enhancement near T_c in $YBa_2Cu_3O_7$ crystals irradiated by 5.3 GeV Pb ions
M. Konczykowski, F. Rullier-Albenque, Y. Yeshurun, E.R. Yacoby, A. Shaulov and P. Lejay 2347
Flux line decoration and magnetic properties of $YBa_2Cu_3O_7$ single crystals
R. Blum, A. Rouault, J.P. Senateur, O. Thomas, F. Weiss, M. Audier, S.K. Agarwal, C. Schlenker and T. Wolf 2349
Quantum collective creep in anisotropic superconductors
G. Blatter and V.B. Geshkenbein 2351
Flux creep in $YBa_2Cu_3O_7$ films
N. Kobayashi, Y. Minagawa, K. Watanabe, S. Awaji, H. Yamane, H. Kurosawa and T. Hirai 2353
Flux-pinning potential and doping effect in $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$
R. Yoshizaki, H. Ikeda, M. Watahiki, K. Yoshikawa and N. Tomita 2355
Weak links within a $Bi_2Sr_2Ca_1Cu_2O_x$ single crystal by magnetization and direct optical observations
J.O. Willis, N. Nakamura, S. Gotoh, K. Takamuku, N. Koshizuka and S. Tanaka 2357
Magnetisation of YBCO single crystal ring as function of oxygenation
C.E. Gough, G. Yang, M.Z. Shoushtari, T.G.N. Babu, F. Gencer and J.S. Abell 2359
Neutron irradiation and critical current enhancement in Bi and Y-based superconductors
R. Puzniak and K.V. Rao. 2361
Irreversibility lines and morphologies of BiPbSrCaCuO silver sheathed wires
T. Hikata, K. Sato and Y. Iwasa. 2363
Flux creep characteristics after the increase in temperature or external field
T.L. Chen, S.W. Hsu, Y.C. Chen, W.H. Lee and J.J. Chu 2365
Irreversible components of the hysteresis curves of a laser-ablated YBCO thin film
S.W. Hsu, Y.C. Chen, T.L. Chen, C.M. Chang, J.J. Chu, W.H. Lee and P.T. Wu 2367
The effect of flux kinetics in the microwave absorption of YBaCuO single crystals
G.B. Teitel'baum, E.F. Kukovitsky, S.G. L'vov, Yu.I. Talanov and R.I. Khasanov 2369

Flux pinning by planar defects in single crystal $YBa_2Cu_3O_{7-\delta}$
W.-K. Kwok, S. Fleshler, U. Welp, V.M. Vinokur, J. Downey and G.W. Crabtree 2371

Voltage-current characteristic between 10^{-13} V/cm and 10^{-3} V/cm of BSCCO and time decay of the magnetization
W. Paul, D. Hu and Th. Baumann. 2373

Size effect and pinning potential for YBCO systems prepared by modified melt texture growth
Y. Ishikawa, S. Kohayashi, S. Yoshizawa, K. Tenya and H. Miyajima. 2375

A novel method to avoid demagnetization effect in magnetization studies of $Bi_2Sr_2CaCu_2O_8$ single crystals with the field perpendicular to the CuO_2 plane
K. Kishio, S. Komiya, N. Motohira, K. Kitazawa and K. Yamafuji 2377

Critical current density derived from pinning potential on epitaxial $Y_1Ba_2Cu_3O_{7-x}$ thin film
T. Matsuura and H. Itozaki. 2379

High sensitivity torque magnetometry of small $Bi_2CaSr_2Cu_2O_8$ single crystals
F. Steinmeyer, R. Kleiner and P. Müller 2381

Enhancement on J_c of $Bi_2Sr_2CaCu_2O_y$ by electron irradiation
T. Terai, T. Masegi, K. Kusagaya, Y. Takahashi, K. Kishio, N. Motohira and K. Nakatani 2383

Self-seeding effects on the transition between the low- and high-T_c phases in the Bi–Pb–Sr–Ca–Cu–O system
K. Takahashi, M. Ohta, K. Sakata, T. Takenaka, T. Seki and M. Seidoh. 2385

Magnetic susceptibility and electrical transport properties of hot deformed silver/$(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ composites
K.-H. Song, S.-X. Dou and C.C. Sorrell 2387

Effect of cooling rate of $Bi_2Sr_2Ca_1Cu_2O_x$ melt on the superconducting properties of the resultant polycrystalline ceramics
W.-H. Lee, H. Hosono, K. Nakamura and Y. Abe. 2389

Preparation of superconducting Bi–Pb–Sr–Ca–Cu–O thick films prepared by twin roller rapid quenching method
N. Ichinose and K. Takahashi. 2391

Infiltration-reaction process for fabricating $YBa_2Cu_3O_{7-\delta}$ superconductor
I.K. Jeong, D.Y. Kim, Y.K. Park, K.W. Lee and J.C. Park 2393

Improved electrical transport properties in melt textured and Ag_2O-doped YBCO thick films
M.J. Day, F. Wellhofer, T.C. Shields and J.S. Abell 2395

Preparation conditions of Bi-based superconducting ceramics with high critical current density
H. Imao, S. Kishida, H. Tokutaka and T. Ikeuchi 2397

Fabrication and critical current densities of 2223-BiPbSrCaCuO silver sheathed tapes
M. Wilhelm, H.-W. Neumüller and G. Ries 2399

$(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ superconductor composites: ceramics vs. fibers
Y. Huang, G.F. De La Fuente, A. Sotelo, A. Badia, F. Lera, R. Navarro, C. Rillo, R. Ibañez, D. Beltran, F. Sapiña and A. Beltran. 2401

Properties of Li-doped, polycrystalline, melt-textured, Bi–Sr–Ca–Cu–O tapes prepared by powder-in-tube processing
J. Schwartz and S. Wu 2403

Oxygen distribution in silver sheathed $YBa_2Cu_3O_{7-\delta}/Ag_{0.3}$ superconducting wire determined by micro-Raman spectroscopy
S.-G. Kang, D.-H. Kim, J.-C. Park and J.-H. Choy 2405

Preparation and critical current densities of highly textured 2212 BiSrCaCu oxide layers on silver
B. Kress, H.W. Neumüller, H. Assmann, M. Wohlfart, J. Kase, H. Kumakura and K. Togano 2407

Effects of the platinum group element addition on preparation of YBCO superconductor by melt growth method
M. Yoshida, N. Ogawa, I. Hirabayashi and S. Tanaka 2409

Texture analysis in YBaCuO superconductors
D. Chateigner, P. Germi, M. Ingold and M. Pernet 2411

Properties and microstructure of $YBa_2Cu_3O_x$/Ag composites prepared by a sol–gel technique
K. Poels, J. Kwarciak, O. van der Biest, W. Boon, M. Dhalle and Y. Bruynseraede 2413

Preparation of superconducting Bi–Pb–Sr–Ca–Cu–O ceramics by melt casting
E. Yanmaz, J.S. Abell and I.R. Harris 2415

Transport and magnetic study of $YBa_2Cu_3O_7$/Ag composites
M.J. Wang, D.C. Ling, J.L. Lin, M.K. Wu and C.C. Chi 2417

High transport critical current properties of oxide superconductors prepared by solid, liquid and vapor phase processes
K. Takahashi, K. Doi, Y. Ikeno, Y. Kamisada, T. Ogawa, H. Fukuda and S. Fuchino. 2419

Effects of oxygen partial pressure reduction in heat-treatment on superconducting properties for Ag-sheathed $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ tapes
K. Yamamoto, S. Murase and M. Tanaka 2421
Critical current densities of hot pressed $YBa_2Cu_3O_{7-\delta}$–Ag thick film
T. Kato, N. Yamada and A. Imai 2423
Grain orientation and critical current of tape-casted and hot-forged superconducting Bi(Pb)–Sr–Ca–Cu–O ceramics
T. Seki, K. Sakata and T. Takenaka 2425
Study of transport current penetration into the volume of a ceramic $YBa_2Cu_3O_z$ sample
A.A. Zhukov, D.A. Komarkov, I.V. Gladyshev and S.N. Gordeev. 2427
The nature of transport critical current hysteresis in HTSC: magnetic fields and high pressures
V.M. Svistunov, A.I. D'Yachenko and V.Yu. Tarenkov 2429
The peak-effect in untwinned $TmBa_2Cu_3O_x$ single crystals
A.A. Zhukov, V.V. Moschalkov, V.V. Metlushko, G.T. Karapetrov, V.I. Voronkova, V.K. Yanovskii and V.D. Kuznetsov 2431
Magnetization process and low critical field of $Tl_2Ba_2CaCu_2O_x$ single crystals
V.N. Kopylov, A.E. Koshelev, I.F. Schegolev and T.G. Togonidze 2433
Thermally activated penetration of the magnetic flux through surface barrier in the high-T_c superconductors
A.E. Koshelev 2435
Trapped magnetic field and critical current density in melt-textured Y–Ba–Cu–O superconductors
I.-G. Chen, R. Weinstein and J. Liu 2437
Angular dependence of the critical current density in oxide superconductors
T. Yamaguchi, S. Aoki, A. Kagawa, O. Kohno, A. Saji and N. Kuroda 2439
Thermal fluctuations in multicontact Josephson granular systems and AC magnetic susceptibility
V.A. Khlus and A.V. Dyomin 2441
EM studies on BSCCO and YBCO superconducting wires made by LHPG technique
W. Xin and Q. Guiwen. 2443
Critical currents of Bi–Sr–Ca–Cu–O superconductors
A.E. Manzi and H.L. Luo. 2445
Correlation between critical current and resistivity in $YBa_2Cu_3O_7$
M. Dhalle, W. Boon, E.Osquiguil, C. van Haesendonck, Y.Bruynseraede, J. Kwarciak and O. van der Biest. 2447
Atomic structure and local electrical behaviour of grain boundaries in $YBa_2Cu_3O_{7-x}$
J.Y. Laval, M. Drouet, C. Delamarre, C. Cabanel, W. Swiatnicki and M. Leliboux 2449
Temperature dependence of the critical current in bulk sample and thin film of Bi-compound superconductors
M. Akinaga and L. Rinderer 2451
Critical current as a function of temperature in superconducting single-crystal $(Bi, Pb)_2Sr_2CaCu_2O_y$
G. Oya, N. Aoyama, S. Kishida and H. Tokutaka 2453
Effects of partial substitution for constituents of $Bi_2Sr_2Ca_1Cu_2O_x$ single crystals
T. Fujii, Y. Nagano and J. Shirafuji 2455
Magnetoresistances and *I-V* characteristics near the zero-resistance temperature in granular $Y_1Ba_2Cu_3O_{7-\delta}$ films: flux creep in a medium of Josephson weak links
S.Y. Lee and S.S. Choi 2457
Magnetic properties of melt-processed Ni-substituted YBCO
G. Kozlowski, I. Maartense, D. Hansley, C.E. Oberly and J.C. Ho 2459
Microstructure of a textured $YBa_2Cu_3O_x$ superconductor with flux jumps
L.P. Wang, C.L. Lin, K. Chen and J.J. Chu. 2461
A pulsed magnet for measuring properties of HTSC
J.X. Wang, R.L. Li, J.M. Liu and G.W. Liu 2463
Influence of additive elements on the critical current density of Ag sheathed BPSCCO tapes
S.S. Oh, M. Kamo and K. Osamura 2465
Critical current density of a $YBa_2Cu_3O_x$ by melt (QMG) process
K. Kimura, M. Morita, M. Tanaka, S. Takebayashi, K. Miyamoto and K. Sawano 2467
High field trapping and flux creep of large QMG (quench and melt growth) crystal
M. Morita, M. Tanaka, T. Sasaki and K. Sawano 2469

Magnetic hysteresis of flux grown single crystals and melt grown $YBa_2Cu_3O_{7-\delta}$
P.A.J. De Groot, C. Beduz, Z.-A. Yi, R. Yanru, S.R. Smith 2471

Changes of superconductivity and crystal structure of $YBa_2Cu_3O_x$ thin film by ion irradiation
T. Terai, K. Kusagaya, T. Furuta, Y. Takahashi, Y. Enomoto and S. Kubo 2473

Influence of oxygen stoichiometry on T_c and pinning force of $Bi_2Sr_2CaCu_2O_{8+\delta}$
M. Vallet-Regi, A. Caneiro, J.M. Gonzalez-Calbet, J. Ramirez, C. Rillo, A. Badia, L.A. Angurel, F. Lera and R. Navarro 2475

Critical current density and dynamic stability of high-T_c oxide superconductor
M. Matsukawa, K. Noto, M. Ikebe, Y. Kashiwazaki, N. Matsuura, K. Watanabe and K. Mori 2477

High field magnetization study of $YBa_2Cu_3O_{7-x}$ up to 100 T
K. Tatsuhara, N. Miura, M. Murakami, N. Koshizuka and S. Tanaka 2479

Simulation of magnetization curves of oxide superconductors using critical state model
T. Taguchi, M. Murakami, H. Fujimoto, S. Gotoh, N. Koshizuka and S. Tanaka 2481

Microstructural and transport properties of high J_c Bi(2223)/Ag tapes
Y. Yamada, J.Q. Xu, J. Kessler, E. Seibt, W. Goldacker, W. Jahn and R. Flükiger 2483

Transport critical currents, I–V characteristics and magnetisation of Ag-sheathed BiSrCaCuO (2223) tapes
M.A. Angadi, S.M. Cassidy, J.R. Laverty, Z.X. Shen, A.D. Caplin, S.E. Male and F. Farmer 2485

Dependence of superconducting properties and microstructure on heat treatment in Ag-sheathed Bi–Pb–Sr–Ca–Cu–O tapes
D.Y. Jeong, M.H. Sohn, D.W. Ha, I.R. Han, K.S. Ryu, Y.C. Kim and S.K. Han 2487

A novel preparation method for continuous Bi–Sr–Ca–Cu–O/Ag high-density superconducting tape
Q. Liu, Y. Ge, H. Jin, G. Qiao and Z. Hu 2489

Superconducting shields and manufactured ceramic wares of complex configuration
V.E. Fedorov, P.M. Pletnev, M.G. Korpachev, A.I. Korpacheva, A.P. Mazhara, V.J. Dikovskij, V.Z. Gindulina and O.G. Potapova 2491

Flexible superconducting Ag-clad Bi–Pb–Sr–Ca–Cu–O wires
S.X. Dou, H.K. Liu, Y.C. Guo, C.C. Sorrell and P. Munroe 2493

Anisotropy of the irreversibility line in MPMG $YBa_2Cu_3O_{7-\delta}$ with Y_2BaCuO_5 inclusions
M. Slaski, L.T. Sagdahl, L.K. Heill, K. Fossheim, M. Murakami, H. Fujimoto, N. Koshizuka and S. Tanaka 2495

Microstructures of YBaCuO fabricated by melt-powder-melt-growth process
K. Yamaguchi, M. Murakami, H. Fujimoto, N. Koshizuka and S. Tanaka 2497

Magnetic properties of superconducting permanent magnets of $YBa_2Cu_3O_x$
S. Gotoh, M. Murakami, H. Fujimoto and N. Koshizuka 2499

Critical currents and irreversibility lines of melt processed $YBa_2Cu_3O_7$ superconductors
M. Wacenovsky, R. Miletich, H.W. Weber and M. Murakami 2501

Magnetization studies of high critical current density $YBa_2Cu_3O_{7-x}$ prepared by powder melting process
A. Wiśniewski, R. Puźniak, M. Gutowski, M. Baran, H. Szymczak, J. Wang, P. Zhang, P. Ji, K. Wang and L. Zhou 2503

Hysteretic behaviour of the dissipation in YBaCuO ceramics and thin films
P. Mocaër, L. Tessler, M. Laguës, F. Laher-Lacour, C. Lacour, U. Dai, N. Hess and G. Deutscher 2505

Low temperature flux creep measurements on a $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal
C.J. van der Beek, P.H. Kes, M.P. Maley, M.J.V. Menken and A.A. Menovsky 2507

Magnetic relaxation of $La_{1.8}Sr_{0.2}CuO_{4-\delta}$
K. Iwauchi 2509

Temporal decay and frequency response of the critical state in type II superconductors
V.B. Geshkenbein, M.V. Feigel'man and V.M. Vinokur 2511

Flux pinning in BPSCCO(2223)-system
Y. Ishikawa, Y. Horata, S. Yoshizawa, K. Tenya and H. Miyajima 2513

Static and nonlinear complex susceptibility of $YBa_2Cu_3O_7$
T. Ishida, R.B. Goldfarb, S. Okayasu and Y. Kazumata 2515

Flux creep measurements in shocked $YBa_2Cu_3O_7$ and $La_{1.85}Sr_{0.15}CuO_4$
Y. Sakaguchi, M. Kikuchi, N. Kobayashi, K. Kusaba, K. Fukuoka, Y. Minagawa and Y. Syono 2517

Initial conditions in magnetization decay of high-T_c superconducting thin films
B.M. Lairson, J.Z. Sun, T.H. Geballe and J.C. Bravman 2519

Flux flow and flux creep in thick films of YBCO
J. Ricketts, W.F. Vinen, J.S. Abell and T.C. Shields 2521

Irreversibility field and scaling law of flux pinning in a $(La, Sr)_2CuO_4$ single crystal for magnetic field perpendicular to the CuO_2 plane
K. Kishio, Y. Nakayama, T. Kobayashi, T. Noda, T. Kimura, K. Kitazawa and K. Yamafuji 2523

Section H. Josephson Junctions and Device Physics

Dissipation in the phase dynamics of small Josephson junctions
S. Kurihara 2527

C–V characteristics of Ag–MgO–High-T_c superconductor MIS diode
H. Myoren, T. Ishikawa and Y. Osaka 2529

The temperature dependence of parameters of Josephson junctions based on the high-T_c superconductors
B.A. Aminov, Ya.G. Ponomarev and M.V. Sudakova 2531

Single-particle tunneling and Josephson effect in Bi–Sr–Ca–Cu–O: Pb and Tl–Ba–Ca–Cu–O compounds
B.A. Aminov, M.V. Pedyash, D.K. Petrov, H.T. Rakhimov, K. Sethupathi, M.V. Sudakova and Ya.G. Ponomarev 2533

Tunnel junction superconductor normal metal on the high-T_c Bi(Pb)SrCaCuO fibrous crystals
G.A. Ovsyannikov, V.V. Frolov, V.Yu. Kaznacheev, I.A. Serbinov and Yu.V. Gulyaev 2535

Self-radiation and impedance of high-T_c thin film bridge structure
G.A. Ovsyannikov, K.Y. Constantinian and L.E. Amatuni 2537

On the theory of superconducting structures S–S′–S and S–S′–N with potential barriers at the metal interfaces
A.V. Zaitsev. 2539

High-voltage transitions in YBCO thick film microbridges
G. Alvarez, K.N.R. Taylor, A. Bailey and G.J. Russell 2541

On characteristic voltage of the high-T_c superconductor
B.V. Vasiliev and S.V. Uchaikin 2543

Microscopic behavior of the pair potential of the superconductor–inversion layer–superconductor junction
Y. Tanaka, H. Yamagami and M. Tsukada 2545

Random telegraph signal of SNS bridges and high-T_c superconducting oxide thin films
F. Ichikawa, T. Yamamoto, Y. Horie, T. Fukami and T. Aomine 2547

MBE growth and HR-TEM observations of several-nm MgO film on the cleavage plane of $Bi_2Sr_2CaCu_2O_x$ single crystals
K. Yamano, K. Shimaoka, K. Takahashi, T. Usuki, Y. Yoshisato and S. Nakano 2549

Tunneling in YBCO/NbN and YBCO/Au junctions grown selectively on MgO substrates
C. Rossel, U. Kaufmann, H. Downar and R. Schulz 2551

Vertical transport properties of a-axis oriented $YBa_2Cu_3O_7/PrBa_2Cu_3O_7/YBa_2Cu_3O_7$ sandwich junctions
D. Lew, Y. Suzuki, C.B. Eom, M. Lee, J.-M. Triscone, T.H. Geballe and M.R. Beasley 2553

Properties of all-Nb thin film microbridges fabricated by nanometer process
Y. Harada, N. Hirose, Y. Uzawa, M. Sekine, S. Yoshimori and M. Kawamura 2555

Characteristics of sandwich-type junctions using a rare-earth substituted 2212 phase Bi-system oxide for a barrier layer
K. Mizuno and K. Setsune 2557

$YBa_2Cu_3O_7$ thin film step junctions
R.G. Humphreys, J.S. Satchell, J.A. Edwards, N.G. Chew, S.W. Goodyear and M.N. Keene 2559

Grain boundary Josephson junctions created by bi-epitaxial processes
K. Char, M.S. Colclough, L.P. Lee and G. Zaharchuk 2561

Optimization of large area $YBa_2Cu_3O_{7-x}$ films by single target ion beam sputtering
A. Gauzzi, M.L. Lucia, M. Affronte and D. Pavuna 2563

Charging effects at the surfaces of HTSC films by CSTM
I. Takeuchi, J.S. Tsai, S. Ishizaka, T. Yoshitake and S. Satoh 2565

Microwave properties in thin films of Bi-based superconductors
A. Tanaka, N. Kamehara and K. Niwa 2567

Study of Y–Ba–Cu–O/Au surface electronic states using LTSTS
M. Koyanagi, S. Kashiwaya, S. Kohjiro, H. Akoh, M. Matsuda and K. Kajimura 2569

Phonon density of states in $Pr_{2-x}Ce_xCuO_4$ and Pr_2CuO_4
I.W. Sumarlin, J.W. Lynn, D.A. Neumann, J.J. Rush, J.L. Peng, Z.Y. Li and S.J. Hagen . . . 2571

Superconducting energy gap in copper oxide S–N system
M. Suga, T. Nishino, Y. Tarutani and K. Takagi . . . 2573

The proximity effect between YBCO and silver
E.J. Tarte, H.W. Lean, Z.H. Barber, J.R. Waldram and R.E. Somekh . . . 2575

The resistance of YBCO–silver interfaces
E.J. Tarte, H.W. Lean, Z.H. Barber, J.R. Waldram and R.E. Somekh . . . 2577

Calculation of the quasi-particle transmission and reflection probabilities across arbitrary potential barriers using the Bogoliubov equations
T. Yamamoto, H. Suzuki, T. Usuki, Y. Yoshisato and S. Nakano . . . 2579

Microwave and millimeter-wave mixers using negative differential resistance due to Andreev reflection in superconducting weak links
H. Ohta and T. Matsui . . . 2581

Study on surface resistance of $YBa_2Cu_3O_{7-\delta}$ films
S. Ohshima, K. Okuyama, K. Sawaya, H. Maejima and K. Noguchi . . . 2583

Josephson current through narrow channels
A. Furusaki, H. Takayanagi and M. Tsukada . . . 2585

Long-range Josephson coupling in planar SNS junctions
R. Yuasa, M. Nemoto, S. Fujiwara, H. Furukawa, H. Mukaida, S. Tokunaga and M. Nakao . . . 2587

Microbridges and point contacts as negative differential resistance devices in the conventional generation of microwaves, up to the sub-millimeter range
R. Nicolsky and A.M. Luiz . . . 2589

Edge junction DC SQUIDs fabrication with epitaxial YBaCuO thin films
X.H. Zeng, Y.F. Hu, H.M. Jiang, R.J. Liu, Y.D. Dai and S.G. Wang . . . 2591

The measurement of low magnetic field using Bi–Sr–Ca–Cu–O ceramics with Josephson medium
K.Sh. Agababyan, N.M. Dobrovolsky, R.T. Mina, E.V. Putnyn and A.G. Sarkisyan . . . 2593

Basic elements of high temperature superconductor wiring
B. Roas, G. Friedl and L. Schultz . . . 2595

Properties of YBCO junctions and squids on YSZ bicrystals
P.Å. Nilsson, Z.G. Ivanov, D. Winkler, H.K. Olsson, G. Brorsson, T. Claeson, E.A. Stepantsov and A.Ya. Tzalenchuk. . . . 2597

Analysis of high-T_c superconducting microstrip line using microwave design system
K.Y. Kang, J.D. Suh, C.Y. Lee and G.Y. Sung. . . . 2599

Electrical responses of high-T_c superconducting thin films to infrared radiation
K. Tanabe, Y. Enomoto, H. Asano, S. Kubo, M. Suzuki and A. Yamaji. . . . 2601

Integrated-circuit microwave detector based on granular high-T_c thin films
A.V. Drobinin, V.S. Lutovinov and I.V. Starostenko . . . 2603

Grain boundary junctions from anisotropic etching of $LaAlO_3$substrates
S.T. Ruggiero, A.H. Cardona and L.C. Bourne . . . 2605

Correlation between photoresponse and current-voltage characteristics of Bi–Sr–Ca–Cu–O thin films
S. Ohya and S. Karasawa . . . 2607

Highly-anharmonic lattice dynamics: a scenario to understand superconductivity in oxides
F. Gervais. . . . 2609

New criterion for determining the character of intrinsic Josephson junctions
R. Nicolsky . . . 2611

Large magnetic shielding vessels of high-T_c oxide superconductor and SQUID measurements
A. Koike, K. Hoshino, H. Ohta, H. Kotaka, E. Sudoh, K. Katoh and H. Takahara . . . 2613

Current-voltage characteristic of the HTS–metal junctions
M.V. Fistul' . . . 2615

Observation of Josephson coupling between CuO double layers in $Bi_2CaSr_2Cu_2O_8$ single crystals
R. Kleiner, F. Steinmeyer, G. Kunkel and P. Müller . . . 2617

Section I. Heavy Fermion and Magnetic Superconductors

Attraction between tilted vortices in magnetic superconductors
A.I. Buzdin, S.S. Krotov, D.A. Kuptsov 2621

Anisotropy of upper critical field near T_c and magnetic gap of superconducting URu_2Si_2 single crystal
F.G. Aliev, V.V. Moshchalkov, V.V. Pryadun, N. Agrait, S. Vieira, R. Villar and T.T.M. Palstra. 2623

Novel magnetic relaxation effects in superconducting UPt_3 single crystals
A. Pollini, A.C. Mota, P. Visani, R. Pittini, G. Juri, T. Teruzzi, and J.J.M. Franse 2625

Theoretical study of unconventional superconducting classes in heavy fermion compounds
K. Machida and M. Ozaki 2627

Superconducting mixed state symmetry for an anisotropic pairing near H_{c2} and phase transition in UPt_3
I. Luk'yanchuk and M. Zhitomirsky 2629

Transport properties of unconventional superconductors in vortex state
K. Maki 2631

Anisotropy of superconducting properties of UPt_3 close to T_c
Z. Koziol, K. Bakker, A. de Visser and J.J.M. Franse. 2633

Specific heat and resistivity study of heavy fermion compound CeCuGa
Z. Li, Y. Wang, J. Luo, X. Cai, W. Yao, D. Jin, J. Kuang and F. Yang 2635

Electronic states and magnetic correlations in heavy fermion systems studied as two-impurity Kondo problem
T. Saso 2637

Specific heat of UPt_3 in the vicinity of the antiferromagnetic ordering at 5 K
R.A. Fisher, B.F. Woodfield, S. Kim, N.E. Phillips, L. Taillefer, A.L. Giorgi and J.L. Smith 2639

Field induced transition in the heavy fermion compound $CeCu_2$
S. Takayanagi, I. Umehara, K. Satoh and Y. Onuki 2641

Metamagnetic transition in the heavy-fermion $CeRuSn_x$ ($x=3.0, 2.91$)
S. Takayanagi, T. Fukuhara, H. Sato and N. Wada. 2643

Specific heat of UPt_3 below 20 mK measured by means of SQUID-magnetometer thermometry
E.A. Schuberth, B. Strickler and K. Andres 2645

Effects of alloying in the $Ce(Pt_{1-x}Au_x)Si$ heavy fermion, dense Kondo system
D.E. Barnes and R.N. Shelton 2647

Static and dynamic properties of the Anderson model with conduction electron screening
T.A. Costi and A.C. Hewson 2649

UPd_2Al_3 – a new heavy-fermion superconductor with $T_c=2$ K
C. Geibel, U. Ahlheim, C.D. Bredl, J. Diehl, A. Grauel, R. Helfrich, H. Kitazawa, R. Köhler, R. Modler, M. Lang, C. Schank, S. Thies, F. Steglich, N. Sato and T. Komatsubara 2651

Observation of the flux line lattice in MPMG-processed YBCO using a decoration technique of ferromagnetic particles
Y. Higashida, Y. Kubo, M. Murakami, H. Fujimoto, K. Yamaguchi, T. Takata, A. Kondoh and N. Koshizuka 2653

Section J. Organic Superconductors

The flux creep in κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ single crystals
V.V. Moshchalkov, V.V. Metlushko, V.D. Kuznetsov, L.A. Epanechnikov, E.F. Makarov, E.B. Yagubskii and N.D. Kushch 2657

Superconducting transition in κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$ under magnetic field
H. Ito, M. Watanabe, Y. Nogami, T. Ishiguro, T. Komatsu, G. Saito and N. Hosoito. 2659

Magnetic penetration depth and flux melting in κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$
L.P. Le, G.M. Luke, B.J. Sternlieb, W.D. Wu, Y.J. Uemura, H.H. Wang, A.M. Kini, J.M. Williams, C.E. Stronach 2661

Isotope effect in the organic superconductor κ-$ET_2Cu[N(CN)_2]Br$
Y. Tanaka, N. Kinoshita, M. Tokumoto and H. Anzai 2663

Magnetic relaxation of the organic superconductor κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$
A. Umezawa, S.K. Malik, G.W. Crabtree, H.H. Wang, L.K. Montgomery, K.D. Carlson and J.M. Williams 2665

NMR study of an organic superconductor, κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$
K. Kanoda, K. Sakao, T. Takahashi, T. Komatsu and G. Saito 2667

Low-field microwave absorption in organic superconductor κ-$(ET)_2[Cu(NCS)_2]$
A.A. Zakhidov, A. Ugawa, K. Yakushi, K. Imaeda, H. Inokuchi, I.I. Khairullin and P.K. Khabibullaev 2669

EXAFS study in organic superconductors
T. Doi, K. Oshima, H. Maeda, H. Yamazaki, H. Maruyama, H. Kimura, M. Fujita, H. Mori, S. Tanaka, H. Yamochi and G. Saito. 2671

Photoelectron spectroscopic study of κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ organic superconductor
R. Itti, H. Mori, K. Ikeda, I. Hirabayashi, N. Koshizuka and S. Tanaka 2673

Experimental studies of three superconducting states in the organic superconductor β-$(BEDT\text{-}TTF)_2I_3$
M. Hasumi, T. Osada, S. Kagoshima, H. Kobayashi, A. Kobayashi, G. Saito, H. Anzai, M. Tokumoto and N. Kinoshita 2675

Competition between superconductivity and magnetic ground state in $(BEDT\text{-}TTF)_2MHg(SCN)_4$
N. Kinoshita, M. Tokumoto, Y. Tanaka and H. Anzai 2677

Electrical resistance and superconducting transitions in non-deuterated and deuterated κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$
H. Sato, T. Sasaki and N. Toyota 2679

Influence of high pressure on T_c and normal state resistance anomaly of κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$
Yu.V. Sushko, V.A. Bonarenko, R.A. Petrosov, N.D. Kushch, E.B. Yagubskii, M.A. Tanatar and V.S. Yefanov 2681

Localization and superconductivity in $(BEDT\text{-}TTF)_2Cu[N(CN)_2]Cl$: pressure effect
Yu.V. Sushko, V.A. Bondarenko, R.A. Petrosov, N.D. Kushch and E.B. Yagubskii. 2683

Hall effect of the organic superconductors of $(TMTSF)_2X$, $(DMET)_2X$ and $(BEDT\text{-}TTF)_2X$
K. Murata, M. Ishibashi, N.A. Fortune, M. Tokumoto, N. Kinoshita, H. Anzai, K. Kikuchi, K. Saito, I. Ikemoto and T. Takahashi 2685

On the magnetic breakdown oscillations in organic superconductor κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$
T. Sasaki, H. Sato and N. Toyota 2687

The Fermi surfaces in the κ-type BEDT–TTF based organic superconductors
K. Oshima, K. Araki, H. Yamazaki, K. Kato, Y. Maruyama, K. Yakushi, T. Mori, H. Inokuchi, H. Mori and S. Tanaka 2689

Electronic structure of the organic conductor $(DMe\text{-}DCNQI)_2Cu$ studied by photoemission spectroscopy
I.H. Inoue, A. Kakizaki, A. Kobayashi, R. Kato, H. Kobayashi, H. Namatame and A. Fujimori. 2691

Valence fluctuations of copper ions in the molecular conductors $(DMeDCNQI)_2Cu$ and $(DMeODCNQI)_2Cu$: structural and magnetic aspects
S. Kagoshima, N. Sugimoto, T. Osada, A. Kobayashi, R. Kato and H. Kobayashi 2693

Instability of metallic state of DCNQI–Cu system
H. Kobayashi, A. Miyamoto, H. Moriyama, Y. Nishio, K. Kajita, W. Sasaki, F. Sakai, R. Kato and A. Kobayashi. 2695

Novel Fermi-surface topological effects of magnetoresistance anisotropy in low-dimensional organic superconductors
T. Osada, A. Kawasumi, S. Kagoshima, N. Miura and G. Saito 2697

Section K. Conventional superconductors

Triangular and fractal superconducting wire-networks: models for microwave investigations in granular superconductors
B. Senning, P. Erhart, P. Martinoli, R. Meyer and F. Waldner. 2701

Phase coherence of normal electrons in mesoscopic wire structures with superconducting segments in the diffusive regime
H. Ebisawa and Y. Takane 2703

Anomalous pressure effect on superconductivity in $(Lu_{1-x}Sc_x)_5Ir_4Si_{10}$
H.D. Yang and R.N. Shelton 2705

New ternary superconducting germanides
V.V. Moshchalkov, I.G. Muttik, N.A. Samarin, Yu.D. Seropegin and M.V. Rudometkina 2707

Direct determination of electronic density of states $N^*(E_F)$ for Nb_3Sn from upper critical field H_{c2} and resistivity ρ
A.I. Golovashkin and N.P. Shabanova 2709

The Meissner effect in the layered superconductor 2H–TaS_2
S. Nagata, T. Aochi, M. Sato, S. Chikazawa, K. Tsutsumi and H. Suzuki 2711

Magnetic field effect on phase-slip processes in superconducting microbridges
T. Yamamoto and T. Aomine 2713

Magnetic penetration depth in layered compound $NbSe_2$ measured by muon spin relaxation
L.P. Le, G.M. Luke, B.J. Sternlieb, W.D. Wu, Y.J. Uemura, J.W. Brill and H. Drulis 2715

Fermi surface of 2H–$NbSe_2$ studied by de Haas–van Alphen oscillation and positron annihilation
K. Takita, I. Umehara, T. Ebihara, N. Nagai, H. Nakashima, T. Kubota, H. Kondo, Y. Onuki and S. Tanigawa 2717

High pressure synthesis of B1-type solid solutions $Nb_{1-x}M_xN$(M=Ga, Ti)
T. Yamamoto, S. Kikkawa, M. Takahashi, Y. Miyamoto and F. Kanamaru 2719

Structure, superconducting properties and stoichiometry of $Li_{1-x}Ti_2O_4$ spinel single crystals
J.J. Capponi, S. Billat, P. Bordet, B. Lambert-Andron and B. Souletie 2721

High temperature structure of $BaBiO_3$ by single-crystal neutron diffraction
C. Chaillout, J. Marcus and M. Marezio 2723

The electronic structure of $BaPb_{1-x}Bi_xO_3$ studied by photoemission spectroscopy
H. Namatame, A. Fujimori, H. Eisaki, H. Takagi and S. Uchida 2725

Synthesis and properties of new cubic $Cu_6O_8 \cdot MX$ compounds as a candidate of cubic copper oxide superconductors
K. Bushida, I. Yazawa, G. Zouganelis, T. Conard, N. Terada, K. Kaneko, M. Hirabayashi and H. Ihara 2727

Superconducting proximity effect in Cu clad Nb wires doped with Mn, Fe, Co and Ni
H. Toyoda, A. Sumiyama, Y. Oda and K. Asayama 2729

^{51}V NMR in C15 Laves phase superconductor HfV_2 with an anisotropic energy gap
Y. Kishimoto, T. Ohno, T. Kanashiro, Y. Michihiro, Y. Kitaoka and K. Asayama 2731

Nuclear spin-lattice relaxation of ^{205}Tl in $TlMo_6Se_8$
H. Nishihara, T. Ohtani, Y. Sano and Y. Nakamura 2733

Superconductivity of $PbTl_3$ alloy
H. Okamoto, T. Takeshima, K. Tsutsumi and Y. Ishihara 2735

HTSC-like superlattices PbTe–PbS microwave spectroscopy
A.A. Konchits, I.M. Zaritskii, S.P. Kolesnik, V.A. Stephanovich, O.A. Mironov, S.V. Chistyakov, A.Yu. Sipatov and A.I. Fedorenko 2737

Diamagnetic response of a very simple superconducting granular system
S. Pace and R. De Luca 2739

List of Contributors 2741

Analytic Subject Index 2763